A new task creation with only latin letters in the fields

Severity **Priority Behavior** Type - Not set ↑ High Not set Other Layer Is Flaky Milestone **Automation** Not set No Not automated Status Actual

Step	1
Action	Launch the app
Input data	
Expected result	Main screen is opened
Step	2
Action	Tap floating action button, located at the bottom of the screen in the right corner
Input data	
Expected result	New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field.
Step	3
Action	Input data in the 'Title' field
Input data	Title field: Test
Expected result	Input data is displayed in the field. Error messages are not displayed
Step	4
Action	Tap on the text area
Input data	
Expected result	Text area screen is opened
Step	5
Action	Input data in the text area
Input data	Text area: test

Expected result	Input data is displayed in the area. Error messages are not displayed
Step	6
Action	Tap action button, located at the bottom of the screen in the right corner
Input data	
Expected result	To-do screen is opened. The task is displayed on the screen. The notification 'TO-DO saved' is appeared at the bottom of the screen
Step	7
Action	Tap created task on the screen
Input data	
Expected result	TO-DO screen is opened. The entered data is displayed on the screen

A new task creation with numbers in the 'Title' field

Severity Priority Behavior Type Other - Not set ↑ High Not set Is Flaky Milestone Layer **Automation** Not set No Not automated **Status** Actual

Step	1
Action	Launch the app
Input data	
Expected result	Main screen is opened
Step	2
Step	2
Action	Tap floating action button, located at the bottom of the screen in the right corner
Input data	
Expected result	New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field.
Step	3
Action	Input the data in the 'Title' field
Input data	Title field: Test1
Expected result	Input data is displayed in the field. Error messages are not displayed
Step	4
Action	Tap on the text area
Input data	
Expected result	Text area screen is opened
Step	5
Action	Input the data in the text area
Input data	Text area: test

Expected result	Input data is displayed in the area. Error messages are not displayed
Step	6
Action	Tap action button, located at the bottom of the screen in the right corner
Input data	
Expected result	TO-DO-MVP screen is opened. The task is displayed on the screen. The notification 'TO-DO saved' is appeared at the bottom of the screen
Step	7
Action	Tap created task on the To-do screen
Input data	
Expected result	TO-DO-MVP screen is opened. The entered data is displayed on the screen

A new task creation with special characters in the 'Title' field

Severity **Priority Behavior** Туре Other Not set o Medium Not set Milestone Layer Is Flaky **Automation** Not set No Not automated **Status** Actual

Step	1
Action	
	Launch the app
Input data	
Expected result	Main screen is opened
Step	2
Action	Tap floating action button, located at the bottom of the screen in the right corner
Input data	
Expected result	New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field.
Step	3
Action	Input the data in the 'Title' field
Input data	Title field: Test%
Expected result	Input data is displayed in the area. Error messages are not displayed
Step	4
Action	Tap on the text area
Input data	
Expected result	Text area screen is opened
Step	5
Action	Input the data in the text area
Input data	Text area: test

Expected result	Input data is displayed in the area. Error messages are not displayed
Step	6
Action	Tap action button, located at the bottom of the screen in the right corner
Input data	
Expected result	To-do-MVP screen is opened. The task is displayed on the screen. The notification 'TO-DO saved' is appeared at the bottom of the screen
Step	7
Action	Tap created task on the TO-do-MVP screen
Input data	
Expected result	TO-DO screen is opened. The entered data is displayed on the screen.

A new task creation with numbers in the text area

Severity Priority **Behavior** Type Other Not set ↑ High Not set Is Flaky Milestone Layer **Automation** Not set No Not automated **Status** Actual

_	
Step	1
Action	Launch the app
Input data	
Expected result	Main screen is opened
Step	2
Action	Tap floating action button, located at the bottom of the screen in the right corner
Input data	
Expected result	New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field.
Step	3
Action	Input the data in the 'Title' field
Input data	Title field: Test
Expected result	Input data is displayed in the field. Error messages are not displayed
Step	4
Action	Tap on the text area
Input data	
Expected result	Text area screen is opened
Step	5
Action	Input the data in the text area
Input data	Text area: 123

Expected result	Input data is displayed in the field. Error messages are not displayed
Step	6
Action	Tap action button, located at the bottom of the screen in the right corner
Input data	
Expected result	To-do-MVP screen is opened. The task is displayed on the screen. The notification 'TO-DO saved' is appeared at the bottom of the screen
Step	7
Action	Tap created task on the screen
Input data	
Expected result	TO-DO screen is opened. The entered data is displayed on the screen.

A new task creation with special characters in the text area

Severity **Priority Behavior** Type Not set ↑ High Not set Other Is Flaky Milestone Layer **Automation** Not set No Not automated **Status** Actual

Step	1
Action	Launch the app
Input data	
Expected result	Main screen is opened
Step	2
Action	Tap floating action button, located at the bottom of the screen in the right corner
Input data	
Expected result	New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field.
Step	3
Action	Input the data in the 'Title' field
Action Input data	Input the data in the 'Title' field Title field: Test
Input data	Title field: Test Input data is displayed in the field.
Input data Expected result	Title field: Test Input data is displayed in the field. Error messages are not displayed
Input data Expected result Step	Title field: Test Input data is displayed in the field. Error messages are not displayed
Input data Expected result Step Action	Title field: Test Input data is displayed in the field. Error messages are not displayed
Input data Expected result Step Action Input data	Title field: Test Input data is displayed in the field. Error messages are not displayed 4 Tap on the text area
Input data Expected result Step Action Input data Expected result	Title field: Test Input data is displayed in the field. Error messages are not displayed 4 Tap on the text area Text area screen is opened

Expected result	Input data is displayed in the field. Error messages are not displayed
Step	6
Action	Tap action button, located at the bottom of the screen in the right corner
Input data	
Expected result	To-do-MVP screen is opened. The task is displayed on the screen. The notification 'TO-DO saved' is appeared at the bottom of the screen
Step	7
Action	Tap created task on the To-do-MVP screen
Input data	
Expected result	TO-DO screen is opened. The entered data is displayed on the screen.

It's impossible to create a task with empty value in the 'Title' field

SeverityPriorityBehaviorType- Not seto MediumNot setOther

Layer Is Flaky Milestone Automation

Not set No - Not automated

Status Actual

Steps to reproduce

Step 1

Action Launch the app

Input data

Expected result Main screen is opened

Step 2

Action Tap floating action button, located at the bottom of the screen in the right corner

Input data

New TO-DO screen is opened.

Expected result Keyboard is displayed at the bottom of the screen.

Cursor is in the 'Title' field

Step 3

Action Tap on the text area

Input data

Expected result

Text area screen is not opened.

From massage Title field capped

Error message 'Title field cannot be empty' is displayed at the bottom of the screen

Step 4

Action Return to the To-do-MVP screen via 'back' button in the top app bar

Input data

It's impossible to create a task with empty value in the all fields

Severity **Priority Behavior** Type Not set o Medium Not set Other Layer Is Flaky Milestone **Automation** Not set No Not automated **Status** Actual

Step	1
Action	Launch the app
Input data	
Expected result	Main screen is opened
Step	2
Action	Tap floating action button, located at the bottom of the screen in the right corner
Input data	
Expected result	New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field.
Step	3
Action	Tap action button, located at the bottom of the 'New TO DO' screen in the right corner
Input data	
Expected result	Text area screen is not opened. Error message 'TO-DO cannot be empty' is displayed at the bottom of the screen.
Step	4
Action	Return to the To-do-MVP screen via 'back' button in the top app bar
Input data	
Expected result	The task is not created

The created task is displayed in the TO-DO list after folding the app to the background and unfolding the app from the background

Severity	Priority	Behavior	Туре
─ Not set	↑ High	Not set	Other
Layer	ls Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			
Actual			

Chan	•
Step	1
Action	Launch the app
Input data	
Expected result	Main screen is opened
Step	2
Action	Tap floating action button, located at the bottom of the screen in the right corner
Input data	
Expected result	New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field.
Step	3
Action	Input the data in the 'Title' field
Input data	Title field: Test
Expected result	Input data is displayed in the field. Error messages are not displayed
Step	4
Action	Tap on the text area
Input data	
Expected result	Text area screen is opened
Step	5
Action	Input the data in the text area

Input data	Text area: test
Expected result	Input data is displayed in the field. Error messages are not displayed
Step	6
Action	Tap action button, located at the bottom of the screen in the right corner
Input data	
Expected result	To-do-MVP screen is opened. The task is displayed on the screen. The notification 'TO-DO saved' is appeared at the bottom of the screen
Step	7
Action	Fold the app to the background
Input data	
Expected result	The app is folded to the background
Step	8
Action	Unfold the app from the background
Input data	
Expected result	To-do-MVP screen is opened. The created task is displayed on the screen.

The created task is displayed in the TO-DO list after app exit and app launch

SeverityPriorityBehaviorType→ Not set↑ HighNot setOtherLayerIs FlakyMilestoneAutomation

Not set No - Not automated

Status Actual

Steps to reproduce

Step 1

Action Launch the app

Input data

Expected result Main screen is opened

Step 2

Action Tap floating action button, located at the bottom of the screen in the right corner

Input data

New TO-DO screen is opened.

Expected result Keyboard is displayed at the bottom of the screen.

Cursor is in the 'Title' field.

Step 3

Action Input the data in the 'Title' field

Input data Title field: Test

Expected result Input data is displayed in the field. Error messages are not displayed

Step 4

Action Tap on the text area

Input data

Step 5

Action Input the data in the text area

Input data	Text area: test
Expected result	Input data is displayed in the field. Error messages are not displayed
Step	6
Action	Tap action button, located at the bottom of the screen in the right corner
Input data	
Expected result	To-do-MVP screen is opened. The task is displayed on the screen. The notification 'TO-DO saved' is appeared at the bottom of the screen
Step	7
Action	Exit from the app by removing the app from the background
Input data	
Expected result	The app is closed
Step	8
Action	Launch the app
Input data	
Expected result	To-do-MVP screen is opened. The created task is displayed on the screen.

Canceling task creation via the 'back' button in the top app bar

Severity **Priority Behavior** Type Not set lacktriangle Low Not set Other Milestone Layer Is Flaky **Automation** Not set No Not automated **Status** Actual

Action Launch the app Input data Expected result Main screen is opened Step 2 Action Tap floating action button, located at the bottom of the screen in the right corner Input data Expected result Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field. Step 3 Action Input the data in the 'Title' field Input data Title field: Test Expected result Input data is displayed in the field. Expected result Input data is displayed in the field. Expected result Input data is displayed in the field. Expected result Input data is displayed in the field. Expected result Input data is displayed in the field. Expected result To-do-MVP screen is opened. The task is not created To-do-MVP screen is opened. The task is not created	Step	1
Input data Expected result Main screen is opened Step 2 Action Tap floating action button, located at the bottom of the screen in the right corner Input data Expected result Reyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field. Step 3 Action Input the data in the 'Title' field Input data Title field: Test Expected result Input data is displayed in the field. Error messages are not displayed Step 4 Action Tap 'back' button in the top app bar Input data Expected result To-do-MVP screen is opened.		Launch the app
Expected result Step 2 Action Tap floating action button, located at the bottom of the screen in the right corner Input data Expected result New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field. Step 3 Action Input data Title field: Test Expected result Input data Title field: Test Expected result Input data is displayed in the field. Error messages are not displayed Step 4 Action Tap 'back' button in the top app bar Input data Expected result To-do-MVP screen is opened.		··
Action Tap floating action button, located at the bottom of the screen in the right corner Input data Expected result New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field. Step 3 Action Input the data in the 'Title' field Input data Title field: Test Expected result Input data is displayed in the field. Error messages are not displayed Step 4 Action Tap 'back' button in the top app bar Input data Expected result To-do-MVP screen is opened.		Main screen is opened
Action Tap floating action button, located at the bottom of the screen in the right corner Input data Expected result New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field. Step 3 Action Input the data in the 'Title' field Input data Title field: Test Expected result Input data is displayed in the field. Error messages are not displayed Step 4 Action Tap 'back' button in the top app bar Input data To-do-MVP screen is opened.	Expected result	Multi Screen is opened
Input data Expected result New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field. Step 3 Action Input the data in the 'Title' field Input data Title field: Test Expected result Input data is displayed in the field. Error messages are not displayed Step 4 Action Tap 'back' button in the top app bar Input data Fynocted result To-do-MVP screen is opened.	Step	2
Expected result New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field. Step 3 Action Input the data in the 'Title' field Input data Title field: Test Expected result Input data is displayed in the field. Error messages are not displayed Step 4 Action Tap 'back' button in the top app bar Input data To-do-MVP screen is opened.	Action	Tap floating action button, located at the bottom of the screen in the right corner
Expected result Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field. Step 3 Action Input the data in the 'Title' field Input data Title field: Test Expected result Input data is displayed in the field. Error messages are not displayed Step 4 Action Tap 'back' button in the top app bar Input data Fynosted result To-do-MVP screen is opened.	Input data	
Action Input the data in the 'Title' field Input data Title field: Test Expected result Input data is displayed in the field. Error messages are not displayed Step 4 Action Tap 'back' button in the top app bar Input data Expected result To-do-MVP screen is opened.	Expected result	Keyboard is displayed at the bottom of the screen.
Input data Title field: Test Expected result Input data is displayed in the field. Error messages are not displayed Step 4 Action Tap 'back' button in the top app bar Input data To-do-MVP screen is opened.	Step	3
Expected result Input data is displayed in the field. Error messages are not displayed Step 4 Action Tap 'back' button in the top app bar Input data To-do-MVP screen is opened.	Action	Input the data in the 'Title' field
Step 4 Action Tap 'back' button in the top app bar Input data To-do-MVP screen is opened.	Input data	Title field: Test
Action Tap 'back' button in the top app bar Input data To-do-MVP screen is opened.	Expected result	
Input data To-do-MVP screen is opened.	Step	4
Expected result To-do-MVP screen is opened.	Action	Tap 'back' button in the top app bar
	Input data	
	Expected result	

Canceling task creation via the 'back' button of the device

Severity **Priority Behavior** Type Not set **↓** Low Not set Other Milestone Layer Is Flaky **Automation** Not set No Not automated **Status** Actual

Step	1
Action	Launch the app
Input data	
Expected result	Main screen is opened
Step	2
Action	Tap floating action button, located at the bottom of the screen in the right corner
Input data	
Expected result	New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field.
Step	3
Action	Input the data in the 'Title' field
Input data	Title field: Test
Expected result	Input data is displayed in the field. Error messages are not displayed
Step	4
Action	Tap 'back' button of the device
Input data	
Expected result	To-do-MVP screen is opened. The task is not created

Several tasks creation

SeverityPriorityBehaviorType→ Not set↑ HighNot setOtherLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Input data

Text area: test

Step	1
Action	Launch the app
Input data	
Expected result	Main screen is opened
Step	2
Action	Tap floating action button, located at the bottom of the screen in the right corner
Input data	
Expected result	New TO-DO screen is opened. Keyboard is displayed at the bottom of the screen. Cursor is in the 'Title' field.
Step	3
Action	Input the data in the 'Title' field
Input data	Title field: Test
Expected result	Input data is displayed in the field. Error messages are not displayed
Step	4
Action	Tap on the text area
Input data	
Expected result	Text area screen is opened
Step	5
Action	Input the data in the text area

Expected result	Input data is displayed in the field. Error messages are not displayed
Step	6
Action	Tap action button, located at the bottom of the screen in the right corner
Input data	
Expected result	To-do-MVP screen is opened. The task is displayed on the screen. The notification 'TO-DO saved' is appeared at the bottom of the screen
Step	7
Action	Repeat 1-5 steps
Input data	Title field: Testsecond Text area: testsecond
Expected result	To-do-MVP screen is opened. The notification 'TO-DO saved' is appeared at the bottom of the screen. Two created tasks are displayed on the screen.