Cucumber Report

| Start : авг. 20, 7:08:33.830 PM	End : авг. 20, 7:08:37.464 PM	Duration : 3.634 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 3

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
google search feature	3.634 s	1	0	1	0	4	0	1	3

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@teapot	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	google search feature	1	0	1	0	3.634 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	google search feature	TC02_porcelain_tea_pot_search	4	0	1	3	3.630 s

google search feature

FAILED	DURATION - 3.634 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	4
/ 7:08:33.830 PM // 7:08:37.464 PM /					

TC02_porcelain_tea_pot_search

FAILED	DURATION - 3.630 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	4
/ 7:08:33.834 PM // 7:08:37.464 PM /				
google search feature				
@teapot				

#	Step / Hook Details	Status	Duration
1	Given user is on the google home page	FAILED	3.602 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.GoogleStepDefs
	   at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	   at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	   at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	   at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)
	   at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
	   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 46 more Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.97 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'PC4', ip: '192.168.1.111' Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.		

#	Step / Hook Details	Status	Duration
	chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:159) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51) at utilities.Driver.getDriver(Driver.java:39) at pages.GoogleHomePage.<init>(GoogleHomePage.java:12) at stepdefinitions.GoogleStepDefs.<init>(GoogleStepDefs.java:13)		
2	And user search for porcelain tea pot	SKIPPED	0.000 s
3	Then verify the page title contains porcelain tea pot	SKIPPED	0.001 s
4	And close the application	SKIPPED	0.000 s