Cucumber Report

Start : авг. 23, 4:18:08.486 PM	End : авг. 23, 4:18:09.626 PM	Duration : 1.140 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 3 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
jdbc_feature	*1.140 s*	*1*	*1*	*0*	*0*	*3*	*3*	*0*	*0*

Tag	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@jdbc	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	jdbc_feature	1	1	0	0	1.140 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	jdbc_feature	TC01_read_the _login_information	3	3	0	0	1.135 s

jdbc_feature

PASSED	DURATION - 1.140 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 4:18:08.486 PM // 4:18:09.626 PM /					

TC01_read_the _login_information

PASSED	DURATION - 1.135 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 4:18:08.491 PM // 4:18:09.626 PM /				
jdbc_feature				
@jdbc				

#	Step / Hook Details	Status	Duration
1	Given user connects to the application database	PASSED	1.108 s
2	When user gets the column "*" from the table "jhi_user"	PASSED	0.001 s
3	Then user reads all column "login" data	PASSED	0.001 s