Customize Logic

The Customize Logic function is a sub function of the Data Query > Filters function.
It **ALLOWS** the user to:

- Add, change or delete condition groups
- Change condition logical operators
- Change position of conditions

It **DOES NOT ALLOW** the user to add, change, or delete conditions.

Group definition and position changes are allowed only if more than two conditions are defined.

No Conditions or One Condition Defined

If no conditions or only one condition is defined, the "Customize Logic" button is disabled as in the example below:



Two Conditions Defined

If two conditions are defined, the "Customize Logic" button is enabled. Pressing the "Customize Logic" button displays a dialog similar to the example below:

The only option available for two conditions is to change the logical operator. To do this, first select the logical operator in the tree:



Then click the logical operator radio button you want:

Customize Logic



More Than Two Conditions Defined

If more than two conditions are defined, the "Customize Logic" button is enabled. Pressing the "Customize Logic" button displays a dialog similar to the example below:



Adding a Group

Press the "Add Group" button. The group is then created and added to the end of the tree at the top level and selected as in the example below:

Customize Logic



Groups within Groups are not possible.

The group's name defaults to "Group [n]" where n is the next available group number. This name can be changed. See "Renaming a Group" below.
A group usually contains two or more conditions. A group wouldn't be necessary for only one condition because it would be the same as the condition by itself.
In addition, conditions in a group usually have different logical operators than ungrouped conditions. Grouping wouldn't be necessary if all the conditions had the same logical operator.
Move the conditions that you wish into the group and change their logical operators. See "Moving a Condition or Group" and "Changing Logical Operators below.

Moving a Condition or Group

Select the condition or group you wish to move. Press the button to move the condition down or the button to move the condition up.

Changing Logical Operators

Changing a logical operator will change all operators at the level of that operator. Select a logical operator at the level you wish to change and then click the logical operator radio button of the operator you wish.

Deleting or Ungrouping Groups Using Group Buttons

- Select the group you wish to delete or ungroup.
- If the group has no members the "Delete Group" button will display:

Customize Logic



Pressing this button will delete the group and its logical operator:



- If the group has members the “Ungroup” button displays:

Customize Logic



Pressing this button will remove the group and display its member conditions at the top level using the logical operators defined to the top level:



Deleting or Ungrouping Groups With the Context Menu

- Select the group you wish to delete or ungroup.
- Right-click the selected group.
- The group context menu displays.
- If the group has no members, the “Delete Group” menu item appears:

Customize Logic



- If the group has members, the “Ungroup” menu item appears:



- Click the corresponding menu item.
- Deleting the group will delete the group and its logical operator.
- Ungrouping will remove the group and display its member conditions at the top level using the logical operators defined to the top level.

Renaming a Group

- Select the group you wish to rename.
- Right-click the selected group.
- The group context menu displays:



- Click “Rename Group” and the tree item becomes a text box:



- Enter a new name and click outside the box or press the return button.

Saving the Changes

Press the 

button to save the changes. The changes are then shown on the Conditions screen and the query is recreated:



Conditions

Customize Logic | New Condition

Table	Field	Operator	Value 1	Value 2	Logical Op	Group	Rec Order		
Film	Rating	Not StartsWith	PG		And		1	edit	delete
Film	Category	Not between	4	5	Or	New Group	2	edit	delete
Film	Title	Not EndsWith	Diet		Or	New Group	3	edit	delete

Data query so far:
SELECT Film.* FROM Film WHERE (Film.Rating Not Like 'PG%') AND ((Film.Category Not between 4 AND 5) OR (Film.Title Not Like '%Diet')) ORDER BY Film.Rating ASC