```
/** */ package shelley.irish.purchaseOrder.model.purchaseOrder;
import org.eclipse.emf.ecore.EAttribute; import org.eclipse.emf.ecore.EClass;
import org.eclipse.emf.ecore.EDataType; import org.eclipse.emf.ecore.EPackage;
import org.eclipse.emf.ecore.EReference;
/**** The Package for the model. * It contains accessors for the meta objects
to represent *
   • each class,
   • each feature of each class,
   • each operation of each class,
   • each enum,
   • and each data type
     @see shelley.irish.purchase Order.model.purchase Order.Purchase Order Factory \\
   • @model kind="package"
     @generated */ public interface PurchaseOrderPackage extends EPackage {
        - The package name.

    — @generated */ String eNAME = "purchaseOrder";

        - The package namespace URI.
          @generated */ String eNS_URI = "http://www.example.org/purchaseOrder";
        - The package namespace name.
```

— @generated \*/ String eNS\_PREFIX = "purchaseOrder";

```
    The singleton instance of the package.

    — @generated */ PurchaseOrderPackage eINSTANCE = shel-

      ley. irish. purchase Order. model. purchase Order. impl. Purchase Order Package Impl. purchase Order. purcha
       .init();
- The meta object id for the '{@link shelley.irish.purchaseOrder.model.purchaseOrder.impl.PurchaseOrd
      Purchase Order}' class.

    — @see shelley.irish.purchaseOrder.model.purchaseOrder.impl.PurchaseOrderImpl

- @see shelley.irish.purchaseOrder.model.purchaseOrder.impl.PurchaseOrderPackageImpl#getPurchase
- @generated */ int PURCHASE_ORDER = 0;
- The feature id for the 'Comment' attribute.

    — @generated

— @ordered */ int PURCHASE_ORDER___COMMENT = 0;
- The feature id for the 'Order Date' attribute.
- @generated
— @ordered */ int PURCHASE_ORDER__ORDER_DATE = 1;
- The feature id for the 'Ship To' containment reference.

    — @generated

— @ordered */ int PURCHASE_ORDER___SHIP_TO = 2;
```

```
- The feature id for the 'Bill To' containment reference.
- @generated
— @ordered */ int PURCHASE_ORDER___BILL_TO = 3;
- The feature id for the 'Items' containment reference list.

    — @generated

— @ordered */ int PURCHASE_ORDER___ITEMS = 4;
- The number of structural features of the 'Purchase Order' class.
- @generated
— @ordered */ int PURCHASE_ORDER_FEATURE_COUNT = 5;
- The number of operations of the 'Purchase Order' class.
- @generated
– @ordered */ int PURCHASE_ORDER_OPERATION_COUNT =
- The meta object id for the '{@link shelley.irish.purchaseOrder.model.purchaseOrder.impl.ItemImpl
  Item}' class.
- @see shelley.irish.purchaseOrder.model.purchaseOrder.impl.ItemImpl
```

```
- @see shelley.irish.purchaseOrder.model.purchaseOrder.impl.PurchaseOrderPackageImpl#getItem()
- @generated */ int ITEM = 1;
- The feature id for the 'Product Name' attribute.
- @generated
- @ordered */ int ITEM___PRODUCT_NAME = 0;
- The feature id for the 'Quantity' attribute.
- @generated
- @ordered */ int ITEM___QUANTITY = 1;
- The feature id for the 'US Price' attribute.
- @generated
- @ordered */ int ITEM__US_PRICE = 2;
- The feature id for the 'Comment' attribute.
- @generated
- @ordered */ int ITEM___COMMENT = 3;
- The feature id for the 'Ship Date' attribute.
- @generated
```

```
- @ordered */ int ITEM__SHIP_DATE = 4;
  - The feature id for the 'Part Num' attribute.
  - @generated
  - @ordered */ int ITEM___PART_NUM = 5;
 - The number of structural features of the 'Item' class.
  - @generated
  - @ordered */ int ITEM_FEATURE_COUNT = 6;
  - The number of operations of the 'Item' class.
  - @generated
  - @ordered */ int ITEM_OPERATION_COUNT = 0;
- The meta object id for the '{@link shelley.irish.purchaseOrder.model.purchaseOrder.impl.USAddressIn
               US Address}' class.
              @see \ shelley. irish. purchase Order. model. purchase Order. impl. USAddress Impl. and the purchase Order. imp. and the
  - @ see shelley.irish.purchaseOrder.model.purchaseOrder.impl.PurchaseOrderPackageImpl\#getUSAddrewarder.purchaseOrder.impl.PurchaseOrderPackageImpl\#getUSAddrewarder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purchaseOrder.purc
              @generated */ int US\_ADDRESS = 2;
 - The feature id for the 'Name' attribute.
```

```
- @generated
- @ordered */ int US_ADDRESS__NAME = 0;
- The feature id for the 'Street' attribute.
- @generated
- @ordered */ int US_ADDRESS__STREET = 1;
- The feature id for the 'City' attribute.
- @generated
- @ordered */ int US_ADDRESS__CITY = 2;
- The feature id for the 'State' attribute.
- @generated
- @ordered */ int US_ADDRESS__STATE = 3;
- The feature id for the 'Zip' attribute.
- @generated
- @ordered */ int US_ADDRESS__ZIP = 4;
- The feature id for the 'Country' attribute.
- @generated
```

```
- @ordered */ int US_ADDRESS__COUNTRY = 5;
- The number of structural features of the 'US Address' class.
       @generated
- @ordered */ int US_ADDRESS_FEATURE_COUNT = 6;
- The number of operations of the 'US Address' class.
- @generated
— @ordered */ int US_ADDRESS_OPERATION_COUNT = 0;
- The meta object id for the 'Date' data type.
- @see java.util.Date
- @see shelley.irish.purchaseOrder.model.purchaseOrder.impl.PurchaseOrderPackageImpl#getDate()
       @generated */ int DATE = 3;
- The meta object id for the 'SKU' data type.
- @see java.lang.String
       @see shelley.irish.purchaseOrder.model.purchaseOrder.impl.PurchaseOrderPackageImpl\#getSKU() \\
       @generated */ int SKU = 4;
- Returns the meta object for class '{@link shelley.irish.purchaseOrder.model.purchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.PurchaseOrder.Purchase
       Purchase Order}'.
```

```
- @return the meta object for class 'Purchase Order'.
- @see shelley.irish.purchaseOrder.model.purchaseOrder.PurchaseOrder

    — @generated */ EClass getPurchaseOrder();

- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.Pur
      Comment}'.
      @return the meta object for the attribute 'Comment'.
     @see shelley.irish.purchaseOrder.model.purchaseOrder.PurchaseOrder#getComment()
      @see #getPurchaseOrder()

    — @generated */ EAttribute getPurchaseOrder_Comment();

- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.Pur
      Order Date}'.
     @return the meta object for the attribute 'Order Date'.
— @see shelley.irish.purchaseOrder.model.purchaseOrder.PurchaseOrder#getOrderDate()
— @see #getPurchaseOrder()

    — @generated */ EAttribute getPurchaseOrder_OrderDate();

- Returns the meta object for the containment reference '{@link shel-
      ley. irish. purchase Order. model. purchase Order. Purchase Order \#get Ship Toologie (Ship Too
      Ship To}'.

    — @return the meta object for the containment reference 'Ship To'.

- @ see shelley.irish.purchaseOrder.model.purchaseOrder.PurchaseOrder\#getShipTo()\\
— @see #getPurchaseOrder()

    — @generated */ EReference getPurchaseOrder_ShipTo();
```

```
- Returns the meta object for the containment reference '{@link shel-
      ley. irish. purchase Order. model. purchase Order. Purchase Order \# get Bill Topland and the purchase Order \# get Bill Topland And Topla
      Bill To}'.
- @return the meta object for the containment reference 'Bill To'.
- @see shelley.irish.purchaseOrder.model.purchaseOrder.PurchaseOrder#getBillTo()
      @see #getPurchaseOrder()

    — @generated */ EReference getPurchaseOrder_BillTo();

- Returns the meta object for the containment reference list '{@link shel-
      ley. irish. purchase Order. model. purchase Order. Purchase Order \# get Items
      Items}'.
- @return the meta object for the containment reference list 'Items'.
      @see shelley.irish.purchaseOrder.model.purchaseOrder.PurchaseOrder#getItems()
— @see #getPurchaseOrder()

    — @generated */ EReference getPurchaseOrder_Items();

- Returns the meta object for class '{@link shelley.irish.purchaseOrder.model.purchaseOrder.Item
      Item}'.
- @return the meta object for class 'Item'.

    — @see shelley.irish.purchaseOrder.model.purchaseOrder.Item

— @generated */ EClass getItem();
- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.Iter
      Product Name}'.
```

```
- @return the meta object for the attribute 'Product Name'.
  @see shelley.irish.purchaseOrder.model.purchaseOrder.Item#getProductName()
— @see #getItem()
— @generated */ EAttribute getItem_ProductName();
- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.Iter
  Quantity}'.
  @return the meta object for the attribute 'Quantity'.
  @see shelley.irish.purchaseOrder.model.purchaseOrder.Item#getQuantity()
— @see #getItem()

    — @generated */ EAttribute getItem_Quantity();

- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.Iter
  US Price}'.

    — @return the meta object for the attribute 'US Price'.

    — @see shelley.irish.purchaseOrder.model.purchaseOrder.Item#getUSPrice()

— @see #getItem()

    — @generated */ EAttribute getItem_USPrice();

- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.Iter
  Comment}'.
  @return the meta object for the attribute 'Comment'.

    — @see shelley.irish.purchaseOrder.model.purchaseOrder.Item#getComment()

— @see #getItem()

    — @generated */ EAttribute getItem_Comment();
```

```
- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.Iter
  Ship Date}'.
  @return the meta object for the attribute 'Ship Date'.
  @see shelley.irish.purchaseOrder.model.purchaseOrder.Item#getShipDate()
  @see #getItem()
— @generated */ EAttribute getItem_ShipDate();
- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.Iter
  Part Num}'.
- @return the meta object for the attribute 'Part Num'.
  @see shelley.irish.purchaseOrder.model.purchaseOrder.Item#getPartNum()
— @see #getItem()
– @generated */ EAttribute getItem_PartNum();
- Returns the meta object for class '{@link shelley.irish.purchaseOrder.model.purchaseOrder.USAddress
  US Address}'.
  @return the meta object for class 'US Address'.

    — @see shelley.irish.purchaseOrder.model.purchaseOrder.USAddress

— @generated */ EClass getUSAddress();
- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.US.
  Name}'.
  @return the meta object for the attribute 'Name'.
```

— @see shelley.irish.purchaseOrder.model.purchaseOrder.USAddress#getName()

```
    Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.US.

    — @return the meta object for the attribute 'Street'.

    — @see shelley.irish.purchaseOrder.model.purchaseOrder.USAddress#getStreet()

  @see #getUSAddress()

    — @generated */ EAttribute getUSAddress_Street();

- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.US.
  City}'.
- @return the meta object for the attribute 'City'.
  @see shelley.irish.purchaseOrder.model.purchaseOrder.USAddress#getCity()
— @see #getUSAddress()
— @generated */ EAttribute getUSAddress_City();
- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.US.
  State}'.
  @return the meta object for the attribute 'State'.
  @see shelley.irish.purchaseOrder.model.purchaseOrder.USAddress#getState()
  @see #getUSAddress()

    — @generated */ EAttribute getUSAddress_State();

- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.US.
  Zip}'.
```

— @see #getUSAddress()

— @generated \*/ EAttribute getUSAddress\_Name();

```
- @return the meta object for the attribute 'Zip'.

    — @see shelley.irish.purchaseOrder.model.purchaseOrder.USAddress#getZip()

– @see #getUSAddress()

    — @generated */ EAttribute getUSAddress_Zip();

- Returns the meta object for the attribute '{@link shelley.irish.purchaseOrder.model.purchaseOrder.US.
  Country}'.
- @return the meta object for the attribute 'Country'.

    — @see shelley.irish.purchaseOrder.model.purchaseOrder.USAddress#getCountry()

– @see #getUSAddress()

    — @generated */ EAttribute getUSAddress_Country();

- Returns the meta object for data type '{@link java.util.Date Date}'.
- @return the meta object for data type 'Date'.
- @see java.util.Date
- @model instanceClass="java.util.Date"
— @generated */ EDataType getDate();
- Returns the meta object for data type '{@link java.lang.String SKU}'.

    — @return the meta object for data type 'SKU'.

- @see java.lang.String
- @model instanceClass="java.lang.String"

    — @generated */ EDataType getSKU();
```

```
- Returns the factory that creates the instances of the model.
- @return the factory that creates the instances of the model.

    — @generated */ PurchaseOrderFactory getPurchaseOrderFactory();

- Defines literals for the meta objects that represent

    each class,

    each feature of each class,

    each operation of each class,

- each enum,

    and each data type

- @generated */ interface Literals { /**
             * The meta object literal for the '{@link shelley.irish.purchaseOrder.model.purchaseOrder.impl.Purc
                   Purchase Order}' class.
                   @see shelley.irish.purchaseOrder.model.purchaseOrder.impl. PurchaseOrderImpl\\
                   @see shelley.irish.purchaseOrder.model.purchaseOrder.impl.PurchaseOrderPackageImpl\#getPurchaseOrder.impl.PurchaseOrderPackageImpl\#getPurchaseOrder.impl.PurchaseOrderPackageImpl#getPurchaseOrder.impl.PurchaseOrderPackageImpl#getPurchaseOrder.impl.PurchaseOrderPackageImpl#getPurchaseOrder.impl.PurchaseOrderPackageImpl#getPurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrderPackageImpl#getPurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.Purc
                   @generated */ EClass PURCHASE_ORDER = eIN-
                   STANCE.getPurchaseOrder();
                   The meta object literal for the 'Comment' attribute feature.
             * @generated */ EAttribute PURCHASE_ORDER_
                    = eINSTANCE.getPurchaseOrder_Comment();
```

```
* The meta object literal for the 'Order Date' attribute feature.
* @generated */ EAttribute PURCHASE_ORDER__
                                                ORDER_DATE
  = eINSTANCE.getPurchaseOrder OrderDate();
* The meta object literal for the 'Ship To' containment reference
  feature.
 @generated */ EReference PURCHASE_ORDER___SHIP_TO
  = eINSTANCE.getPurchaseOrder_ShipTo();
* The meta object literal for the 'Bill To' containment reference
  feature.
 @generated */ EReference PURCHASE_ORDER___BILL_TO
  = eINSTANCE.getPurchaseOrder_BillTo();
* The meta object literal for the 'Items' containment reference list
  feature.
* @generated */ EReference PURCHASE_ORDER___ITEMS =
  eINSTANCE.getPurchaseOrder_Items();
* The meta object literal for the '{@link shelley.irish.purchaseOrder.model.purchaseOrder.impl.Item
  Item}' class.
```

\* @see shelley.irish.purchaseOrder.model.purchaseOrder.impl.ItemImpl

```
* @ see shelley.irish.purchaseOrder.model.purchaseOrder.impl. PurchaseOrderPackageImpl\#getItem\\
* @generated */ EClass ITEM = eINSTANCE.getItem();
* The meta object literal for the 'Product Name' attribute feature.
 @generated */ EAttribute ITEM___PRODUCT_NAME = eIN-
 STANCE.getItem_ProductName();
 The meta object literal for the 'Quantity' attribute feature.
* @generated */ EAttribute ITEM\__QUANTITY = eIN-
 STANCE.getItem_Quantity();
 The meta object literal for the 'US Price' attribute feature.
 @generated */ EAttribute ITEM__US_PRICE = eIN-
 STANCE.getItem_USPrice();
* The meta object literal for the 'Comment' attribute feature.
* @generated */ EAttribute ITEM__COMMENT = eIN-
 STANCE.getItem_Comment();
* The meta object literal for the 'Ship Date' attribute feature.
* @generated */ EAttribute ITEM__SHIP_DATE = eIN-
 STANCE.getItem_ShipDate();
```

```
The meta object literal for the 'Part Num' attribute feature.
* @generated */ EAttribute ITEM___PART_NUM = eIN-
  STANCE.getItem PartNum();
* The meta object literal for the '{@link shelley.irish.purchaseOrder.model.purchaseOrder.impl.USA
  US Address}' class.
  @see shelley.irish.purchaseOrder.model.purchaseOrder.impl.USAddressImpl
 @see shelley.irish.purchaseOrder.model.purchaseOrder.impl.PurchaseOrderPackageImpl\#getUSA
 @generated */ EClass US ADDRESS = eINSTANCE.getUSAddress();
 The meta object literal for the 'Name' attribute feature.
 @generated */ EAttribute US_ADDRESS__NAME = eIN-
  STANCE.getUSAddress_Name();
* The meta object literal for the 'Street' attribute feature.
 @generated */ EAttribute US_ADDRESS__STREET = eIN-
  STANCE.getUSAddress_Street();
* The meta object literal for the 'City' attribute feature.
 @generated */ EAttribute US_ADDRESS__CITY = eIN-
  STANCE.getUSAddress_City();
```

```
The meta object literal for the 'State' attribute feature.
* @generated */ EAttribute US_ADDRESS__STATE = eIN-
       STANCE.getUSAddress\_State();
      The meta object literal for the 'Zip' attribute feature.
* @generated */ EAttribute US_ADDRESS__ZIP = eIN-
       STANCE.getUSAddress_Zip();
      The meta object literal for the 'Country' attribute feature.
* @generated */ EAttribute US_ADDRESS__COUNTRY = eIN-
       STANCE.getUSAddress_Country();
      The meta object literal for the 'Date' data type.
      @see java.util.Date
      @see shelley.irish.purchaseOrder.model.purchaseOrder.impl.PurchaseOrderPackageImpl\#getDatesOrder.impl.PurchaseOrderPackageImpl#getDatesOrder.impl.PurchaseOrderPackageImpl#getDatesOrder.impl.PurchaseOrderPackageImpl#getDatesOrder.impl.PurchaseOrderPackageImpl#getDatesOrder.impl.PurchaseOrderPackageImpl#getDatesOrder.impl.PurchaseOrderPackageImpl#getDatesOrder.impl.PurchaseOrderPackageImpl#getDatesOrder.impl.PurchaseOrderPackageImpl#getDatesOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder.impl.PurchaseOrder
      @generated */ EDataType DATE = eINSTANCE.getDate();
      The meta object literal for the 'SKU' data type.
      @see java.lang.String
* @see shelley.irish.purchaseOrder.model.purchaseOrder.impl.PurchaseOrderPackageImpl#getSKU
```

\* @generated \*/ EDataType SKU = eINSTANCE.getSKU();

} //PurchaseOrderPackage