2 A curve is defined by the parametric equations

$$x = 3 - 4t \qquad y = 1 + \frac{2}{t}$$

(a) Find $\frac{dy}{dx}$ in terms of t. *(4 marks)*

(b) Find the equation of the tangent to the curve at the point where $t = 2$, giving your answer in the form $ax + by + c = 0$, where a, b and c are integers. *(4 marks)*

(c) Verify that the cartesian equation of the curve can be written as

$$(x - 3)(y - 1) + 8 = 0$$ *(3 marks)*

3 It is given that $3\cos\theta - 2\sin\theta = R\cos(\theta + \alpha)$, where $R > 0$ and $0° < \alpha < 90°$.

(a) Find the value of R. *(1 mark)*

(b) Show that $\alpha \approx 33.7°$. *(2 marks)*

(c) Hence write down the maximum value of $3\cos\theta - 2\sin\theta$ and find a **positive** value of θ at which this maximum value occurs. *(3 marks)*

6 (a) Express $\cos 2x$ in the form $a\cos^2 x + b$, where a and b are constants. *(2 marks)*

(b) Hence show that $\int_0^{\frac{\pi}{2}} \cos^2 x \, dx = \frac{\pi}{a}$, where a is an integer. *(5 marks)*

5 (a) (i) Obtain the binomial expansion of $(1-x)^{-1}$ up to and including the term in x^2.

(2 marks)

(ii) Hence, or otherwise, show that

$$\frac{1}{3-2x} \approx \frac{1}{3} + \frac{2}{9}x + \frac{4}{27}x^2$$

for small values of x.

(3 marks)

(b) Obtain the binomial expansion of $\dfrac{1}{(1-x)^2}$ up to and including the term in x^2.

(2 marks)

(c) Given that $\dfrac{2x^2-3}{(3-2x)(1-x)^2}$ can be written in the form $\dfrac{A}{(3-2x)} + \dfrac{B}{(1-x)} + \dfrac{C}{(1-x)^2}$,

find the values of A, B and C.

(5 marks)

(d) Hence find the binomial expansion of $\dfrac{2x^2-3}{(3-2x)(1-x)^2}$ up to and including the term in x^2.

(3 marks)

4 (a) (i) Express $\sin 2x$ in terms of $\sin x$ and $\cos x$. *(1 mark)*

(ii) Express $\cos 2x$ in terms of $\cos x$. *(1 mark)*

(b) Show that

$$\sin 2x - \tan x = \tan x \cos 2x$$

for all values of x. *(3 marks)*

(c) Solve the equation $\sin 2x - \tan x = 0$, giving all solutions in degrees in the interval $0° < x < 360°$. *(4 marks)*

9 (a) Given that $y = x^{-2} \ln x$, show that $\dfrac{dy}{dx} = \dfrac{1 - 2\ln x}{x^3}$. *(4 marks)*

(b) Using integration by parts, find $\int x^{-2} \ln x \, dx$. *(4 marks)*

(c) The sketch shows the graph of $y = x^{-2} \ln x$.



(i) Using the answer to part (a), find, in terms of e, the x-coordinate of the stationary point A. *(2 marks)*

(ii) The region R is bounded by the curve, the x-axis and the line $x = 5$. Using your answer to part (b), show that the area of R is

$$\frac{1}{5}(4 - \ln 5)$$ *(3 marks)*

6 The nth term of a sequence is u_n.

The sequence is defined by

$$u_{n+1} = pu_n + q$$

where p and q are constants.

The first three terms of the sequence are given by

$$u_1 = -8 \qquad u_2 = 8 \qquad u_3 = 4$$

(a) Show that $q = 6$ and find the value of p. *(5 marks)*

(b) Find the value of u_4. *(1 mark)*

(c) The limit of u_n as n tends to infinity is L.

(i) Write down an equation for L. *(1 mark)*

(ii) Hence find the value of L. *(2 marks)*