

Internship Report (Day 3)

Date: 19th May 2026

Name: Ibrahim Hasan

Task: SQL Database Basic Operations


Task Execution Log

ID	Operation	Time Assigned	Time Completed	Duration (min)
1	Create Database	11:37 AM	12:00 PM	23
2	Use Database	11:37 AM	12:00 PM	23
3	Create Table	11:37 AM	12:03 PM	26
4	Insert Records	11:37 AM	12:10 PM	33

Summary of Work



Step 1 — Create & Select Database

The 'practice' database was successfully initialized using the CREATE DATABASE syntax, followed by the USE command within the phpMyAdmin SQL interface to establish the active session environment.





Step 2 — Create Table

The 'day3' table structure was defined and implemented, incorporating four specific columns: id (INTEGER PRIMARY KEY), name (TEXT), timeassigned (TEXT), and timecompleted (TEXT) to meet technical requirements.




Step 3 — Insert Records

Four distinct records representing the scheduled SQL operations were successfully committed to the database, including the precise logging of all associated temporal data.



Step 4 — Verify Data

A SELECT query was executed on the 'day3' table to confirm data integrity; all 4 rows were verified as present and accurate. The operation concluded with a query execution time of 0.0007 seconds.



The screenshot shows the phpMyAdmin web interface in a browser. The address bar indicates the URL is localhost/phpmyadmin/index.php?route=/table/sql&db=practice&table=day3. The interface shows the 'practice' database selected, and the 'day3' table is highlighted in the left sidebar. The main panel displays the table structure and data. A green status bar at the top of the table view indicates 'Showing rows 0 - 3 (4 total, Query took 0.0007 seconds.)'. Below this, the SQL query 'SELECT * FROM `day3`;' is shown. The table view includes a 'Show all' checkbox, a 'Number of rows' dropdown set to 25, a 'Filter rows' search box, and a 'Sort by key' dropdown set to 'None'. The table data is displayed with columns: id, name, timeassigned, and timecompleted. There are four rows of data, each with a checkbox, an edit icon, a copy icon, and a delete icon. At the bottom, there are checkboxes for 'Check all' and 'With selected', and buttons for 'Edit', 'Copy', 'Delete', and 'Export'.

	id	name	timeassigned	timecompleted
☐	1	Create Database	11:37AM	12:00AM
☐	2	Use Database	11:37AM	12:00PM
☐	3	Create Table	11:37AM	12:03PM
☐	4	Insert Records	11:37AM	12:10PM

Project Outcome

The database operations were finalized without error. The environment is verified as stable, and the 'day3' table is fully operational and consistent with the intended technical specifications.