

<b>Document Number</b>	<b>Clasification</b>
Veristore_Tools_Guide	Confidential
Version 2.0.0	Verifone

## **Veristore Tools CSI 2.3.4 User Guide (TMS Operator)**



# Revision History

Revision	Date	Project	Author	Description
Version 0.0.1	16/08/2021	Veristore Tools	Yoga & Alfian	Initial Document

<b>1. Introduction</b>	4
<b>2. Login</b>	4
<b>3. Veristore Dashboard</b>	5
<b>4. CSI</b>	8
4.1 CSI Login	8
4.2 CSI Add	10
4.3 CSI Import	12
4.4 CSI Copy	17
4.5 CSI Edit	19
4.6 Update	24
4.7 CSI Search	28
<b>5. About</b>	31

# 1. Introduction

This User Guide describe how to use Veristore Tools CSI or can be called TMS Veristore. Veristore Tools CSI (TMS Veristore) is web-based. Veristore Tools CSI has been integrated with TMS Veristore, making it easier for Cimb Team to profiling the X990 terminal. It becomes easier for CIMB Team to fill in data for merchants.


Veristore Tools CSI (TMS Veristore) can only be operated by accounts that are already registered with Veristore. The features of Veristore Tools CSI (TMS Veristore) are as follow:

1. CSI, has a function to fill in data for merchants and setting parameters. Before the user can access CSI, User is required to have a Veristore Tools CSI account that is integrated with the Veristore account.


## 2. Login

Before being able to access Veristore Tools CSI users must have access rights to login as an operator on Veristore Tools CSI. Enter the following valid Username and Password with verify code listed on the login page.

1. Login page on Veristore Tools CSI




2. Home page when it's successful login




### 3. Veristore Dashboard

This Dashboard feature can inform Operator how many total terminals have been registered with Veristore Tools CSI, provide information on how many terminals are active, provide information on how many applications are in Veristore, provide information on how many applications have been successfully downloaded, operator can also find out how many applications are being downloaded and the total applications downloaded today, and also notify 3 updated applications that have just been downloaded to Veristore.


1. After successfully login, it will appear the dashboard where the total Terminal is on the left of the page.




2. In the middle of the dashboard the user can find out the total active terminal.




3. On the right side of the dashboard the Operator can find out the total applications on Veristore.




4. At the bottom left of the dashboard the Operator can find out the total applications downloaded on veristore.




5. At the bottom center of the dashboard The operator can find out the total downloads of the application taks.



6. At the bottom right of the dashboard the Operator can find out the total of applications downloaded today.



7. At the bottom of the dashboard the user can find out the 3 latest applications located on Veristore.




## 4. CSI

User features have the function to add terminals, update terminal data before syncing, copy terminals, delete terminals, and edit parameter data on terminals. This feature in CSI is required to login first, the account on CSI must be integrated with Veristore.


### 4.1 CSI Login

1. Login using Username and Password that has been integrated with Veristore. Operator and captcha input listed on the page.






2. Once all the data has been entered eat press the Login button, and will display the notification and select the button Ya.




3. Then it will appear the page CSI.



## 4.2 CSI Add

1. Login using Username and Password that has been integrated with Veristore. Operator and captcha input listed on the page.



TMS Veristore Login

Username: yogasaputra199221@yahoo.co.id

Password: [masked]


Operator: -- Pilih Operator --

Verification Code: [captcha]

Login

Copyright © 2021 Veristore Tools. All rights reserved. Version 2.3.4

2. Once all the data has been entered eat press the Login button, and will display the notification and select the button Ya



Konfirmasi

Apakah anda yakin data sudah benar?

Tidak Ya

Username: yogasaputra

Password: [masked]


Operator: Veristore CIMB Niaga Pilot

Verification Code: QDS3


Login

Copyright © 2021 Veristore Tools. All rights reserved. Version 2.3.4


3. Then it will appear the page CSI




4. Press the Add button at the top right of the screen, then go to the Add screen.




5. Once all columns are filled in, Admin can press the submit button.



6. After pressing the Submit button, a notification will appear and press the button Yes.




7. Data is successfully saved and will be displayed on the CSI page.




### 4.3 CSI Import


1. Login using Username and Password that has been integrated with Veristore. Operator and captcha input listed on the page.




2. Once all the data has been entered eat press the Login button, and will display the notification and select the button Ya




3. Then it will appear the page CSI




4. TMS admin can press the import button on the top left, then the admin will go directly to the import page.




5. TMS admin can download file format.




6. When pressing the format download button, the format will automatically be downloaded.




7. Once the Admin has finished filling in the data in the format, you can upload it by pressing the Choose File button.






8. Once the format data is successfully uploaded, admins can press the upload button.




9. After successfully uploading the data will display the information.





## 4.4 CSI Copy

1. Login using Username and Password that has been integrated with Veristore. Operator and captcha input listed on the page.



TMS Veristore Login

Username: yogasaputra199221@yahoo.co.id

Password: [masked]


Operator: -- Pilih Operator --

Verification Code: [input field]

Login

Copyright © 2021 Veristore Tools. All rights reserved. Version 2.3.4

2. Once all the data has been entered, press the Login button, and it will display the notification and select the button Ya




Konfirmasi

Apakah anda yakin data sudah benar?


Tidak Ya

Copyright © 2021 Veristore Tools. All rights reserved. Version 2.3.4


3. Then it will appear the page CSI




4. Press the Copy button to create a new CSI by following an already available Template.




5. New CSI input then click the Submit button to create a new CSI with the template already provided.



6. On notification Confirmation click the Yes button.




7. The new CSI has been successfully added.




## 4.5 CSI Edit


1. Login using Username and Password that has been integrated with Veristore. Operator and captcha input listed on the page.




2. Once all the data has been entered eat press the Login button, and will display the notification and select the button Ya




3. Then it will appear the page CSI



4. Click the Edit button on CSI to edit CSI or parameters.



5. On the Edit CSI page users can edit for Receipt Config.



6. On the Edit CSI page users can edit Merchant Config for MERCHANT CIMB, Installment and QR settings.

**Veristore Tools**

CSI (Edit)

CSI: 9100022  
SN:  
SOFTWARE: CIMB NIAGA  
VERSION: 2.1.0-5

**MERCHANT CONFIG - CIMB CREDIT/DEBIT 1**

Merchant Name  
CIMB Credit/Debit 1

☒ Enable/Disable Merchant  
Merchant ID (15 Digits)  
000008999999923

Terminal ID (8 Digits)  
11001031

Batch Number  
000100

Amount Digits  
10

min amount  
100

Max Amount  
9999999999

☐ Enable TLE

7. On the Edit CSI page users can edit Host Config for CIMB, Installment and QR Host settings.

**Veristore Tools**

CSI (Edit)

CSI: 9100022  
SN:  
SOFTWARE: CIMB NIAGA  
VERSION: 2.1.0-5

**HOST CONFIG - CIMB**

☒ Enable/Disable Host  
NII  
008

TPDU  
6000060000

Primary IP Address  
103.8.79.206


Primary Port  
4321

Secondary IP  
103.8.79.206


Secondary Port  
4321

☒ Enable SSL


8. On the Edit CSI page users can edit TLE Config for TID settings on CIMB, Installment and QR.




9. On the Edit CSI page the user can edit for the Terminal Config setting.




10. On the Edit CSI page users can edit for feature Config settings.



11. On the Edit CSI page users can edit for the Config Promo setting.




12. On the Edit CSI page users can edit for card Config settings.




## 4.6 Update

1. Login using Username and Password that has been integrated with Veristore. Operator and captcha input listed on the page.







2. Once all the data has been entered eat press the Login button, and will display the notification and select the button Ya




3. Then it will appear the page CSI




4. Admins can sync CSI by pressing the Update button.




5. After that, the Admin will successfully enter the Update page.




6. Admins can select the Version of the app to sync.




7. Once you've selected Version, admins can press the submit button to run the process.




8. After pressing the Submit button, it will display a notification, and please select Yes to continue the Update process.



9. After pressing the Yes button, there will be a process going on.



10. Once successful, it will return to the page CSI



## 4.7 CSI Search

1. Login using Username and Password that has been integrated with Veristore. Operator and captcha input listed on the page.

TMS Veristore Login

Username: yogasaputra199221@yahoo.co.id

Password: [masked]

Operator: -- Pilih Operator --

Verification Code: QDS3

Login

Copyright © 2021 Veristore Tools. All rights reserved. Version 2.3.4

- Once all the data has been entered eat press the Login button, and will display the notification and select the button Ya

Konfirmasi

Apakah anda yakin data sudah benar?

Tidak Ya

Copyright © 2021 Veristore Tools. All rights reserved. Version 2.3.4


- Then it will appear the page CSI

CSI


CSI	SN	Model	Merchant	Status	Operation
9100029	V1E09100020	X990	CIMB Jakarta	not connect	Edit Copy
DevQR260		X990	CIMB Jakarta	not connect	Edit Copy
9100022		X990	CIMB Jakarta	not connect	Edit Copy
9100015	aaa	X990	CIMB Jakarta	not connect	Edit Copy
CIMBMaster1		X990	CIMB Jakarta	not connect	Edit Copy
9100014		X990	CIMB Jakarta	not connect	Edit Copy
9100013		X990	CIMB Jakarta	not connect	Edit Copy
Cimb2102Dev		X990	CIMB Jakarta	not connect	Edit Copy
2nd260		X990	CIMB Jakarta	not connect	Edit Copy
12345678	V1E0195071	X990	CIMB Jakarta	not connect	Edit Copy

1 2 3 4 5 6 7 8


4. Admins can perform CSI searches by entering the CSI name into the column search



5. After that, you can press the button search




6. It will then display all CSI related to the word CIMB




## 5. About

Veristore Tools also has the About feature. Administrator and Operators can access this feature, About has the function to know about Veristore Tools Version, Team responsible for Veristore Tools, and Help for users how to run Veristore Tools.

1. After successfully logging in as operator, please select the feature About



2. Users can see Version



3. Users can find out the team from Verifone



#### 4. Users also see user guide

