



## Getting Started with Create GEOINT RFI Folder...

Create GEOINT RFI Folder

File Preference Help

RFI Number:


Country:

- Afghanistan
- Albania
- Algeria
- American Samoa
- Andorra
- Angola
- Anguilla
- Antarctica
- Antigua and Barbuda
- Argentina
- Armenia
- Aruba
- Australia
- Austria
- Azerbaijan
- Bahamas
- Bahrain
- Bangladesh
- Barbados
- Belarus
- Belgium
- Belize
- Benin
- Bermuda
- Bhutan
- Bolivia
- Bosnia and Herzegovina
- Botswana

Product Title:

Create Quit Temp RFI Folder





Create GEOINT RFI Folder

File Preference Help

RFI Number:

Country:

- Afghanistan
- Albania
- Algeria
- American Samoa
- Andorra
- Angola
- Anguilla
- Antarctica
- Antigua and Barbuda
- Argentina
- Armenia
- Aruba
- Australia
- Austria
- Azerbaijan
- Bahamas
- Bahrain
- Bangladesh
- Barbados
- Belarus
- Belgium
- Belize
- Benin
- Bermuda
- Bhutan
- Bolivia
- Bosnia and Herzegovina
- Botswana

Product Title:

Create Quit Temp RFI Folder

## RFI Number Parameter

Input	Data Type
Number	Integer

RFI Number parameter takes an integer (i.e 1,2,3...)

Create GEOINT RFI Folder

File Preference Help

RFI Number:

Country: 

Afghanistan  
Albania  
Algeria  
American Samoa  
Andorra  
Angola  
Anguilla  
Antarctica  
Antigua and Barbuda  
Argentina  
Armenia  
Aruba  
Australia  
Austria  
Azerbaijan  
Bahamas  
Bahrain  
Bangladesh  
Barbados  
Belarus  
Belgium  
Belize  
Benin  
Bermuda  
Bhutan  
Bolivia  
Bosnia and Herzegovina  
Botswana

Product Title:

Create Quit Temp RFI Folder

## Country Parameter

Input	Data Type
Country	String

Country Listbox allows the user to select the desired country. The parameter will return a 2 digit country code that will be used as part of the naming convention for the RFI folder.

Create GEOINT RFI Folder

File Preference Help

RFI Number:

Country: 

- Afghanistan
- Albania
- Algeria
- American Samoa
- Andorra
- Angola
- Anguilla
- Antarctica
- Antigua and Barbuda
- Argentina
- Armenia
- Aruba
- Australia
- Austria
- Azerbaijan
- Bahamas
- Bahrain
- Bangladesh
- Barbados
- Belarus
- Belgium
- Belize
- Benin
- Bermuda
- Bhutan
- Bolivia
- Bosnia and Herzegovina
- Botswana

Product Title:


Create Quit Temp RFI Folder

## Product Title Parameter

Input	Data Type
Text	String


Product Title parameter allows the user to provide the title of the product that will be associated with the RFI.






## GUI Button

1. Create Button – Executes the tool based off the parameter provided by the user.
  - a. RFI Folder Structure: RFI-GEOINT-YEAR-  
NUM-CC-TITLE
    - i. Sub-Folder
      1. Document
      2. MXD
      3. RASTER
      4. VECTOR
2. Quite – Exits the program
3. Temp RFI Folder – Allows the user to temporarily set the directory to save the RFI folder for current project.



## Preference Menu Bar


The Add Country option allows the user to add a country and associated country code. The country name will populate in the main GUI as the first item; also, the country will re-sort itself once the program is restarted. The user is not restricted to just add countries/codes, but they can be whatever the user desires (i.e National Training Center: NTC). Once the user clicks add button, the information is stored in a json file within the configuration folder. To exit the program after the information is added the user will have to click on the 'x' button.



## Preference Menu Bar

The Delete Country option allows the user to select a country to be deleted. The results will populate in the main GUI, and the results will be stored permanently within the JSON file.





## Preference Menu Bar

The Save RFI Path option allows the user to save the directory that the user stores their RFI projects. Once the user clicks 'Set', the path will be permanently stored in the JSON folder and the application will default to that path.

*Note: The user optionally can use the 'Temp RFI Folder' to temporarily change the directory location.*