

https://chatgpt.com/share/6a6852e2-7988-83e8-829d-0377537cc110

https://github.com/ironbunny-ib/exponential_internet/blob/main/%5BDUMP%5D-architecture-and-data-structures-and-in-memory-models-dump/Internet_Workspace_Protocol_Architecture_v0.1.md

To save device or not?

https://chatgpt.com/g/g-p-6a6310c1c1bc8191802154da0ecaf913-new-internet-protocol-ei/c/6a673673-58b0-83e8-a7c9-3bd9757c7945

Use Cases

If I am browsing the internet today, I might need to get the url from browser recommendation, by the act of typing a few characters...

Similarly when I am on tomorrow's internet, I will do the same thing but sometimes with the added idea of which data sink I am expecting to open up...

Which doesn't mean all my activity would be in expectation of opening a data sink I want...

All intelligence, search, social, backlinks will remain as it is

I wouldn't care to change the data sink of every possible website that provides that function

Probably, want to keep accessing intelligence, search, social, backlinks as it is

Maybe some I expect to open a particular data sink on each different internet workspace

But there would be times I would be actively organising the websites I want on a particular internet workspace

These would be times when I want to separate a project from my future activity

If I am currently starting a new project, I might start a new internet workspace as well

These are two events when I will be more concerned about the workspace capability the internet provides

- Starting a Project
- Just Saving my Progress

What the conclusion I bring here is, we need to think about the internet as two activities and enable them both to happen for the user

- When they are concerned about the internet workspaces, that activity should be available on hand when the thought arises
- When they are not concerned about the internet workspaces, that activity should be achievable when the IE functionality just doesn't seem to exist

We are *not storing the data sink identifiers* of an application.

A Workspace Permanent ID

- core URL
- Temporary ID - This is itself distinct for each workspace, remains the same over months and years, and probably should be encrypted. But then CDNs. and reverse proxies won't be able to decrypt proolly.

The picture is of a cloud with the above data, and just that being the entire system. Even though that's not the exact case. When a device sends the right credentials, it downloads this on the client.

We are *not storing device IDs*

- Even though we need to deliver and receive the core URLs
- Deliver to sync devices
- Receive to stay current

Unless explicitly wanted by the user

*Trusted Devices **send updates**, we can't know/derive their location. we just check if they are trusted. Likewise, they poll for **receiving updates**. Thus we do not need to store device IDs, unless user wants.*

ChatGPT:
I think this is a good working assumption to carry forward.
Current design principles:

- The Workspace Service stores only the minimum persistent information:
 - Permanent Workspace ID
 - Core URL
 - Temporary Workspace ID / Handle (if needed)
- Data Sink identifiers are not stored by the Workspace Service.
- Device IDs are not stored by default.
- Clients authenticate as trusted participants; the service verifies trust rather than maintaining a device registry.
- Clients push updates and poll/subscribe for updates.
- Persistent device records exist only if they enable an explicit user-facing feature (e.g. trusted devices, remote sign-out, device management).

The key principle is:
Nothing should be persisted unless the protocol or a user-visible capability requires it.
This gives you a strong default until a concrete requirement forces an exception.

Again:

- Credentials + Anonymous Trust Mechanism
- Workspace PID ++