# CDC Coronavirus Self-Checker Decision Tree V74

Final Clearance Date: 9/12/2022



## **Table of Contents**

| Care Messages  | 3  |
|--|----|
| Testing Messages and Appendix                            | 4  |
| Enter Screening  | 5  |
| Adult Pathway  | 6  |
| Adult Symptomatic  | 7  |
| Adult Asymptomatic                                       | 8  |
| Pediatric Pathway  | 9  |
| Pediatric Symptomatic                                    | 10 |
| Pediatric Asymptomatic                                   | 11 |
| User Experience  | 12 |
| Notes  | 13 |
| Inactive Care Messages                                   | 14 |
| Inactive Testing Messages                                | 15 |
| Inactive - Adult - Unvaccinated (UV) Symptomatic Exposed | 16 |
| Inactive - Adult - UV Symptomatic Non-Exposed            | 17 |
| Inactive - Adult UV Symptomatic > 10 days since test     | 18 |
| Inactive - Adult - UV Asymptomatic                       | 19 |
| Inactive - Pediatric - Enter Screening                   | 20 |
| Inactive - Pediatric - UV Symptomatic Exposed            | 21 |
| Inactive - Pediatric - UV Symptomatic Non-Exposed        | 22 |
| Inactive - Pediatric - UV Asymptomatic                   | 23 |

## Care Messages



#### **CARE MESSAGES**

MSGO. << You have not made a selection. Please start again and select options for each question so that I can help give you recommendations advice.>>

MSG1. <<Sounds like you are feeling ok.>>

MSG4. << Based on your symptoms, you may need urgent medical care.>> Please call 911 or go to the nearest emergency department.

MSG5. <<Call your medical provider, clinician advice line, or telemedicine provider as soon as possible.>> You also have medical conditions that may put you at risk of becoming more seriously ill.

MSG7. << Tell a caregiver in your facility that you are sick and need to see a medical provider as soon as possible.>> Stay in your room as much as possible except to get medical care.

MSG8. <<Stay home except to get medical care and take care of yourself.>> Call your medical provider if you start feeling worse.

MSG9. <<Stay home except to get medical care and take care of yourself.>> Call your medical provider, clinician advice line, or telemedicine provider.

MSG10. << Watch for COVID-19 symptoms such as fever, cough, or difficulty breathing.>> If you develop any of these symptoms or if you start feeling worse, call your medical provider, clinician advice line, or telemedicine provider.

MSG11. << Guidance provided is meant for U.S. and U.S. territory based users. Non-U.S. based users should check with their relevant public health agency in country (e.g., Ministry of Health, National Centers for Disease Control, sub-national public health offices) for additional information and guidelines about COVID-19 in their location.>>

MSG12. << Please consent to use the Coronavirus Self-Checker.>> Refresh the page to start again.

MSG13. <<Thanks! Your location has its own self-assessment tool.>> Please select click here\*\* to be directed to it.

\*\* Insert hyperlink to the state's website if they have their own triage tool.

MSG19. << This tool is intended for people ages 2 years and or older.>> Please call the child's medical provider, clinician advice line, or telemedicine provider if your child is younger than 2 years old and sick.

MSG20. << Please ask your parent or guardian to help you complete these questions.>>

MSG21. << Please ask your parent or guardian to answer these questions with you.>>

MSG22. << Ask a parent or guardian to assist you, or if taking by yourself, share these results with your parent/guardian.>>

MSG24. <<Contact an administrator or nurse at your school or child care as soon as possible.>>

MSG29. <<While waiting for your test results, isolate at home and follow the advice of your health care provider or public health professional.>>

MSG202. << Ask a caregiver in your facility about when you can resume being around other people based on the results of your testing. >>

MSG203. <<Contact the occupational health provider (or supervisor) in your workplace to find out when you can resume being around other people based on the results of your testing.>>

MSG205. << Tell a caregiver in your facility that you are not feeling well and need to see a medical provider as soon as possible.>>

MSG206. <<Tell the occupational health provider (or supervisor) in your workplace about your symptoms as soon as possible.>>

MSG208. << Call your medical provider, clinician advice line, or telemedicine provider.>> If you start feeling worse, and you think it is an emergency, call 911 or seek medical care immediately.

MSG209. << Tell a caregiver in your facility that you have developed new symptoms and need to see a medical provider as soon as possible.>>

MSG 210. <<Your symptoms may be caused by COVID-19.>> While most people with recover and return to normal health, some people have symptoms that can last for weeks or months after having COVID-19. It's important to notify your healthcare provider of your symptoms because it could affect your health care needs in the future.

MSG215. <<While waiting for your test results, isolate at home and follow the advice of your health care provider or public health professional.>>

MSG216. << Tell a caregiver in your facility that you may have been exposed to in close contact with another person who has tested positive for COVID-19 in the last 14 days.>>

## **CARE MESSAGES (con't)**

MSG300. << Tell a caregiver in your facility that you are sick and need to see a medical provider as soon as possible.>> Stay in your room as much as possible except to get medical care.

MSG301. << Call your medical provider, clinician advice line, or telemedicine provider as soon as possible.>> You also have medical conditions that may put you at risk of becoming more seriously ill.

MSG302. << Tell the occupational health provider (or supervisor) in your workplace that you're feeling sick as soon as possible.>>

MSG306. << Tell an administrator or nurse at your school or child care that you have tested positive for COVID-19.>>

MSG307. << Tell a caregiver in your facility that you have tested positive for COVID-19. Ask about when you can resume being around other people based on the results of your testing.>>

MSG308.<< Isolate from others for at least 5 days. To calculate your 5-day isolation period, day 0 is your first day of symptoms or the day you were tested (not the day you received your positive test result) if you are asymptomatic. Day 1 is the first full day after your symptoms developed or the first full day following the day you were tested. Wear a high-quality mask if you must be around others in your home and monitor your symptoms.

- You can end isolation after 5 full days if you are fever-free for 24 hours without the use of fever-reducing medication and your other symptoms have improved. If you are immunocompromised or have moderate to severe symptoms of COVID-19, you should isolate through day 10. If you are immunocompromised or had severe illness, you should also consult a healthcare provider about when it is right for you to end isolation.
- You should continue to wear a high-quality mask around others at home and in public for 5 additional days (Day 6 through Day 10) after the end of your 5-day isolation period. If you have access to antigen tests, you should consider using them after you exit isolation on day 6. With two sequential negative tests 48 hours apart (the first may be taken as early as day 6), you may remove your mask sooner than day 10. If your antigen test results are positive, you may still be infectious and should not remove your mask around others. Continue taking antigen tests at least 48 hours apart until you have two sequential negative test results. This may mean you need to continue wearing a mask and testing beyond day 10.
- Avoid people who are immunocompromised or at high risk for severe disease, and avoid nursing nomes and other high-risk settings, until after at least 10 days following exposure.>>

MSG308.<< Stay home and isolate from others in your home for at least 5 days (To calculate your 5-day isolation period, day 0 is your first day of symptoms or a positive test if you are asymptomatic. Day 1 is the first full day after your symptoms developed or you tested positive.). Wear a well-fitting mask if you must be around others in your home and monitor your symptoms.

- You can end isolation after 5 full days if you are fever-free for 24 hours without the use of fever-reducing medication and your other symptoms have improved. If you are immunocompromised or have moderate to severe symptoms of COVID-19, you should isolate for at least 10 days, and consult a healthcare provider about when it is right for you to end isolation.
   You should continue to wear a well-fitting mask around others at home and in public for 5
- You should continue to wear a well-fitting mask around others at nome and in public for 5 additional days (Day 6 through Day 10) after the end of your 5-day isolation period. If you are unable to wear a mask when around others, you should continue to isolate for a full 10 days.
   Avoid people who are immunocompromised or at high risk for severe disease, and nursing homes and other high-risk settings, until after at least 10 days following close contact.>>

MSG310. << The CDC recommends you isolate and stay away from others in your facility for at least 5 days—(To calculate your 5-day isolation period, day 0 is your first day of symptoms or a positive test if you are asymptomatic. Day 1 is the first full day after your symptoms developed or you tested positive.)— If you are immunocompromised or have moderate to severe symptoms of COVID-19, you should isolate for at least 10 days, and consult a healthcare provider about when it is right for you to end isolation.

Wear a high-quality well-fitting mask if you must be around others in your facility home and monitor your symptoms. If you are unable to wear a mask when around others, you should continue to isolate for a full 10 days. Your facility may have more specific guidance. Please follow the guidance of your facility while exercising caution. >>

MSG312. <<If you have developed new symptoms, you should isolate and get tested for COVID-19. Continue Please continue to stay home until you know the results. >>

MSG313. <<Until you are able to receive results of a COVID-19 test, isolate and stay away from others for at least 5 full days from when you began to experience symptoms. If you still do not have the results of a COVID-19 tests, wear a high-quality mask when around others at home and in public for an additional 5 days. Do not go to places where you are not able to wear a mask, avoid travel, and avoid being around people who are more likely to get very sick from COVID-19 at high risk. To calculate your 5-day isolation period, day 0 is your first day of symptoms. Day 1 is the first full day after your symptoms developed. >>

## Testing Messages and Appendix



## **TESTING MESSAGES**

T0. << Based on the answers given, you do not need to get tested unless recommended or required by your healthcare provider, employer, or public health official.>>

T4. << Regardless of vaccination status or prior infection, CDC recommends that anyone with symptoms of COVID-19 should get tested and follow the advice of your healthcare provider.>> Contact your local or state health department to find a testing location near you.

T6. << Further testing may not be needed at this time, unless recommended by a provider.>>

T50. << Because some of the symptoms of flu and COVID-19 are similar, you may want to consider asking your provider about testing or treatment for influenza.>> See this CDC webpage for more information about COVID-19 and influenza.

T102. << You may continue to test positive for three months or more without being able to infect other people.>> Talk with your healthcare provider about your test result and the type of test you took to understand what your results mean.

T103. << Regardless of vaccination status or prior infection, you may need to be tested again if there is no other cause identified for your symptoms.>> Consider Ask your healthcare provider about getting tested again for SARS-CoV-2 infection to consider the possibility of reinfection.

T105. << If you have questions, t\( \text{T} alk \) with your healthcare provider about your test result and the type of test you took to understand what your results mean.>>

T106. << If there is no other cause identified for your symptoms, consider ask your healthcare provider about getting tested again.>> If you have question, talk with your healthcare provider about your test result and the type of test you took to understand what your results mean.

T109: <<Based on the answers given, you do not need to get tested unless recommended or required by your healthcare provider, employer, or public health official.>>

T201. << If you continue to have no COVID-19 symptoms, you do not need to take extra precautions quarantine or get tested unless recommended or required by your healthcare provider, employer, or public health official.>>

T202. << Based on the answers given, you do not need to take extra precautions quarantine or get tested unless recommended or required by your healthcare provider, employer, or public health official.>>

T208. << Because you are experiencing symptoms of COVID-19, you should isolate from others immediately. You should continue to isolate at home, wearing a high-quality mask if you must be around others, until you are able to receive results of a COVID-19 test.

T209. << Because Since you were or may have been exposed to someone with COVID-19, the CDC recommends you wear a high-quality mask when around others for 10 full days after your exposure. You should get tested 5 full days after you were exposed to someone with COVID-19, even if you don't develop symptoms. If you do develop symptoms, isolate immediately and get tested. For 10 full days following exposure, you should also take extra precautions with travel or if you will be around people who are more likely to get very sick from COVID-19.>>

## **APPENDIX**

## Do not agree to disclaimer message:

Your consent is required to use the Self-Checker.

#### Do not consent:

Please consent to use the Self-Checker.

#### Given to every user in their first care message:

Please also see your local area's website: [link to state/territory/city health department website based on their location selection]

For Age 13 to 17 and if assessment is done by Myself then MSG22 at the end.

#### Disclaimer (must agree to continue)

The purpose of the Coronavirus Self-Checker is to help you make decisions about seeking appropriate medical care. This system is not intended for the diagnosis or treatment of disease, including COVID-19.

This project was made possible through a partnership with the CDC Foundation and is enabled by Microsoft's Azure platform. CDC's collaboration with a non-federal organization does not imply an endorsement of any one particular service, product, or enterprise.

To continue using this tool, please agree that you have read and understood the contents of this disclaimer.

#### **Intro Message:**

Hi, I'm Clara. I'm going to ask you some questions. I will use your answers to give you advice about the steps level of medical care you should take to protect yourself and other from COVID-19 seek. If answering for someone else, please respond to all questions as if you are them. If you need to start over, refresh the page and start again.

If you are experiencing a life-threatening emergency, please call 911 immediately.

If you are not experiencing a life-threatening emergency, let's get started.

#### \*CDC recommends these steps to protect you and others from to reduce your risk of getting and **spreading** COVID-19:

- Stay up to date on vaccination, including recommended booster doses. You are up to date if you have completed a primary series and received the most recent booster dose recommended for you by CDC.
- Maintain ventilation improvements.
- Avoid contact with people who have suspected or confirmed COVID-19.
- Follow recommendations for isolation if you have suspected or confirmed COVID-19.
- Follow the recommendations for what to do if you are exposed to someone with COVID-19 • If you are at high risk of getting very sick, talk with a healthcare provider about additional
- Get a COVID-19 vaccine as soon as you can and get recommended booster doses when

eligible. Generally, you are considered up-to-date on your COVID-19 vaccination if you have received all recommended COVID-19 vaccines, including any booster dose(s) when eligible.

- Wear a well-fitting mask over your nose and mouth while indoors with other people if you are in an area where the COVID-19 Community Level is high.-
- Stay at least 6 feet away from people who don't live with you.
- Avoid crowded areas and poorly ventilated spaces.
- Wash your hands often with soap and water, or use hand sanitizer with at least 60% alcohol.

## **Endcap-Message for non-fully vaccinated**

## Steps to follow every day:

prevention actions.

- Stay up to date on vaccination, including recommended booster doses. You are up to date if you have completed a primary series and received the most recent booster dose recommended for you by CDC.
- Maintain ventilation improvements.
- Avoid contact with people who have suspected or confirmed COVID-19.
- Follow recommendations for isolation if you have suspected or confirmed COVID-19.
- Follow the recommendations for what to do if you are exposed to someone with COVID-19 • If you are at high risk of getting very sick, talk with a healthcare provider about additional
- Get a COVID-19 vaccine as soon as you can and get recommended booster doses when eligible. Generally, you are considered up-to-date on your COVID-19 vaccination if you have received all recommended COVID-19 vaccines, including any booster dose(s) when eligible.
- Wear a well-fitting mask over your nose and mouth while indoors with other people if you are in an area where the COVID-19 Community Level is high.
- Stay at least 6 feet away from people who don't live with you.
- Avoid crowded areas and poorly ventilated spaces. • Wash your hands often with soap and water, or use hand sanitizer with at least 60% alcohol.

## Select Click the links below for more information on:

- COVID-19 symptoms
- **Post-COVID conditions**
- When to get tested
- What your test results mean Protecting yourself and others from getting sick
- When to quarantine or isolate and for how long
- What to do if you were around someone with COVID-19
- When to isolate and for how long What to do if you were exposed to someone with COVID-19
- Taking care of yourself when you are sick
- Taking care of someone else who is sick Treatments your healthcare provider might recommend if you are sick
- **Learn about COVID-19 vaccines**
- Find COVID-19 vaccine locations near you
- Please also see your local area's website: [link to state/territory/city health department website based on their location selection]

## **Endcap for those up-to-date on vaccines**


- **Learn about COVID-19 vaccines**
- How to protect yourself and others when you're up-to-date on COVID-19 vaccines
- **COVID-19 symptoms**
- **Quarantine and Isolation**
- Please also see your local area's website: [link to state/territory/city health department

website based on their location selection]

Flu Season Testing Message (shown just above Endcap messaging; only given during flu season for symptomatic users): **T50** 

# **Enter Screening**






# Adult Pathway



From Enter Screening Q40. What is your age? Younger than 2 years old 2-4 years 5-9 years d. 10-12 years 13-17 years 18-29 years −AGE <18 years old <del>Go to Pediatric Pathway</del> 30-39 years 40-49 years 50-59 years 60-64 years 65-69 years 70-79 years m. 80+ years Q41. What sex were you assigned at birth, on your original birth certificate? Male Female I prefer not to say I don't know Q42. How do you currently describe yourself? a. Male Female Transgender I prefer not to say Q43. Are you of Hispanic, Latino, or of Spanish origin? \*This question is optional. We are using this information to evaluate government programs to ensure that they fairly and equitably serve the needs of all ethnic and racial groups and to monitor compliance with antidiscrimination laws, regulation, and policies. Yes No c. I prefer not to say Q44. What is your race? (please select all that apply) \*This question is optional. We are using this information to evaluate government programs to ensure that they fairly and equitably serve the needs of all ethnic and racial groups and to monitor compliance with antidiscrimination laws, regulation, and policies. American Indian or Alaska Native Asian Black or African American Native Hawaiian or Other Pacific Islander White I prefer not to say Q52. Do you have any of these life-threatening symptoms? Trouble breathing Persistent pain or pressure in the chest FV-1 New confusion Inability to wake or stay awake MSG4 Pale, gray, or blue-colored skin, lips, or nail beds, depending \* This list is not all possible symptoms. Please call your medical provider for any other symptoms that are severe or concerning Q45. In the last two weeks, have you been exposed to in close contact with someone who has You have been in close contact if you have been less than 6 feet away from an infected person (laboratory-confirmed or a clinical diagnosis) for a cumulative total of 15 minutes or more over a 24-hour period. Close contact does not include exposure within a K-12 indoor classroom setting where if both the infected student and the exposed student(s) correctly and consistently wore well-fitting masks the entire time. c. I don't know Yes, No or I don't know Q53. In the last 10 days, have you been tested for COVID-19? I have been tested in the last 10 days and my result was positive. I have been tested in the last 10 days and my result was negative. I have been tested in the last 10 days and I am waiting for my results. I have not been tested. Q46 = IQ45 = No




COVID-19?

Yes

No


# **Adult Symptomatic**





# Adult Asymptomatic






## From Adult Pathway Q40 - AGE <18 years old FV-272 STOP If Age< 2 MSG19 FV-84 Yes and STOP If 2-4 or 5-9 Q4 = Myself MSG20 Yes and Q4 = Someone Else FV-85 If Age 10 to Age 12 Assessment= Self MSG21 FV-86 If Age 13 to Age 17 Assessment= Self For Age 13 to 17, MSG22 is given right after MSG22 Age is selected and again at the end along with the rest of the messages. If Age = 2 to 17 Assessment = Someone Else Q41-PED. What sex were you assigned at birth, on your original birth certificate? Male Female c. I prefer not to say d. I don't know Q42-PED. How do you currently describe yourself? a. Male Female Transgender I prefer not to say Q43-PED. Are you of Hispanic, Latino, or of Spanish origin? \*This question is optional. We are using this information to evaluate government programs to ensure that they fairly and equitably serve the needs of all ethnic and racial groups and to monitor compliance with antidiscrimination laws, regulation, and policies. No c. I prefer not to say Q44-PED. What is your race? (please select all that apply) \*This question is optional. We are using this information to evaluate government programs to ensure that they fairly and equitably serve the needs of all ethnic and racial groups and to monitor compliance with antidiscrimination laws, regulation, and policies. American Indian or Alaska Native Black or African American Native Hawaiian or Other Pacific Islander White I prefer not to say Q52-PED. Do you have any of these life-threatening symptoms? Trouble breathing Persistent pain or pressure in the chest FV-87 New confusion Inability to wake or stay awake MSG4 Pale, gray, or blue-colored skin, lips, or nail beds, depending on skin tone \* This list is not all possible symptoms. Please call your medical provider for any other symptoms that are severe or concerning to you. Q45-PED. In the last two weeks, have you been exposed to in close contact with someone who has-COVID-19? You have been in close contact if you have been less than 6 feet away from an infected person (laboratory-confirmed or a clinical diagnosis) for a cumulative total of 15 minutes or more over a 24-hour period. Close contact does not include exposure within a K-12 indoor classroom setting where if both the infected student and the exposed student(s) correctly and consistently wore well-fitting masks the entire time. Yes No I don't know Yes, No or I don't know Q53-PED. In the last 10 days, have you been tested for COVID-19? I have been tested in the last 10 days and my result was positive. I have been tested in the last 10 days and my result was negative. I have been tested in the last 10 days and I am waiting for my results. I have not been tested. FV-314 FV-318 Q46-PED = nMSG10 Q53-PED = Postive Q46-PED = nMSG10 —Q53-PED = Positive → MSG308 Q46-PED. In the last 10 days, have you experienced any of the symptoms listed below? (check all MSG308 Q45-PED = Yes or that apply) MSG306 I don't know Q45-PED = NoMSG306 Fever or feeling feverish (such as chills, sweating) <del>T5</del> b. Cough Mild or moderate difficulty breathing (breathing slightly faster than normal, feeling like you FV-315 FV-229 can't inhale or exhale, or wheezing, especially during exhaling or breathing out) Q46-PED = nQ46-PED = nd. Sore throat \_Q53-PED = Negative\_\_\_\_MSG10 Q45-PED = No MSG10 Q53-PED = Negative\_ Muscle aches or body aches Q45-PED = Yes or Q45-PED = NoHeadache MSG26 I don't know Diarrhea T209 Nausea or vomiting FV-319 Stomach ache or pain in abdomen FV-316 New loss of taste or smell Q46-PED = nNew rash MSG10 Q46-PED = n—Q53-PED = Pending—— MSG10 Red eyes Q53-PED = Pending Q45-PED = NoMSG29 m. Congestion or runny nose Q45-PED = Yes or n. Other symptoms I don't know MSG26 o. No symptoms FV-231 Q46-PED = nQ46-PED = a-mQ46-PED = 0T201 FV-317 \_Q53-PED = No test\_ Q45-PED = Yes, No or I don't know Q45-PED = Yes, No or I don't know Q46-PED = nQ45-PED = NoMSG10 Q53-PED = No test Go to Pediatric Go to Pediatric Q45-PED = Yes or Symptomatic Asymptomatic MSG26 I don't know T209

Pediatric Pathway


# Pediatric Symptomatic






# Pediatric Asymptomatic





# **User Experience**





## **Notes**

## Previously used Identifiers (do not reuse):

|         | ,               | ,               | <b>,</b>        |
|---------|-----------------|-----------------|-----------------|
| Q11     | AA-1 – AA-53    | FV-2 – FV-83    | FV-240 – FV-248 |
| Q12     | AS-1 – AS-24    | FV-88 – FV-159  | FV-250 – FV-252 |
| Q13     | AS-45 – AS-64   | FV-160 - FV-164 | FV-254 – FV-255 |
| Q18     | AS-105 - AS-187 | FV-166          | FV-257 – FV-259 |
| Q19     |                 | FV-168          | FV-261 – FV-263 |
| Q20     |                 | FV-170 – FV-171 | FV-266          |
| Q21     |                 | FV-175 – FV-176 | FV-270          |
| Q22     | PA-1 – PA28     | FV-178 – FV-180 |                 |
| Q23     | PS-6            | FV-182 – FV-184 |                 |
| Q28     | PS-8 – PS-83    | FV-186 – FV-188 |                 |
| Q32     | PS-104 – PS-111 | FV-190 – FV-192 |                 |
| Q33     |                 | FV-194 – FV-196 |                 |
| Q208    |                 | FV-198 – FV-199 |                 |
| Q210    |                 | FV-201 – FV-203 |                 |
| Q9-PED  |                 | FV-206          |                 |
| Q11-PED |                 | FV-208 – FV-211 |                 |
| Q12-PED |                 | FV-213 – FV-215 |                 |
| Q16-PED |                 | FV-218          |                 |
| Q18-PED |                 | FV-222          |                 |
| Q19-PED |                 | FV-224 – FV-228 |                 |
| Q20-PED |                 | FV-230          |                 |
| Q27-PED |                 | FV-232 – FV-235 |                 |
| Q48-PED |                 | FV-238          |                 |
| Q51-PED |                 |                 |                 |

## **Inactive Care Messages**



#### **CARE MESSAGES**

MSG2. [no Care Message 2]

MSG3. [no Care Message 3]

MSG6. <<Tell the occupational health provider (or supervisor) in your workplace that you're feeling sick as soon as possible.>>

MSG14. <<If you start to feel sick, tell a medical provider in the care center, nursing home, or shelter where you live.>>

MSG15. << As soon as possible, tell your occupational health provider (or supervisor) that you may have been in contact with someone with suspected COVID-19.>>

MSG16. << Watch for COVID-19 symptoms such as fever, cough, or difficulty breathing.>> If you develop any of these symptoms, call your medical provider, clinician advice line, or telemedicine provider.

MSG17. << Watch for COVID-19 symptoms such as fever, cough, or difficulty breathing.>> If you develop any of these symptoms, call your medical provider, clinician advice line, or telemedicine provider.

MSG18. <<Stay home for 14 days from the day you last had contact.>> Watch for COVID-19 symptoms such as fever, cough, or difficulty breathing. If you develop any of these symptoms, call your medical provider, clinician advice line, or telemedicine provider.

MSG23. [no Care Message 23]

MSG25. << Tell a caregiver in your facility that you may have been in close contact with someone who may have COVID-19.>>

MSG26. << Tell an administrator or nurse at your school or child care that you may have been in contact with someone with suspected COVID-19.>>

## MSG27. <<Stay home and away from others until:>>

- it has been 10 days\* from when your symptoms first appeared and
- you have had no fever for 24 hours without the use of medications and
- your other symptoms of COVID-19 are improving\* (\*Loss of taste and smell may persist for weeks or months after recovery and need not delay the end of isolation)
- \* If you have a weakened immune system (immunocompromised) due to a health condition or medication, you might need to stay home and isolate longer than 10 days and possibly 20 days after symptoms begin. In some circumstances, further testing may be needed. Talk to your healthcare provider for more information.

## Additional information (*dropdown menu*)

- Please inform your close contacts that they have been potentially exposed to the coronavirus that causes COVID—19. CDC recommends that all close contacts of people with confirmed or probable COVID-19 should:
- 。 get tested and
- quarantine for 14 days from the day of their last exposure. You may also receive a call from a contact tracing professional.
- Get rest and stay hydrated. Take over-the-counter medicines, such as acetaminophen, if needed to help you feel better.

Separate yourself from other people. As much as possible, stay in a specific room and away from other people and pets in your home.

MSG28. <<You may have received a false-negative test result and still might have COVID-19. Contact your healthcare provider about your symptoms, especially if they worsen, about follow-up testing, and how long to isolate>>

## MSG30. <<Stay home and away from others until:>>

- it has been 10 days\* from when your symptoms first appeared and
- You have had no fever for 24 hours without the use of medications and
- Your other symptoms of COVID-19 are improving\* (\*Loss of taste and smell may persist for weeks or months after recovery and need not delay the end of isolation)
- \* If you have a weakened immune system (immunocompromised) due to a health condition or medication, you might need to stay home and isolate longer than 10 days and possibly 20 days after symptoms begin. In some circumstances, further testing may be needed. Talk to your healthcare provider for more information.

MSG31. <<CDC recommends that all close contacts of people with confirmed COVID-19 should quarantine for 14 days from the day of their last exposure.>> Check your local health department's website for information about options in your area to possibly shorten this quarantine period. You may also receive a call from a contact tracing professional.

## MSG201. <<If you continue to have no symptoms, you can be around others after: >>

- 10 days have passed since the date you had your positive test.
- Watch for COVID-19 symptoms such as fever, cough, or difficulty breathing. If you develop any of these symptoms, call your medical provider, clinician advice line, or telemedicine provider.

MSG204. <<Contact your healthcare provider to find out when you can resume being around other people based on the results of your testing.>>

MSG207. [no Care Message 207]

## **CARE MESSAGES (con't)**

#### MSG211. <<Stay home and away from others until:>>

- it has been 10 days\* from when your symptoms first appeared and
- you have had no fever for 24 hours without the use of medications and
   your other symptoms of COVID-19 are improving\* (\*Loss of taste and smell may persist for weeks
- or months after recovery and need not delay the end of isolation)
- \*If you had severe illness from COVID-19 (you were admitted to a hospital and needed oxygen),
  your healthcare provider may recommend that you stay in isolation for longer than 10 days after
  your symptoms first appeared (possibly up to 20 days) and you may need to finish your period of
  isolation at home. Talk to your healthcare provider for more information.
- Additional information (dropdown menu)

<<Ple><<Please note:>> While most people recover and return to normal health, some people have symptoms
that can last for weeks or months after having COVID-19. It's important to notify your healthcare
provider of your symptoms because it could affect your health care needs in the future.

MSG212. <<Watch for COVID-19 symptoms such as fever, cough, or difficulty breathing.>> If you develop any symptoms, contact your healthcare provider to ask about retesting, and stay home and away from others until:

- it has been 10 days from when your symptoms first appeared and
- you have had no fever for 24 hours without the use of medications and
- your other symptoms of COVID-19 are improving\* (\*Loss of taste and smell may persist for weeks
- or months after recovery and need not delay the end of isolation)

MSG213. <<Watch for COVID-19 symptoms such as fever, cough, or difficulty breathing.>> If you develop any symptoms, contact your healthcare provider, and stay home and away from others until:

- it has been 10 days from when your symptoms first appeared and
- you have had no fever for 24 hours without the use of medications and
- your other symptoms of COVID-19 are improving\* (\*Loss of taste and smell may persist for weeks
  or months after recovery and need not delay the end of isolation)

MSG214. <<As soon as possible, tell your occupational health provider (or supervisor) that you may have been in close contact with another person who has tested positive for COVID-19 in the last 14 days.>>

MSG217. << If you tested negative after being exposed to a person with COVID-19, you are likely not infected, but you still may get sick. Self-quarantine at home for 14 days after your exposure. Watch for COVID-19 symptoms such as fever, cough, or difficulty breathing.>>

If you develop any symptoms, get tested for the virus that causes COVID-19, and stay home and away from others until:

- it has been 10 days from when your symptoms first appeared and
- you have had no fever for 24 hours without the use of medications and
- your other symptoms of COVID-19 are improving\* (\*Loss of taste and smell may persist for weeks or months after recovery and need not delay the end of isolation)
  Additional information (*dropdown menu*)

<**Please note:**>> Check your local health department's website for information about options in your area to possibly shorten this quarantine period. You may also receive a call from a contact tracing professional.

MSG304. << Watch for COVID-19 symptoms such as fever, cough, or difficulty breathing for 14 days following an exposure.>>

If you develop any symptoms, get tested for SARS-CoV-2, and stay home and away from others until:

- it has been 10 days from when your symptoms first appeared and
- you have had no fever for 24 hours without the use of medications and
- your other symptoms of COVID-19 are improving\*
   (\*Loss of taste and small may persist for weeks or month)

(\*Loss of taste and smell may persist for weeks or months after recovery and need not delay the end of isolation)

MSG305. <<Tell a caregiver in your facility that you may have been in close contact with another person who has tested positive for COVID-19 in the last 14 days.>>

MSG309. << The CDC recommends all those who have been in close contact to someone with COVID-19 and are not up to date on COVID-19 vaccinations quarantine for at least 5 full days following close contact. Stay home for 5 days, and wear a well-fitting mask if you must be around others in your home. To calculate your 5-day isolation period, day 0 is your first day of symptoms or a positive test if you are asymptomatic. Day 1 is the first full day after your symptoms developed or you tested positive.

For 10 days following close contact, wear a mask any time you are around others inside your home or in public. Do not go to places where you are not able to wear a mask, avoid travel, and being around people who are at high risk.>>

MSG311. << The CDC recommends you stay away from others in your facility for at least 10 days following close contact and then wear a well-fitting mask around others for an additional 5 days. If you are unable to wear a mask when around others, you should continue to quarantine for a full 10 days. Your facility may have more specific guidance. Please follow the guidance of your facility while exercising caution. >>

## **Inactive Testing Messages**



#### **TESTING MESSAGES**

#### T1. [no testing message T1]

#### T2-Domestic [no testing message T2-Domestic]

**T2-International << You may be eligible for COVID-19 testing.>>** Contact your local emergency services for more information.

T3. <<CDC recommends that all close contacts of people with confirmed COVID-19 should:>>

- get tested and
- quarantine for 14 days from the day of their last exposure. Check your local health department's website for information about options in your area to possibly shorten this quarantine period. You may also receive a call from a contact tracing professional.

T5. <<Further testing is not needed unless a healthcare provider recommends it.>>

**T100.** << **You do not need to quarantine or get tested as long as you do not develop new symptoms.>>** Ask your healthcare provider about getting tested again if you have been in close contact with another person who has tested positive for COVID-19 in the last 14 days

T101. << Ask your healthcare provider about getting tested again>>

- if you have been in close contact with another person who has tested positive for COVID-19 in the last 14 days **or** 
  - if you develop new symptoms.

T104. << Ask your healthcare provider about getting tested again, especially if you have been in close contact with another person who has tested positive for COVID-19 in the last 14 days.>>

T107. <<Because you have been in close contact of another person who has tested positive for COVID-19 in the last 14 days, CDC recommends that you quarantine for 14 days from the day of your last exposure.>>

T108. <<If you have been a close contact of another person who has tested positive for COVID-19 in the last 14 days, you should:>>

- get tested and
- quarantine for 14 days from the day of your last exposure. Check your local health department's website for information about options in your area to possibly shorten this quarantine period.
   You may also receive a call from a contact tracing professional.

T200. << Although the risk of being infected with the virus that causes COVID-19 is low if you are fully vaccinated, you should get tested and stay home and away from others, except to get medical care, until:>>

- it has been 10 days\* from when your symptoms first appeared and
- you have had no fever for 24 hours without the use of medications and
- your other symptoms of COVID-19 are improving\* (\*Loss of taste and smell may persist for weeks or months after recovery and need not delay the end of isolation)
- \*If you have a weakened immune system (immunocompromised) due to a health condition or medication, you might need to stay home and isolate longer than 10 days and possibly 20 days after symptoms begin. In some circumstances, further testing may be needed. Talk to your healthcare provider for more information.

**T203.** << Based on the answers given, you should get tested 3-5 days after exposure and wear a mask in public indoor settings.>> To maximize protection from the Delta variant and prevent possibly spreading to others, wear a mask indoors in public if you are in an area of substantial or high transmission.

T204. << If you have had close contact to COVID-19 and are not up to date on your COVID-19 vaccination, the CDC recommends that you get tested at least 5 days after you last had close contact with someone with COVID-19, even if you don't develop symptoms. Testing earlier than 5 days following close contact may lead to an inaccurate or n inaccurate orfalse-negative result.

Even if you test negative, you should still continue to wear a well-fitting mask when around others until 10 days after your last close contact with someone with COVID-19.>>

T205. << If you had confirmed COVID-19 within the last 90 days (meaning you tested positive using a viral test), you do not need to quarantine after close contact to COVID-19. If you last had COVID-19 more than 90 days ago, you should get tested at least 5 days after you last had close contact with someone with COVID-19, even if you don't develop symptoms. Testing earlier than 5 days following close contact may lead to an inaccurate or false-negative result.>>


T206. << If you are up to date on your COVID-19 vaccination and not experiencing symptoms of COVID-19, you do not need to quarantine. However, even if you don't develop symptoms, get tested at least 5 days after your last close contact with COVID-19. Testing earlier than 5 days following close contact may lead to an inaccurate or false-negative result.


You should take precautions until 10 days following close contact, which includes wearing a well-fitting mask when you are around others indoors, and avoiding places where you are not able to wear a mask, travel, and being around people who are at high risk.>>

T207. << Although you are up to date with your COVID-19 vaccinations, you should isolate due to your symptoms of COVID-19. You should continue to isolate at home, wearing a well-fitting mask around others, until you are able to receive results of a COVID-19 test. >>

# Adult - Unvaccinated (UV) Symptomatic Exposed












Q6 = Yes, No or I don't know

Q201: Have you ever tested positive for COVID-19?


a. Yes, I have previously tested positive for COVID-19.


b. No, I have not previously tested positive for COVID-19 (previous negative test).



Q204 = c








# Pediatric – UV Symptomatic Exposed





# Pediatric - UV Symptomatic Non-Exposed





# Pediatric – UV Asymptomatic



