IPMC Test Coverage

IPMIRustFRU: every test case of the Tier-1 build and the Tier-2/3 extension, and its result

Revision 10-26-2026

1. Summary

Generated by `tools/test_coverage.py` on 10-26-2026 23:50:21; do not edit. This document covers the Tier-1 build and the Tier-2/3 extension.

The Ignored column counts ignored Rust tests, skipped Python tests, bench rows deferred by the owner and board report rows marked NOT-TESTABLE.

Suite	Cases	Passed	Failed	Ignored
ipmc-app	43	43	0	0
ipmc-boot	71	71	0	0
ipmc-core	246	246	0	0
ipmc-defs	8	8	0	0
ipmc-emu	59	59	0	0
ipmc-ext	2	2	0	0
ipmc-fru	69	69	0	0
ipmc-log	18	18	0	0
ipmc-menu	45	45	0	0
ipmc-sensors	118	118	0	0
ipmc-wire	10	10	0	0
Python: tools/test_defs.py	5	5	0	0
Python: tools/app-port	45	45	0	0
Python: tools/chassis-manager	100	100	0	0
Python: tools/fwupdate	50	50	0	0
Python: tools/capture	4	4	0	0
Python: tools/test_test_coverage.py	15	15	0	0
Emulator replay	1	1	0	0
Board: Phase 12 bench table	25	18	0	7
Board: board test report rows	220	160	0	60
Tier-2/3: ipmc-ext	52	52	0	0
Tier-2/3: emulator replay	1	1	0	0
Total	1207	1140	0	67

2. Rust tests: ipmc-app

unit tests (43 cases)

Test	Area	Result
`tests::a_bad_table_is_rejected_for_a_bad_row_a_missing_help_and_a_collision`	ipmc-app crate root	PASS
`tests::a_damaged_line_is_answered_without_a_tag_and_not_run`	ipmc-app crate root	PASS
`tests::a_failing_handler_takes_back_its_data_lines`	ipmc-app crate root	PASS
`tests::a_failure_sentence_keeps_the_pieces_written_before_it_ran_out_of_room`	ipmc-app crate root	PASS
`tests::a_final_line_that_does_not_fit_rolls_back_to_the_start_of_the_answer`	ipmc-app crate root	PASS
`tests::a_line_of_blanks_is_an_empty_line`	ipmc-app crate root	PASS
`tests::a_loss_found_with_a_byte_in_hand_drops_that_byte_and_the_next_line_end_answers_damaged`	ipmc-app crate root	PASS
`tests::a_malformed_syntax_string_is_rejected_with_its_rule`	ipmc-app crate root	PASS
`tests::a_request_is_quoted_at_most_quote_max_bytes`	ipmc-app crate root	PASS
`tests::a_session_prints_as_the_documents_show_it`	ipmc-app crate root	PASS
`tests::a_set_value_is_stored_and_marks_the_store_dirty`	ipmc-app crate root	PASS
`tests::an_answer_that_does_not_fit_is_replaced_by_answer_too_long`	ipmc-app crate root	PASS
`tests::an_overlong_line_is_answered_once_when_its_end_arrives`	ipmc-app crate root	PASS
`tests::arguments_split_into_words_and_a_rest_value`	ipmc-app crate root	PASS
`tests::backspace_edits_the_line_before_it_runs`	ipmc-app crate root	PASS
`tests::bootloader_asks_the_host_once_and_a_refused_line_asks_nothing`	ipmc-app crate root	PASS
`tests::bootloader_with_payload_power_on_asks_for_confirm`	ipmc-app crate root	PASS
`tests::every_field_error_has_its_error_code_and_sentence`	ipmc-app crate root	PASS
`tests::every_line_end_form_is_one_line`	ipmc-app crate root	PASS
`tests::every_line_state_and_host_failure_has_its_error_line`	ipmc-app crate root	PASS
`tests::every_request_row_gets_its_answer`	ipmc-app crate root	PASS
`tests::fru_save_answers_each_state`	ipmc-app crate root	PASS
`tests::ipmi_passes_the_bytes_to_the_host`	ipmc-app crate root	PASS
`tests::ipmi_reports_a_completion_code_without_data_without_a_name_and_a_failed_request`	ipmc-app crate root	PASS
`tests::ipmi_write_fru_data_is_refused_when_writing_is_disabled`	ipmc-app crate root	PASS
`tests::many_requests_then_a_damaged_set_never_runs_the_set`	ipmc-app crate root	PASS
`tests::respond_writes_nothing_for_nothing_and_the_prompt_for_an_empty_line`	ipmc-app crate root	PASS
`tests::set_is_refused_when_writing_is_disabled`	ipmc-app crate root	PASS
`tests::set_while_nvmro_is_asserted_is_refused_and_changes_nothing`	ipmc-app crate root	PASS

Test	Area	Result
`tests::status_words_follow_the_power_and_health_states`	ipmc-app crate root	PASS
`tests::the_answer_buffer_is_the_worst_answer_rounded_up_to_64`	ipmc-app crate root	PASS
`tests::the_answer_buffer_stores_whole_writes_only`	ipmc-app crate root	PASS
`tests::the_command_table_is_well_formed`	ipmc-app crate root	PASS
`tests::the_editor_echoes_erases_and_ends_lines`	ipmc-app crate root	PASS
`tests::the_editor_gives_the_same_output_for_any_split_of_the_bytes`	ipmc-app crate root	PASS
`tests::the_editor_returns_the_text_of_the_line`	ipmc-app crate root	PASS
`tests::the_help_table_text_is_exact_and_aligned`	ipmc-app crate root	PASS
`tests::the_longest_answers_fit_the_answer_buffer_with_room_for_the_echo`	ipmc-app crate root	PASS
`tests::the_longest_final_line_fits_behind_the_longest_echo_at_the_line_limit`	ipmc-app crate root	PASS
`tests::the_longest_keyword_sequence_wins_and_keywords_are_whole_words`	ipmc-app crate root	PASS
`tests::the_payload_parsing_rule_finds_the_data_lines_and_the_final_line`	ipmc-app crate root	PASS
`tests::the_session_in_the_crate_comment_is_what_the_code_prints`	ipmc-app crate root	PASS
`tests::the_uptime_has_days_hours_minutes_and_seconds`	ipmc-app crate root	PASS

3. Rust tests: ipmc-boot

unit tests (69 cases)

Test	Area	Result
`commands::tests::lines_find_their_command_in_any_case`	ipmc-boot commands	PASS
`commands::tests::the_help_table_text`	ipmc-boot commands	PASS
`decision::tests::a_late_poll_prints_the_missed_digits_in_order`	ipmc-boot decision	PASS
`decision::tests::every_row_of_the_decision_table`	ipmc-boot decision	PASS
`decision::tests::reason_texts`	ipmc-boot decision	PASS
`decision::tests::three_seconds_print_three_two_one_then_start`	ipmc-boot decision	PASS
`decision::tests::wakeup_inside_the_window_opens_a_session_and_at_the_end_starts`	ipmc-boot decision	PASS
`decision::tests::zero_seconds_start_at_once`	ipmc-boot decision	PASS
`error::tests::answer_lines`	ipmc-boot error	PASS
`error::tests::nvmro_maps_from_the_register_layer`	ipmc-boot error	PASS
`error::tests::word_answers`	ipmc-boot error	PASS
`geometry::tests::load_allowed_at_every_boundary`	ipmc-boot geometry	PASS
`geometry::tests::target_sectors_and_names`	ipmc-boot geometry	PASS
`header::tests::erased_source_is_missing_without_a_header`	ipmc-boot header	PASS
`header::tests::header_fields_corrupted_give_their_reason`	ipmc-boot header	PASS
`header::tests::patch_refuses_each_case`	ipmc-boot header	PASS
`header::tests::patch_returns_the_header_it_wrote`	ipmc-boot header	PASS
`header::tests::patch_then_check_is_ok_with_an_independent_digest`	ipmc-boot header	PASS
`header::tests::placeholder_bytes_exactly`	ipmc-boot header	PASS
`header::tests::the_digest_bytes_are_outside_the_hash`	ipmc-boot header	PASS
`header::tests::vector_table_rows`	ipmc-boot header	PASS
`header::tests::version_text_to_bytes`	ipmc-boot header	PASS
`hex::tests::accepted_records`	ipmc-boot hex	PASS
`hex::tests::data_to_the_end_of_the_segment_is_accepted`	ipmc-boot hex	PASS
`hex::tests::refused_records`	ipmc-boot hex	PASS
`load::tests::a_full_image_loads_and_passes_the_check`	ipmc-boot load	PASS
`load::tests::a_repeated_record_is_not_erased`	ipmc-boot load	PASS
`load::tests::a_resend_after_a_checksum_error_succeeds`	ipmc-boot load	PASS
`load::tests::an_erased_flash_has_no_image`	ipmc-boot load	PASS

Test	Area	Result
`load::tests::data_outside_app_or_before_an_address_record_is_a_range_error`	ipmc-boot load	PASS
`load::tests::erase_orders_the_sectors`	ipmc-boot load	PASS
`load::tests::flash_faults_and_wrong_bits_are_reported`	ipmc-boot load	PASS
`load::tests::unaligned_head_and_tail_load`	ipmc-boot load	PASS
`request::tests::a_request_without_a_software_reset_is_refused`	ipmc-boot request	PASS
`request::tests::encode_then_decode_for_both_interfaces`	ipmc-boot request	PASS
`request::tests::invalid_requests_are_refused`	ipmc-boot request	PASS
`session::tests::a_damaged_line_cancels_a_pending_erase`	ipmc-boot session	PASS
`session::tests::a_damaged_line_in_record_mode_stays_and_the_next_record_is_ok`	ipmc-boot session	PASS
`session::tests::a_full_update_loads_verifies_and_runs`	ipmc-boot session	PASS
`session::tests::a_line_too_long_cancels_a_pending_erase`	ipmc-boot session	PASS
`session::tests::a_line_without_a_colon_aborts_record_mode_and_is_not_run`	ipmc-boot session	PASS
`session::tests::a_wrong_digest_is_refused_at_the_end_record_on_verify_and_on_run`	ipmc-boot session	PASS
`session::tests::an_empty_line_cancels_a_pending_erase`	ipmc-boot session	PASS
`session::tests::another_line_cancels_a_pending_erase_and_is_not_run`	ipmc-boot session	PASS
`session::tests::answers_of_the_small_commands`	ipmc-boot session	PASS
`session::tests::echo_is_on_in_command_mode_only`	ipmc-boot session	PASS
`session::tests::erase_faults_are_reported_and_clear_the_erased_mark`	ipmc-boot session	PASS
`session::tests::erase_then_confirm_runs_the_erase`	ipmc-boot session	PASS
`session::tests::info_for_a_flash_without_an_image`	ipmc-boot session	PASS
`session::tests::info_for_a_valid_image_prints_both_digests_in_full`	ipmc-boot session	PASS
`session::tests::is_wakeup_rows`	ipmc-boot session	PASS
`session::tests::load_needs_an_erase_of_app_in_this_session`	ipmc-boot session	PASS
`session::tests::open_answers_ok_and_the_prompt`	ipmc-boot session	PASS
`session::tests::record_mode_lines`	ipmc-boot session	PASS
`session::tests::reset_answers_and_asks_for_the_reset`	ipmc-boot session	PASS
`session::tests::the_load_idle_timeout`	ipmc-boot session	PASS
`session::tests::verify_and_run_without_an_image`	ipmc-boot session	PASS
`text::tests::address_and_version_rows`	ipmc-boot text	PASS
`text::tests::decimal_rows`	ipmc-boot text	PASS
`text::tests::hex_bytes_are_lower_case_pairs`	ipmc-boot text	PASS
`text::tests::hex_padding_rows`	ipmc-boot text	PASS
`trace::tests::info_lines`	ipmc-boot trace	PASS

Test	Area	Result
`trace::tests::labels_are_16_columns`	ipmc-boot trace	PASS
`trace::tests::single_line_variants`	ipmc-boot trace	PASS
`trace::tests::the_example_of_design_6_2_byte_for_byte`	ipmc-boot trace	PASS
`tests::combine_places_the_parts_at_0_and_c000_with_ff_between`	ipmc-boot crate root	PASS
`tests::combine_refuses_oversized_parts_and_takes_the_limits`	ipmc-boot crate root	PASS
`tests::padding_reaches_a_multiple_of_four`	ipmc-boot crate root	PASS
`tests::size_limits`	ipmc-boot crate root	PASS

flash_map (2 cases)

Test	Area	Result
`the_header_and_request_symbols_equal_the_header_constants`	ipmc-boot flash_map	PASS
`the_regions_equal_the_geometry_constants`	ipmc-boot flash_map	PASS

4. Rust tests: ipmc-core

unit tests (204 cases)

Test	Area	Result
addr::tests::bad_parity_detected	ipmc-core addr	PASS
addr::tests::forced_logic_always_has_valid_parity	ipmc-core addr	PASS
addr::tests::ga_zero_is_invalid	ipmc-core addr	PASS
addr::tests::nvmro_asserted_honors_the_source	ipmc-core addr	PASS
addr::tests::nvmro_high_is_asserted_from_pins	ipmc-core addr	PASS
addr::tests::nvmro_rule_covers_both_sources	ipmc-core addr	PASS
addr::tests::raw_pin_levels_split_into_ga_gap_and_nvmro	ipmc-core addr	PASS
addr::tests::resolve_uses_forced_defaults	ipmc-core addr	PASS
addr::tests::slot1_decodes_to_82	ipmc-core addr	PASS
addr::tests::slot31_decodes_to_be	ipmc-core addr	PASS
addr::tests::source_text	ipmc-core addr	PASS
addr::tests::the_bootloader_pin_line_names_both_levels	ipmc-core addr	PASS
addr::tests::usable_needs_odd_parity_and_a_nonzero_ga	ipmc-core addr	PASS
cmd::tests::only_fru_zero_is_accepted	ipmc-core cmd	PASS
cmd::vita::tests::bus_state_bytes_parse_per_table_10_1_3_7_1	ipmc-core cmd vita	PASS
cmd::vita::tests::the_ipmb_capabilities_byte_follows_the_tier_and_bus_b	ipmc-core cmd vita	PASS
cmd::vita::tests::the_speed_byte_parses_per_tier	ipmc-core cmd vita	PASS
cmd::vita::tests::vso_revision_nibbles_follow_the_spec_example	ipmc-core cmd vita	PASS
commands::tests::find_hits_and_misses	ipmc-core commands	PASS
commands::tests::rows_are_unique_and_documented	ipmc-core commands	PASS
dispatch::tests::a_bad_address_strap_keeps_the_fru_in_m0	ipmc-core dispatch	PASS
dispatch::tests::a_deactivation_request_reaches_m5_only_where_activation_control_exists	ipmc-core dispatch	PASS
dispatch::tests::app_command_responses_are_byte_exact	ipmc-core dispatch	PASS
dispatch::tests::extension_answers_only_on_a_table_miss	ipmc-core dispatch	PASS
dispatch::tests::extension_error_code_has_no_data	ipmc-core dispatch	PASS
dispatch::tests::extension_group_extension_command_sees_the_data_after_the_vso_byte	ipmc-core dispatch	PASS
dispatch::tests::extension_is_not_reached_for_another_lun_or_a_foreign_defining_body	ipmc-core dispatch	PASS
dispatch::tests::extension_over_long_length_fails_as_a_row_does	ipmc-core dispatch	PASS
dispatch::tests::full_queue_reports_and_counts	ipmc-core dispatch	PASS

Test	Area	Result
`dispatch::tests::full_queue_runs_no_handler`	ipmc-core dispatch	PASS
`dispatch::tests::group_extension_handler_length_limit_counts_the_echoed_defining_body`	ipmc-core dispatch	PASS
`dispatch::tests::group_extension_vso_handling`	ipmc-core dispatch	PASS
`dispatch::tests::no_extension_answers_c1`	ipmc-core dispatch	PASS
`dispatch::tests::nonzero_lun_is_c2_before_any_handler`	ipmc-core dispatch	PASS
`dispatch::tests::nonzero_lun_on_group_extension_is_answered_c2h_first`	ipmc-core dispatch	PASS
`dispatch::tests::request_data_on_a_no_data_command_is_c7`	ipmc-core dispatch	PASS
`dispatch::tests::response_is_rejected_as_request`	ipmc-core dispatch	PASS
`dispatch::tests::sensor_7_reads_only_at_tier_3_and_follows_payload_mode`	ipmc-core dispatch	PASS
`dispatch::tests::set_unit_field_edits_the_image_reruns_the_self_test_and_honours_nvmro`	ipmc-core dispatch	PASS
`dispatch::tests::short_output_buffer_runs_no_handler`	ipmc-core dispatch	PASS
`dispatch::tests::table_handlers_and_errors`	ipmc-core dispatch	PASS
`dispatch::tests::the_settings_byte_is_the_store_byte_and_a_change_marks_it_dirty`	ipmc-core dispatch	PASS
`dispatch::tests::trace_lines_for_hit_and_miss`	ipmc-core dispatch	PASS
`dispatch::tests::unknown_command_is_c1`	ipmc-core dispatch	PASS
`dispatch::tests::update_sensors_stores_the_snapshot_and_steps_the_fru_state`	ipmc-core dispatch	PASS
`dispatch::tests::update_sensors_traces_each_fru_state_change_once`	ipmc-core dispatch	PASS
`dispatch::tests::warm_reset_clears_the_hand_offs_and_keeps_the_rest`	ipmc-core dispatch	PASS
`dupcache::tests::a_repeat_after_expiry_reuses_its_own_slot`	ipmc-core dupcache	PASS
`dupcache::tests::entries_clear_and_len_follow_the_held_responses`	ipmc-core dupcache	PASS
`dupcache::tests::expired_entries_are_reused_without_an_eviction`	ipmc-core dupcache	PASS
`dupcache::tests::expiry_survives_counter_wrap`	ipmc-core dupcache	PASS
`dupcache::tests::full_cache_evicts_the_oldest_and_counts`	ipmc-core dupcache	PASS
`dupcache::tests::hit_inside_the_expiry_miss_at_it`	ipmc-core dupcache	PASS
`dupcache::tests::the_key_holds_the_lun_and_the_exact_data`	ipmc-core dupcache	PASS
`event_enable::tests::get_and_get_mut_reject_a_sensor_past_the_table`	ipmc-core event_enable	PASS
`event_enable::tests::power_up_follows_the_tier_and_the_sdr_masks`	ipmc-core event_enable	PASS
`ext::tests::feed_sensors_calls_on_sample_once_with_the_update_transition`	ipmc-core ext	PASS
`ext::tests::the_power_on_check_asks_the_state_machine_and_then_the_extension`	ipmc-core ext	PASS
`ext::tests::warm_reset_has_an_empty_default`	ipmc-core ext	PASS
`fru_state::tests::a_machine_fed_tier_1_and_2_inputs_never_reaches_m5`	ipmc-core fru_state	PASS
`fru_state::tests::all_lists_the_reachable_states_and_their_masks`	ipmc-core fru_state	PASS
`fru_state::tests::lost_management_power_returns_every_state_to_m0`	ipmc-core fru_state	PASS

Test	Area	Result
`fru_state::tests::m0_to_m1_is_one_transition_per_step`	ipmc-core fru_state	PASS
`fru_state::tests::m0_waits_for_every_initial_check`	ipmc-core fru_state	PASS
`fru_state::tests::m1_and_m4_follow_payload_power`	ipmc-core fru_state	PASS
`fru_state::tests::m4_and_m5_follow_the_deactivation_request_and_payload_power`	ipmc-core fru_state	PASS
`fru_state::tests::m6_stays_until_the_payload_is_completely_shut_down`	ipmc-core fru_state	PASS
`fru_state::tests::masks_follow_table_10_2_1_1`	ipmc-core fru_state	PASS
`fru_state::tests::power_on_is_allowed_again_once_m6_reaches_m1`	ipmc-core fru_state	PASS
`fru_state::tests::power_on_is_refused_only_in_m6`	ipmc-core fru_state	PASS
`fru_state::tests::power_that_returns_in_m6_does_not_cancel_the_deactivation`	ipmc-core fru_state	PASS
`fru_state::tests::power_up_state_is_m0`	ipmc-core fru_state	PASS
`identity::tests::additional_support_follows_the_tier`	ipmc-core identity	PASS
`identity::tests::identity_matches_decision_one`	ipmc-core identity	PASS
`identity::tests::product_version_guard_compares_major_minor`	ipmc-core identity	PASS
`identity::tests::version_field_parses_and_rejects`	ipmc-core identity	PASS
`ipmb::tests::boundary_lengths_parse`	ipmc-core ipmb	PASS
`ipmb::tests::error_checksums`	ipmc-core ipmb	PASS
`ipmb::tests::error_field_range`	ipmc-core ipmb	PASS
`ipmb::tests::error_frame_too_long_to_encode`	ipmc-core ipmb	PASS
`ipmb::tests::error_names_are_distinct`	ipmc-core ipmb	PASS
`ipmb::tests::error_out_buffer_too_small`	ipmc-core ipmb	PASS
`ipmb::tests::error_too_long`	ipmc-core ipmb	PASS
`ipmb::tests::error_too_short`	ipmc-core ipmb	PASS
`ipmb::tests::error_wrong_kind`	ipmc-core ipmb	PASS
`ipmb::tests::literal_frames_with_luns_and_high_sequence_bits`	ipmc-core ipmb	PASS
`ipmb::tests::luns_swap_in_response_header`	ipmc-core ipmb	PASS
`ipmb::tests::odd_address_bytes_are_rejected`	ipmc-core ipmb	PASS
`ipmb::tests::raw_frames_are_classified_by_the_netfn_parity`	ipmc-core ipmb	PASS
`ipmb::tests::request_round_trip`	ipmc-core ipmb	PASS
`ipmb::tests::response_round_trip_with_data`	ipmc-core ipmb	PASS
`link::tests::a_bus_powers_up_at_100_khz_and_the_speed_follows_set_ipmb_speed`	ipmc-core link	PASS
`link::tests::a_failed_attempt_is_not_late_until_a_transmission_completes`	ipmc-core link	PASS
`link::tests::a_failed_request_transmission_is_retried_after_t6_on_the_other_enabled_bus`	ipmc-core link	PASS
`link::tests::a_failed_request_transmission_names_destination_command_and_cause`	ipmc-core link	PASS

Test	Area	Result
`link::tests::a_failed_request_transmission_with_one_bus_waits_for_the_timeout`	ipmc-core link	PASS
`link::tests::a_local_request_too_long_for_a_frame_is_refused`	ipmc-core link	PASS
`link::tests::a_local_set_ipmb_state_changes_the_bus_state_as_a_bus_request_does`	ipmc-core link	PASS
`link::tests::a_replayed_response_is_timed_from_the_retry`	ipmc-core link	PASS
`link::tests::a_request_goes_out_and_its_response_ends_it`	ipmc-core link	PASS
`link::tests::a_request_to_another_lun_is_not_answered_from_the_cache_of_lun_zero`	ipmc-core link	PASS
`link::tests::a_request_without_a_response_ends_with_the_destination_and_the_count`	ipmc-core link	PASS
`link::tests::a_response_sent_during_the_backoff_does_not_change_the_retry_bus`	ipmc-core link	PASS
`link::tests::a_response_that_matches_nothing_is_dropped_and_the_request_stays`	ipmc-core link	PASS
`link::tests::a_restarted_link_has_the_power_up_state_and_keeps_the_request_sequence`	ipmc-core link	PASS
`link::tests::a_tier_one_link_sends_no_request`	ipmc-core link	PASS
`link::tests::alternate_policy_alternates_buses_and_stays_on_a_alone`	ipmc-core link	PASS
`link::tests::alternation_counts_a_resend_as_the_latest_transmission`	ipmc-core link	PASS
`link::tests::an_invalid_hardware_address_isolates_both_buses`	ipmc-core link	PASS
`link::tests::an_unanswered_request_is_retried_with_its_sequence_then_ends`	ipmc-core link	PASS
`link::tests::arrival_policy_answers_on_the_request_bus`	ipmc-core link	PASS
`link::tests::broadcast_get_device_id_is_stripped_and_answered_with_own_address`	ipmc-core link	PASS
`link::tests::broadcast_other_than_get_device_id_is_dropped`	ipmc-core link	PASS
`link::tests::clearing_the_duplicate_cache_makes_a_repeat_run_the_handler_again`	ipmc-core link	PASS
`link::tests::default_config_follows_defs`	ipmc-core link	PASS
`link::tests::disabled_and_unfitted_buses_drop_frames`	ipmc-core link	PASS
`link::tests::dropped_frames_are_traced_by_poll_with_reason_and_bus`	ipmc-core link	PASS
`link::tests::egress_empty_follows_the_response_queue`	ipmc-core link	PASS
`link::tests::failed_transmit_is_resent_on_the_other_bus_then_dropped`	ipmc-core link	PASS
`link::tests::failed_transmit_with_one_bus_enabled_is_dropped_at_once`	ipmc-core link	PASS
`link::tests::full_ingress_drops_the_new_frame_and_keeps_the_queued_ones`	ipmc-core link	PASS
`link::tests::late_responses_are_counted_at_transmit_completion`	ipmc-core link	PASS
`link::tests::link_sensor_at_power_up_is_08_40_02`	ipmc-core link	PASS
`link::tests::local_fault_disables_a_bus_and_shows_in_the_sensor`	ipmc-core link	PASS
`link::tests::local_request_returns_the_bytes_a_bus_request_would_queue`	ipmc-core link	PASS
`link::tests::one_request_more_than_the_cache_evicts_the_oldest`	ipmc-core link	PASS
`link::tests::parse_errors_are_counted_by_kind`	ipmc-core link	PASS
`link::tests::poll_calls_the_extension_once_with_a_refreshed_link_view`	ipmc-core link	PASS

Test	Area	Result
`link::tests::poll_leaves_requests_queued_while_the_egress_queue_is_full`	ipmc-core link	PASS
`link::tests::power_up_state_is_a_on_b_off`	ipmc-core link	PASS
`link::tests::queued_frame_moves_when_its_bus_is_disabled`	ipmc-core link	PASS
`link::tests::requests_from_both_buses_are_answered_in_arrival_order`	ipmc-core link	PASS
`link::tests::resend_that_succeeds_counts_ok_on_the_second_bus`	ipmc-core link	PASS
`link::tests::responses_are_dropped_and_counted`	ipmc-core link	PASS
`link::tests::responses_go_out_before_a_due_request`	ipmc-core link	PASS
`link::tests::retry_on_the_other_bus_runs_the_handler_once_and_replays_identical_bytes`	ipmc-core link	PASS
`link::tests::same_sequence_with_different_data_is_not_a_duplicate`	ipmc-core link	PASS
`link::tests::same_sum_data_with_the_same_sequence_is_not_a_duplicate`	ipmc-core link	PASS
`link::tests::set_ipmb_state_refuses_to_isolate_both_buses`	ipmc-core link	PASS
`link::tests::the_same_request_after_the_expiry_runs_the_handler_again`	ipmc-core link	PASS
`link::tests::the_speed_rule_refuses_400_khz_on_a_bus_that_is_not_fitted`	ipmc-core link	PASS
`link::tests::tx_result_errors_leave_the_queue_alone`	ipmc-core link	PASS
`link::tests::unicast_get_device_id_to_another_address_is_not_for_us`	ipmc-core link	PASS
`names::tests::core_names_find_tier1_extension_and_platform_event`	ipmc-core names	PASS
`names::tests::fault_words_and_sentences`	ipmc-core names	PASS
`queue::tests::bus_helpers_alternate`	ipmc-core queue	PASS
`queue::tests::fifo_order_and_bus_tags`	ipmc-core queue	PASS
`queue::tests::full_queue_rejects_counts_and_keeps_old_frames`	ipmc-core queue	PASS
`queue::tests::generic_fifo_peek_full_and_drop_count`	ipmc-core queue	PASS
`queue::tests::oversize_frame_is_rejected_without_a_drop_count`	ipmc-core queue	PASS
`queue::tests::peek_leaves_the_frame_and_resend_retargets_it`	ipmc-core queue	PASS
`queue::tests::wrap_around_keeps_order`	ipmc-core queue	PASS
`requester::tests::a_blocked_next_sequence_is_skipped_and_all_blocked_is_refused`	ipmc-core requester	PASS
`requester::tests::a_failed_transmission_waits_t6_before_the_other_bus`	ipmc-core requester	PASS
`requester::tests::a_response_that_differs_in_one_field_does_not_match`	ipmc-core requester	PASS
`requester::tests::a_restart_keeps_the_recent_sequence_numbers_blocked_for_a_full_t9`	ipmc-core requester	PASS
`requester::tests::a_second_cancel_keeps_the_driver_owned_frame_busy_until_tx_done`	ipmc-core requester	PASS
`requester::tests::an_oversize_response_is_not_a_match`	ipmc-core requester	PASS
`requester::tests::busy_too_soon_and_sequence_expiry_refuse_a_submit`	ipmc-core requester	PASS
`requester::tests::cancel_stops_every_transmission_and_drops_the_completion`	ipmc-core requester	PASS
`requester::tests::submit_refusals_leave_the_state_alone`	ipmc-core requester	PASS

Test	Area	Result
`requester::tests::t4_counts_from_the_first_transmission_and_t9_from_the_latest`	ipmc-core requester	PASS
`requester::tests::the_bus_of_the_latest_transmission_is_kept_until_the_next_request`	ipmc-core requester	PASS
`requester::tests::the_first_sequence_number_is_a_constructor_input`	ipmc-core requester	PASS
`requester::tests::the_frame_of_a_platform_event_is_exact`	ipmc-core requester	PASS
`requester::tests::the_matching_response_ends_the_request`	ipmc-core requester	PASS
`reset_gate::tests::the_reset_runs_when_both_conditions_hold`	ipmc-core reset_gate	PASS
`reset_gate::tests::the_wait_counts_from_first_seen_and_is_traced`	ipmc-core reset_gate	PASS
`ring::tests::a_new_ring_is_empty_and_holds_n_minus_one`	ipmc-core ring	PASS
`ring::tests::clear_empties_the_ring`	ipmc-core ring	PASS
`ring::tests::discard_drops_the_oldest_and_stops_at_len`	ipmc-core ring	PASS
`ring::tests::indices_wrap_past_the_end_many_times`	ipmc-core ring	PASS
`ring::tests::peek_at_reads_the_ith_oldest_without_removing`	ipmc-core ring	PASS
`ring::tests::push_fills_to_capacity_then_refuses_and_writes_nothing`	ipmc-core ring	PASS
`ring::tests::push_slice_is_all_or_nothing`	ipmc-core ring	PASS
`ring::tests::push_slice_wraps_the_end_of_the_buffer`	ipmc-core ring	PASS
`sdr::tests::describe_reads_the_fields_back`	ipmc-core sdr	PASS
`sdr::tests::event_bytes_follow_the_tier`	ipmc-core sdr	PASS
`sdr::tests::owner_address_follows_the_ipmb_address`	ipmc-core sdr	PASS
`sdr::tests::record_ids_are_consecutive_from_zero_and_chain_ends_at_ffff`	ipmc-core sdr	PASS
`sdr::tests::records_parse_back_field_by_field`	ipmc-core sdr	PASS
`sdr::tests::reservation_increments_skips_zero_on_wrap_and_invalidates_the_old_id`	ipmc-core sdr	PASS
`sdr::tests::resolve_maps_first_and_last_and_rejects_unknown_ids`	ipmc-core sdr	PASS
`sdr::tests::sensor_zero_and_the_locator_are_byte_exact`	ipmc-core sdr	PASS
`sdr::tests::tier_3_adds_m5_the_400_khz_states_and_the_payload_mode_sensor`	ipmc-core sdr	PASS
`selftest::tests::a_broken_sdr_chain_sets_the_sdr_bit`	ipmc-core selftest	PASS
`selftest::tests::a_damaged_fru_image_sets_the_fru_bit`	ipmc-core selftest	PASS
`selftest::tests::a_fresh_image_and_repository_pass`	ipmc-core selftest	PASS
`selftest::tests::several_failures_or_their_bits`	ipmc-core selftest	PASS
`sensor::tests::apply_event_enable_sets_and_clears_status_bit_7`	ipmc-core sensor	PASS
`sensor::tests::fru_state_payload_test_readings_follow_tables_10_2_1_1_to_10_2_7_1`	ipmc-core sensor	PASS
`sensor::tests::health_readings_are_00_40_01_good_and_00_40_02_bad`	ipmc-core sensor	PASS
`sensor::tests::link_sensor_bytes_follow_table_10_2_2_1`	ipmc-core sensor	PASS
`sensor::tests::link_sensor_rejects_a_short_buffer`	ipmc-core sensor	PASS

Test	Area	Result
`sensor::tests::link_sensor_state_bits_4_and_5_report_400_khz`	ipmc-core sensor	PASS
`sensor::tests::payload_mode_reading_follows_table_10_2_8_1`	ipmc-core sensor	PASS
`sensor::tests::sensor_numbers_match_table_10_2_1`	ipmc-core sensor	PASS
`sensor::tests::short_buffer_and_other_sensors_are_rejected`	ipmc-core sensor	PASS
`sensor::tests::temperature_bits_follow_table_10_2_5_1`	ipmc-core sensor	PASS
`sensor::tests::unavailable_summary_sets_status_bit_5_and_clears_state`	ipmc-core sensor	PASS
`sensor::tests::valid_rails_follows_rail_count`	ipmc-core sensor	PASS
`sensor::tests::voltage_in_range_is_00_40_01_and_out_of_range_00_40_02`	ipmc-core sensor	PASS
`tier::tests::the_rules_follow_the_tier`	ipmc-core tier	PASS
`trace::tests::recording_trace_keeps_formatted_lines`	ipmc-core trace	PASS

commands_doc (3 cases)

Test	Area	Result
`every_commands_row_is_shown_as_implemented`	ipmc-core commands_doc	PASS
`implemented_rows_carry_the_name_and_spec_of_commands_rs`	ipmc-core commands_doc	PASS
`no_extra_command_is_shown_as_implemented`	ipmc-core commands_doc	PASS

tier1_handlers (33 cases)

Test	Area	Result
`a_corrupt_persisted_image_loaded_through_set_fru_fails_the_self_test_and_keeps_m0`	ipmc-core tier1_handlers	PASS
`a_failed_self_test_keeps_the_fru_in_m0_until_the_image_is_valid_again`	ipmc-core tier1_handlers	PASS
`a_fresh_context_passes_the_self_test`	ipmc-core tier1_handlers	PASS
`a_record_reads_back_in_chunks_with_the_reservation`	ipmc-core tier1_handlers	PASS
`a_write_that_corrupts_the_fru_image_is_recorded_and_undone_by_writing_it_back`	ipmc-core tier1_handlers	PASS
`fru_address_info_error_paths`	ipmc-core tier1_handlers	PASS
`fru_address_info_follows_the_geographic_address`	ipmc-core tier1_handlers	PASS
`fru_address_info_for_the_ifru`	ipmc-core tier1_handlers	PASS
`fru_data_error_paths_refuse_with_their_completion_codes`	ipmc-core tier1_handlers	PASS
`fru_id_commands_answer_fru_zero_and_refuse_everything_else`	ipmc-core tier1_handlers	PASS
`only_an_accepted_write_fru_data_marks_the_store_dirty`	ipmc-core tier1_handlers	PASS
`partial_reads_need_the_current_reservation`	ipmc-core tier1_handlers	PASS
`read_fru_data_in_16_byte_chunks_like_the_chassis_manager`	ipmc-core tier1_handlers	PASS
`read_fru_data_longest_chunk_is_23_bytes`	ipmc-core tier1_handlers	PASS
`read_sensor_serves_the_handler_and_the_console_from_one_function`	ipmc-core tier1_handlers	PASS

Test	Area	Result
`reading_status_bit_7_follows_the_sensors_event_enable`	ipmc-core tier1_handlers	PASS
`reserve_returns_incrementing_non_zero_ids`	ipmc-core tier1_handlers	PASS
`sdr_error_paths`	ipmc-core tier1_handlers	PASS
`sdr_info_counts_sensors_and_records`	ipmc-core tier1_handlers	PASS
`sensor_one_reports_the_link_view`	ipmc-core tier1_handlers	PASS
`sensor_reading_error_paths`	ipmc-core tier1_handlers	PASS
`sensor_zero_reports_the_fru_state_mask`	ipmc-core tier1_handlers	PASS
`sensors_five_and_six_report_no_test_run`	ipmc-core tier1_handlers	PASS
`sensors_two_to_four_follow_the_snapshot`	ipmc-core tier1_handlers	PASS
`set_ipmb_state_leaves_a_validated_change_pending`	ipmc-core tier1_handlers	PASS
`set_ipmb_state_refusals_change_nothing`	ipmc-core tier1_handlers	PASS
`speed_byte_400_khz_follows_the_tier`	ipmc-core tier1_handlers	PASS
`vso_capabilities_error_paths`	ipmc-core tier1_handlers	PASS
`vso_capabilities_for_one_and_two_interfaces`	ipmc-core tier1_handlers	PASS
`vso_capabilities_frame_is_byte_exact`	ipmc-core tier1_handlers	PASS
`whole_record_read_and_the_next_id_chain_ends_at_ffff`	ipmc-core tier1_handlers	PASS
`write_fru_data_is_refused_with_80h_while_nvmro_is_asserted`	ipmc-core tier1_handlers	PASS
`write_then_read_back_changes_the_ram_store`	ipmc-core tier1_handlers	PASS

tier1_link (5 cases)

Test	Area	Result
`a_refused_set_ipmb_state_leaves_the_buses_alone`	ipmc-core tier1_link	PASS
`a_retried_set_ipmb_state_is_replayed_and_not_applied_twice`	ipmc-core tier1_link	PASS
`an_sdr_record_reads_back_across_both_buses_with_one_reservation`	ipmc-core tier1_link	PASS
`set_ipmb_state_enables_b_like_the_captured_chassis_manager`	ipmc-core tier1_link	PASS
`set_ipmb_state_takes_effect_before_the_response_leaves`	ipmc-core tier1_link	PASS

tier1_sdr_walk (1 cases)

Test	Area	Result
`a_chassis_manager_walk_reads_every_record_back`	ipmc-core tier1_sdr_walk	PASS

5. Rust tests: ipmc-defs

unit tests (4 cases)

Test	Area	Result
`i2c_timing::tests::a_clock_that_rounds_a_phase_to_zero_is_refused`	ipmc-defs i2c_timing	PASS
`i2c_timing::tests::cycles_round_up_and_overflow_is_none`	ipmc-defs i2c_timing	PASS
`i2c_timing::tests::the_bit_phases_at_84_mhz_meet_the_i2c_minimums`	ipmc-defs i2c_timing	PASS
`i2c_timing::tests::the_peripheral_divisors_follow_rm0368`	ipmc-defs i2c_timing	PASS

tier23 (4 cases)

Test	Area	Result
`decide_follows_the_mode_and_the_markers`	ipmc-defs tier23	PASS
`eval_and_field_switches_share_one_rule`	ipmc-defs tier23	PASS
`eval_needs_the_extension_and_the_release_profile`	ipmc-defs tier23	PASS
`mode_parses_unset_zero_one_and_rejects_the_rest`	ipmc-defs tier23	PASS

6. Rust tests: ipmc-emu

unit tests (6 cases)

Test	Area	Result
`emulator::pgood_tests::pgood_follows_pwr_en_only_when_the_simulated_level_is_high`	ipmc-emu emulator	PASS
`serve::tests::a_down_bus_loses_requests_and_the_other_bus_still_answers`	ipmc-emu serve	PASS
`serve::tests::client_lines_parse_through_the_one_reader`	ipmc-emu serve	PASS
`serve::tests::reset_restarts_the_clock_at_zero_like_a_power_cycle`	ipmc-emu serve	PASS
`serve::tests::the_deadline_compare_wraps`	ipmc-emu serve	PASS
`serve::tests::the_line_splitter_drops_an_overlong_line_whole`	ipmc-emu serve	PASS

cli (10 cases)

Test	Area	Result
`a_bad_option_exits_2`	ipmc-emu cli	PASS
`a_missing_file_exits_2`	ipmc-emu cli	PASS
`a_run_that_loses_responses_exits_1_and_names_the_reason`	ipmc-emu cli	PASS
`an_empty_vector_file_exits_1_and_names_the_reason`	ipmc-emu cli	PASS
`no_arguments_prints_usage_and_exits_2`	ipmc-emu cli	PASS
`sdr_prints_one_consistent_line_per_record`	ipmc-emu cli	PASS
`serve_rejects_bad_options_with_exit_2`	ipmc-emu cli	PASS
`the_bench_build_run_exits_0_and_reports_the_unfitted_bus`	ipmc-emu cli	PASS
`the_capture_run_with_both_buses_exits_0`	ipmc-emu cli	PASS
`trace_prints_the_frames`	ipmc-emu cli	PASS

cold_reset (12 cases)

Test	Area	Result
`a_cold_reset_restarts_the_payload_power_as_a_boot_does`	ipmc-emu cold_reset	PASS
`a_cold_reset_restores_the_fru_image_from_the_flash_copy`	ipmc-emu cold_reset	PASS
`a_locked_extension_keeps_the_power_on_request_from_the_payload`	ipmc-emu cold_reset	PASS
`a_power_cycle_keeps_the_flash_log_and_a_default_lock_holds_the_payload_off`	ipmc-emu cold_reset	PASS
`a_warm_reset_rebuilds_the_link_and_keeps_everything_else`	ipmc-emu cold_reset	PASS
`an_accepted_fru_write_survives_a_cold_reset_at_once`	ipmc-emu cold_reset	PASS
`no_sequence_number_sent_inside_t9_is_used_again_after_a_cold_reset`	ipmc-emu cold_reset	PASS

Test	Area	Result
`the_payload_power_and_reset_hand_offs_are_served_by_the_owner`	ipmc-emu cold_reset	PASS
`the_payload_supply_follows_pwr_en_so_a_shutdown_can_finish`	ipmc-emu cold_reset	PASS
`the_request_sequence_continues_across_a_cold_and_a_warm_reset`	ipmc-emu cold_reset	PASS
`the_reset_happens_after_the_response_left_and_the_board_answers_again`	ipmc-emu cold_reset	PASS
`the_reset_happens_after_the_wait_when_the_response_cannot_leave`	ipmc-emu cold_reset	PASS

link_vectors (3 cases)

Test	Area	Result
`alternate_policy_sends_every_response_once_alternating_buses`	ipmc-emu link_vectors	PASS
`arrival_policy_answers_on_the_request_bus`	ipmc-emu link_vectors	PASS
`failed_response_on_a_is_resent_on_b_and_the_retry_is_replayed`	ipmc-emu link_vectors	PASS

replay_runs (14 cases)

Test	Area	Result
`a_disabled_but_fitted_bus_leaves_its_requests_unanswered`	ipmc-emu replay_runs	PASS
`a_request_with_a_bad_checksum_fails_the_run_and_names_its_line`	ipmc-emu replay_runs	PASS
`a_resend_on_the_other_bus_is_classified_by_the_bus_that_delivered_it`	ipmc-emu replay_runs	PASS
`alternate_policy_answers_every_request_and_alternates_buses`	ipmc-emu replay_runs	PASS
`an_empty_vector_list_fails_with_its_reason`	ipmc-emu replay_runs	PASS
`arrival_policy_with_both_buses_matches_the_captures_own_buses`	ipmc-emu replay_runs	PASS
`failed_transmissions_are_resent_on_the_other_bus`	ipmc-emu replay_runs	PASS
`failing_every_transmission_answers_nothing_and_leaves_every_request_unanswered`	ipmc-emu replay_runs	PASS
`failing_every_transmission_loses_responses_and_fails`	ipmc-emu replay_runs	PASS
`injected_failures_are_all_recovered`	ipmc-emu replay_runs	PASS
`the_replay_answers_the_fru_state_event_and_the_ipmc_does_not_resend_it`	ipmc-emu replay_runs	PASS
`the_report_prints_a_row_per_command_and_the_verdict`	ipmc-emu replay_runs	PASS
`the_sampled_state_after_the_capture_is_m4_with_healthy_sensors`	ipmc-emu replay_runs	PASS
`without_ipmb_b_the_b_requests_are_not_fitted_not_unanswered`	ipmc-emu replay_runs	PASS

serve (3 cases)

Test	Area	Result
`a_bad_line_is_answered_with_an_error_and_the_session_continues`	ipmc-emu serve	PASS
`a_new_client_gets_a_fresh_board_and_reset_restarts_it`	ipmc-emu serve	PASS
`get_device_id_is_answered_and_a_down_bus_loses_requests_while_b_works`	ipmc-emu serve	PASS

tier1_replay (1 cases)

Test	Area	Result
`every_captured_request_gets_the_documented_answer`	ipmc-emu tier1_replay	PASS

tier3_handoff (1 cases)

Test	Area	Result
`a_power_on_in_progress_does_not_reach_m4_with_al_set`	ipmc-emu tier3_handoff	PASS

trace_vectors (3 cases)

Test	Area	Result
`dispatcher_answers_every_captured_request`	ipmc-emu trace_vectors	PASS
`every_frame_parses_and_round_trips`	ipmc-emu trace_vectors	PASS
`requests_and_responses_pair_up_on_the_same_bus`	ipmc-emu trace_vectors	PASS

vectors (6 cases)

Test	Area	Result
`a_good_line_gives_time_bus_and_bytes`	ipmc-emu vectors	PASS
`a_too_long_frame_is_rejected_with_its_line`	ipmc-emu vectors	PASS
`a_too_long_line_is_rejected`	ipmc-emu vectors	PASS
`bad_lines_are_rejected_with_their_kind_and_line`	ipmc-emu vectors	PASS
`the_error_text_names_the_line`	ipmc-emu vectors	PASS
`the_real_capture_is_accepted`	ipmc-emu vectors	PASS

7. Rust tests: ipmc-ext

unit tests (2 cases)

Test	Area	Result
`tests::active_default_answers_nothing_for_an_unowned_command`	ipmc-ext crate root	PASS
`tests::the_bridge_and_ipmc_defs_agree_on_the_extension`	ipmc-ext crate root	PASS

8. Rust tests: ipmc-fru

unit tests (69 cases)

Test	Area	Result
`date::tests::the_checked_text_is_none_above_the_range_and_the_text_otherwise`	ipmc-fru date	PASS
`persist::tests::a_16_kb_sector_holds_thirty_one_records_of_the_default_image`	ipmc-fru persist	PASS
`persist::tests::a_deferred_erase_is_not_a_failure_and_the_next_poll_saves`	ipmc-fru persist	PASS
`persist::tests::a_driver_error_after_the_record_landed_uses_its_sequence_number_up`	ipmc-fru persist	PASS
`persist::tests::a_driver_that_refuses_for_nvmro_leaves_flash_and_the_image_untouched`	ipmc-fru persist	PASS
`persist::tests::a_failed_boot_erase_is_reported_and_the_log_stays_usable`	ipmc-fru persist	PASS
`persist::tests::a_failed_save_skips_its_slot_in_the_running_log_too`	ipmc-fru persist	PASS
`persist::tests::a_failing_flash_is_retried_once_per_delay`	ipmc-fru persist	PASS
`persist::tests::a_flipped_bit_in_a_stored_image_fails_the_crc_and_the_previous_record_loads`	ipmc-fru persist	PASS
`persist::tests::a_full_sector_is_erased_by_the_next_save_alone`	ipmc-fru persist	PASS
`persist::tests::a_power_cut_after_any_single_word_loads_the_previous_good_image`	ipmc-fru persist	PASS
`persist::tests::a_power_cut_between_the_erase_and_the_write_loses_the_image`	ipmc-fru persist	PASS
`persist::tests::a_power_cut_during_the_erase_never_loads_a_damaged_image`	ipmc-fru persist	PASS
`persist::tests::a_save_that_programs_nothing_leaves_a_hole_and_the_record_after_it_still_loads`	ipmc-fru persist	PASS
`persist::tests::a_sector_too_small_for_one_record_is_refused`	ipmc-fru persist	PASS
`persist::tests::a_settings_change_marks_the_store_dirty_and_is_saved_with_the_image`	ipmc-fru persist	PASS
`persist::tests::an_erase_waits_for_a_quiet_bus_and_a_plain_save_does_not`	ipmc-fru persist	PASS
`persist::tests::boot_clears_a_sector_that_holds_no_valid_record`	ipmc-fru persist	PASS
`persist::tests::boot_never_erases_a_sector_that_holds_a_valid_record`	ipmc-fru persist	PASS
`persist::tests::boot_with_nvmro_asserted_erases_nothing`	ipmc-fru persist	PASS
`persist::tests::each_check_of_a_slot_rejects_a_record_that_breaks_it`	ipmc-fru persist	PASS
`persist::tests::empty_flash_loads_the_built_image`	ipmc-fru persist	PASS
`persist::tests::garbage_after_the_last_record_leaves_no_room_so_the_save_erases_first`	ipmc-fru persist	PASS
`persist::tests::nvmro_asserted_never_saves_and_the_write_waits`	ipmc-fru persist	PASS
`persist::tests::restore_interrupted_at_every_word_loads_the_previous_newest_or_the_built_image`	ipmc-fru persist	PASS
`persist::tests::restore_is_one_record_write_and_the_built_image_wins`	ipmc-fru persist	PASS
`persist::tests::restore_with_a_failed_or_torn_erase_loads_the_previous_newest_image`	ipmc-fru persist	PASS
`persist::tests::save_then_load_returns_the_image_and_starts_at_sequence_1`	ipmc-fru persist	PASS
`persist::tests::the_delay_coalesces_quick_writes_into_one_save`	ipmc-fru persist	PASS

Test	Area	Result
`persist::tests::the_highest_sequence_number_loads_and_no_record_follows_it`	ipmc-fru persist	PASS
`persist::tests::the_newest_sequence_wins_and_survives_the_erase_of_a_full_sector`	ipmc-fru persist	PASS
`persist::tests::the_record_layout_is_as_documented`	ipmc-fru persist	PASS
`persist::tests::the_retry_delay_after_a_failed_slow_erase_runs_from_the_failure`	ipmc-fru persist	PASS
`persist::tests::the_settings_byte_rides_in_the_version_word_and_reads_zero_in_an_older_record`	ipmc-fru persist	PASS
`persist::tests::the_store_region_check_accepts_sector_2_and_names_every_other_layout`	ipmc-fru persist	PASS
`records::tests::a_flipped_byte_in_each_checksummed_part_is_a_bad_checksum`	ipmc-fru records	PASS
`records::tests::a_multirecord_chain_is_walked`	ipmc-fru records	PASS
`records::tests::a_zeroed_area_length_is_a_bad_length`	ipmc-fru records	PASS
`records::tests::an_area_without_the_c1_marker_has_no_end_marker`	ipmc-fru records	PASS
`records::tests::an_internal_use_area_needs_version_1`	ipmc-fru records	PASS
`records::tests::areas_are_multiples_of_8_and_checksums_sum_to_zero`	ipmc-fru records	PASS
`records::tests::areas_that_share_bytes_are_refused`	ipmc-fru records	PASS
`records::tests::built_areas_have_exactly_the_reserved_length`	ipmc-fru records	PASS
`records::tests::decoder_reads_the_image_back`	ipmc-fru records	PASS
`records::tests::decoder_rejects_damaged_structures`	ipmc-fru records	PASS
`records::tests::fields_stop_at_a_field_that_overruns_the_area`	ipmc-fru records	PASS
`records::tests::header_and_area_faults_are_each_named`	ipmc-fru records	PASS
`records::tests::image_is_byte_exact`	ipmc-fru records	PASS
`records::tests::the_built_date_is_the_alt_record_and_the_standard_field_is_zero`	ipmc-fru records	PASS
`records::tests::the_built_image_verifies`	ipmc-fru records	PASS
`store::tests::read_and_write_reject_out_of_range_and_change_nothing`	ipmc-fru store	PASS
`unit::tests::a_custom_field_after_the_file_id_is_kept`	ipmc-fru unit	PASS
`unit::tests::a_damaged_or_missing_record_reads_unspecified`	ipmc-fru unit	PASS
`unit::tests::a_date_changes_the_record_in_place_with_both_checksums_and_leaves_the_standard_field_zero`	ipmc-fru unit	PASS
`unit::tests::a_local_edit_of_an_image_whose_areas_overlap_is_refused`	ipmc-fru unit	PASS
`unit::tests::a_missing_or_damaged_area_is_refused`	ipmc-fru unit	PASS
`unit::tests::a_nonzero_standard_field_is_the_date_until_a_set_writes_the_record`	ipmc-fru unit	PASS
`unit::tests::a_second_edit_with_a_shorter_value_leaves_zero_filled_room`	ipmc-fru unit	PASS
`unit::tests::a_stored_field_that_is_not_printable_ascii_reads_as_not_ascii`	ipmc-fru unit	PASS
`unit::tests::a_text_field_edit_changes_only_its_area`	ipmc-fru unit	PASS
`unit::tests::an_empty_value_clears_the_date`	ipmc-fru unit	PASS
`unit::tests::an_image_without_reserve_gives_no_room_and_stays_as_it_was`	ipmc-fru unit	PASS

Test	Area	Result
`unit::tests::each_field_is_set_read_back_and_leaves_the_rest_alone`	ipmc-fru unit	PASS
`unit::tests::every_text_field_takes_a_value_of_its_full_reserved_room`	ipmc-fru unit	PASS
`unit::tests::names_parse_in_either_case_and_cover_every_field`	ipmc-fru unit	PASS
`unit::tests::refused_values_name_their_error_and_change_nothing`	ipmc-fru unit	PASS
`unit::tests::the_built_image_exposes_the_defaults`	ipmc-fru unit	PASS
`unit::tests::the_built_record_is_the_vita_34h_record_with_the_default_date`	ipmc-fru unit	PASS
`unit::tests::the_date_converts_both_ways`	ipmc-fru unit	PASS

9. Rust tests: ipmc-log

unit tests (18 cases)

Test	Area	Result
`dump::tests::a_dump_cursor_counts_records_the_ring_overwrote_and_goes_on`	ipmc-log dump	PASS
`dump::tests::a_dump_cursor_of_an_empty_or_cleared_log_ends`	ipmc-log dump	PASS
`dump::tests::a_dump_cursor_walks_the_held_records_and_ignores_later_ones`	ipmc-log dump	PASS
`dump::tests::a_dump_cursor_whose_records_are_all_gone_reports_them_once_then_ends`	ipmc-log dump	PASS
`dump::tests::a_dump_job_prints_the_rows_the_overwrite_note_and_the_end_line`	ipmc-log dump	PASS
`dump::tests::the_format_word_and_the_header_line`	ipmc-log dump	PASS
`print::tests::rows_of_a_ring_carry_the_record_index`	ipmc-log print	PASS
`print::tests::rows_print_exactly`	ipmc-log print	PASS
`print::tests::the_test_frames_parse`	ipmc-log print	PASS
`record::tests::a_long_text_line_is_cut_with_dots_and_a_long_frame_is_cut`	ipmc-log record	PASS
`record::tests::disabled_adds_nothing_and_clear_empties`	ipmc-log record	PASS
`record::tests::one_new_record_overwrites_several_old_ones`	ipmc-log record	PASS
`record::tests::records_come_back_oldest_first`	ipmc-log record	PASS
`record::tests::the_ring_matches_a_model_across_every_wrap`	ipmc-log record	PASS
`record::tests::the_status_code_round_trips_through_the_flags_byte`	ipmc-log record	PASS
`switches::tests::the_status_lines_print_as_the_console_did`	ipmc-log switches	PASS
`switches::tests::the_trace_word_parses_in_any_case`	ipmc-log switches	PASS
`tee::tests::capture_trace_records_and_forwards_only_on_console`	ipmc-log tee	PASS

10. Rust tests: ipmc-menu

unit tests (45 cases)

Test	Area	Result
`args::tests::capacity_is_bounded`	ipmc-menu args	PASS
`args::tests::i32_range_and_sign`	ipmc-menu args	PASS
`args::tests::missing_and_optional`	ipmc-menu args	PASS
`args::tests::on_off`	ipmc-menu args	PASS
`args::tests::u32_decimal_and_hex`	ipmc-menu args	PASS
`args::tests::u32_rejects_bad_forms`	ipmc-menu args	PASS
`line::tests::cr_cr_is_two_lines_and_crlf_lf_is_two`	ipmc-menu line	PASS
`line::tests::cr_lf_and_crlf_each_end_one_line`	ipmc-menu line	PASS
`line::tests::editing_bytes_follow_the_table`	ipmc-menu line	PASS
`line::tests::editor_recovers_after_an_overlong_line`	ipmc-menu line	PASS
`line::tests::full_line_is_accepted_and_one_more_byte_rejects_it`	ipmc-menu line	PASS
`line::tests::tokenizer_rejects_overlong_line`	ipmc-menu line	PASS
`line::tests::tokenizer_rejects_too_many_tokens`	ipmc-menu line	PASS
`line::tests::tokenizer_splits_on_runs_of_whitespace`	ipmc-menu line	PASS
`menu::tests::a_group_name_enters_another_group_directly`	ipmc-menu menu	PASS
`menu::tests::entering_and_leaving_a_group_changes_the_prompt`	ipmc-menu menu	PASS
`menu::tests::full_path_command_works_from_inside_another_group`	ipmc-menu menu	PASS
`menu::tests::group_command_syntax_leaves_room_for_the_group_word`	ipmc-menu menu	PASS
`menu::tests::group_help_aligns_on_its_own_longest_syntax`	ipmc-menu menu	PASS
`menu::tests::help_separator_column_follows_the_longest_syntax`	ipmc-menu menu	PASS
`menu::tests::help_with_extra_words_is_not_help`	ipmc-menu menu	PASS
`menu::tests::inside_a_group_commands_work_without_the_prefix`	ipmc-menu menu	PASS
`menu::tests::invalid_definition_never_matches`	ipmc-menu menu	PASS
`menu::tests::keywords_are_case_insensitive_and_exact`	ipmc-menu menu	PASS
`menu::tests::match_signal_is_explicit_per_command`	ipmc-menu menu	PASS
`menu::tests::non_matching_command_success_does_not_stop_dispatch`	ipmc-menu menu	PASS
`menu::tests::optional_parameter_may_be_left_out_or_given`	ipmc-menu menu	PASS
`menu::tests::overlong_line_is_rejected_not_truncated`	ipmc-menu menu	PASS
`menu::tests::rest_token_not_last_fails_table_validation`	ipmc-menu menu	PASS

Test	Area	Result
`menu::tests::rest_token_takes_zero_one_and_many_words`	ipmc-menu menu	PASS
`menu::tests::shipped_test_tables_validate`	ipmc-menu menu	PASS
`menu::tests::single_lines_from_the_top_level_follow_the_table`	ipmc-menu menu	PASS
`menu::tests::top_level_help_lists_groups_commands_and_aliases`	ipmc-menu menu	PASS
`menu::tests::unknown_command_inside_a_group_reports_the_line`	ipmc-menu menu	PASS
`menu::tests::validation_rejects_each_group_fault`	ipmc-menu menu	PASS
`menu::tests::validation_rejects_each_table_fault`	ipmc-menu menu	PASS
`syntax::tests::classifies_tokens_by_first_byte`	ipmc-menu syntax	PASS
`syntax::tests::eq_ignore_case_is_exact`	ipmc-menu syntax	PASS
`syntax::tests::rejects_bad_syntax`	ipmc-menu syntax	PASS
`syntax::tests::rest_token_is_the_last_token_only`	ipmc-menu syntax	PASS
`syntax::tests::shape_counts_keywords_required_optional`	ipmc-menu syntax	PASS
`syntax::tests::table_rejects_duplicate_keyword_sequences`	ipmc-menu syntax	PASS
`syntax::tests::table_rejects_reserved_first_keyword`	ipmc-menu syntax	PASS
`syntax::tests::table_reports_the_first_bad_syntax`	ipmc-menu syntax	PASS
`syntax::tests::validation_runs_in_const_context`	ipmc-menu syntax	PASS

11. Rust tests: ipmc-sensors

unit tests (118 cases)

Test	Area	Result
`board_sensors::tests::board_simulator_starts_at_nominal_values`	ipmc-sensors board_sensors	PASS
`board_sensors::tests::critical_rail_makes_voltage_and_health_bad`	ipmc-sensors board_sensors	PASS
`board_sensors::tests::enable_without_pgood_is_bad_only_while_enabled`	ipmc-sensors board_sensors	PASS
`board_sensors::tests::fault_inputs_make_health_bad`	ipmc-sensors board_sensors	PASS
`board_sensors::tests::nominal_board_is_healthy_in_range_and_cool`	ipmc-sensors board_sensors	PASS
`board_sensors::tests::non_critical_rail_makes_voltage_bad_but_not_health`	ipmc-sensors board_sensors	PASS
`board_sensors::tests::payload_shut_down_needs_pgood_read_low_and_pwr_en_released`	ipmc-sensors board_sensors	PASS
`board_sensors::tests::temperature_thresholds_reach_the_reading_and_health`	ipmc-sensors board_sensors	PASS
`board_sensors::tests::the_table_matches_the_documented_board`	ipmc-sensors board_sensors	PASS
`board_sensors::tests::unreadable_fault_input_is_kept_in_the_snapshot_and_makes_health_bad`	ipmc-sensors board_sensors	PASS
`board_sensors::tests::unreadable_pgood_counts_as_not_good_while_enabled`	ipmc-sensors board_sensors	PASS
`board_sensors::tests::unreadable_sources_become_unavailable_not_invented`	ipmc-sensors board_sensors	PASS
`drivers::i2c::ina226::tests::both_die_revisions_are_accepted`	ipmc-sensors drivers i2c ina226	PASS
`drivers::i2c::ina226::tests::bus_voltage_is_1_25_mv_per_lsb`	ipmc-sensors drivers i2c ina226	PASS
`drivers::i2c::ina226::tests::configuration_fields_come_from_the_header_choices`	ipmc-sensors drivers i2c ina226	PASS
`drivers::i2c::ina226::tests::init_checks_ids_and_writes_the_configuration`	ipmc-sensors drivers i2c ina226	PASS
`drivers::i2c::ina226::tests::no_voltage_before_the_first_conversion_is_complete`	ipmc-sensors drivers i2c ina226	PASS
`drivers::i2c::ina226::tests::other_channels_and_bus_faults_are_rejected`	ipmc-sensors drivers i2c ina226	PASS
`drivers::i2c::ina226::tests::wrong_ids_and_missing_part_are_named`	ipmc-sensors drivers i2c ina226	PASS
`drivers::i2c::pca9555::tests::enable_sets_and_clears_only_its_pin`	ipmc-sensors drivers i2c pca9555	PASS
`drivers::i2c::pca9555::tests::failed_enable_write_is_returned_and_keeps_the_confirmed_state`	ipmc-sensors drivers i2c pca9555	PASS
`drivers::i2c::pca9555::tests::init_clears_polarity_inversion_left_by_an_earlier_run`	ipmc-sensors drivers i2c pca9555	PASS
`drivers::i2c::pca9555::tests::init_drives_low_before_making_the_enable_an_output`	ipmc-sensors drivers i2c pca9555	PASS
`drivers::i2c::pca9555::tests::inputs_read_the_mapped_pins`	ipmc-sensors drivers i2c pca9555	PASS
`drivers::i2c::pca9555::tests::pins_past_15_are_refused`	ipmc-sensors drivers i2c pca9555	PASS
`drivers::sim::analog::tests::rails_are_adjustable_and_unknown_channels_rejected`	ipmc-sensors drivers sim analog	PASS
`drivers::sim::analog::tests::starts_at_the_given_values`	ipmc-sensors drivers sim analog	PASS
`drivers::sim::digital::tests::inputs_start_at_the_header_levels_and_follow_set_level`	ipmc-sensors drivers sim digital	PASS
`drivers::sim::digital::tests::with_levels_sets_each_pin`	ipmc-sensors drivers sim digital	PASS

Test	Area	Result
`drivers::sim::power::tests::power_remembers_the_commanded_level`	ipmc-sensors drivers sim power	PASS
`drivers::spi::mcp3208::tests::bad_channel_bus_fault_and_unmeasured_quantities`	ipmc-sensors drivers spi mcp3208	PASS
`drivers::spi::mcp3208::tests::command_frame_carries_start_single_ended_and_channel`	ipmc-sensors drivers spi mcp3208	PASS
`drivers::spi::mcp3208::tests::counts_become_millivolts_of_vref`	ipmc-sensors drivers spi mcp3208	PASS
`eval::faults::tests::a_pulled_low_input_follows_its_polarity_and_health_flag`	ipmc-sensors eval faults	PASS
`eval::faults::tests::all_pins_high_asserts_only_pgood`	ipmc-sensors eval faults	PASS
`eval::faults::tests::an_unreadable_input_is_flagged_and_never_asserted`	ipmc-sensors eval faults	PASS
`eval::faults::tests::names_match_ignoring_case_and_underscores`	ipmc-sensors eval faults	PASS
`eval::led::tests::activity_blinks_at_ten_hertz_half_duty`	ipmc-sensors eval led	PASS
`eval::led::tests::activity_hold_survives_counter_wrap`	ipmc-sensors eval led	PASS
`eval::led::tests::fault_blinks_forever_and_ignores_activity`	ipmc-sensors eval led	PASS
`eval::led::tests::heartbeat_is_a_pulse_at_the_start_of_each_period`	ipmc-sensors eval led	PASS
`eval::led::tests::hold_expires_back_to_heartbeat`	ipmc-sensors eval led	PASS
`eval::led::tests::manual_blink_is_half_duty_at_the_commanded_rate`	ipmc-sensors eval led	PASS
`eval::led::tests::manual_modes_ignore_activity`	ipmc-sensors eval led	PASS
`eval::led::tests::no_activity_means_heartbeat_even_early_after_boot`	ipmc-sensors eval led	PASS
`eval::led::tests::rates_of_each_shown_state`	ipmc-sensors eval led	PASS
`eval::led::tests::stamp_never_collides_with_the_sentinel`	ipmc-sensors eval led	PASS
`eval::led::tests::the_32_bit_phase_equals_the_64_bit_formula`	ipmc-sensors eval led	PASS
`eval::power_fsm::tests::a_failed_enable_write_latches_a_fault_with_the_reason`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::fault_latches_until_off_or_clear`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::faults_and_errors_print_their_reason`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::off_and_fault_ignore_pgood`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::off_to_requested_asserts_enable`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::on_to_fault_when_pgood_lost`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::pgood_in_the_timeout_step_wins`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::power_off_clears_a_latched_fault`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::power_off_from_requested_and_on`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::refused_commands`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::requested_to_fault_on_timeout_releases_enable`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::requested_to_on_when_pgood_seen`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::starts_off_with_enable_released`	ipmc-sensors eval power_fsm	PASS
`eval::power_fsm::tests::timeout_survives_counter_wrap`	ipmc-sensors eval power_fsm	PASS

Test	Area	Result
`eval::rail::tests::edges_are_in_range_and_one_millivolt_past_is_not`	ipmc-sensors eval rail	PASS
`eval::rail::tests::rail_two_at_4400_is_critical_and_at_5000_in_range`	ipmc-sensors eval rail	PASS
`eval::rail::tests::scale_names_a_zero_denominator_and_an_overflow`	ipmc-sensors eval rail	PASS
`eval::rail::tests::scale_rounds_to_nearest`	ipmc-sensors eval rail	PASS
`eval::temperature::tests::board_limits_from_the_defines_are_signed_degrees`	ipmc-sensors eval temperature	PASS
`eval::temperature::tests::calibration_must_be_present_and_ordered`	ipmc-sensors eval temperature	PASS
`eval::temperature::tests::extreme_inputs_are_named_errors_not_overflows`	ipmc-sensors eval temperature	PASS
`eval::temperature::tests::lower_critical_at_minus_ten_and_below`	ipmc-sensors eval temperature	PASS
`eval::temperature::tests::pin_millivolts_from_counts`	ipmc-sensors eval temperature	PASS
`eval::temperature::tests::rounding_is_half_away_from_zero`	ipmc-sensors eval temperature	PASS
`eval::temperature::tests::temperature_corrects_for_vdda`	ipmc-sensors eval temperature	PASS
`eval::temperature::tests::temperature_hits_the_calibration_points`	ipmc-sensors eval temperature	PASS
`eval::temperature::tests::thresholds_use_at_or_below_and_at_or_above`	ipmc-sensors eval temperature	PASS
`eval::temperature::tests::vdda_follows_vrefint`	ipmc-sensors eval temperature	PASS
`monitor::tests::a_power_request_runs_the_one_power_on_check`	ipmc-sensors monitor	PASS
`monitor::tests::an_enable_write_fault_keeps_payload_shut_down_false`	ipmc-sensors monitor	PASS
`monitor::tests::events_level_prints_changes_but_no_sample_lines`	ipmc-sensors monitor	PASS
`monitor::tests::failed_power_off_keeps_reporting_on_and_retries_until_it_succeeds`	ipmc-sensors monitor	PASS
`monitor::tests::failed_power_on_write_latches_a_fault_and_reports_the_error`	ipmc-sensors monitor	PASS
`monitor::tests::first_sample_is_due_at_once_then_every_period`	ipmc-sensors monitor	PASS
`monitor::tests::missing_pgood_times_out_to_a_latched_fault_with_enable_released`	ipmc-sensors monitor	PASS
`monitor::tests::payload_shut_down_needs_a_released_output_and_a_deasserted_pgood`	ipmc-sensors monitor	PASS
`monitor::tests::pgood_lost_while_on_latches_a_fault`	ipmc-sensors monitor	PASS
`monitor::tests::power_on_with_pgood_reaches_on_at_the_next_sample`	ipmc-sensors monitor	PASS
`monitor::tests::rail_crossing_prints_a_change_line_and_updates_the_snapshot`	ipmc-sensors monitor	PASS
`monitor::tests::trace_off_prints_nothing_and_power_off_is_idempotent`	ipmc-sensors monitor	PASS
`monitor::tests::unreadable_fault_input_is_traced_as_unreadable_and_health_is_bad`	ipmc-sensors monitor	PASS
`monitor::tests::unreadable_pgood_is_not_good_so_power_on_times_out_to_the_latched_fault`	ipmc-sensors monitor	PASS
`monitor::tests::unreadable_pgood_while_on_is_pgood_lost`	ipmc-sensors monitor	PASS
`pin_claims::tests::alternate_function_nibbles_split_between_low_and_high`	ipmc-sensors pin_claims	PASS
`pin_claims::tests::bsrr_sets_and_resets_only_masked_pins`	ipmc-sensors pin_claims	PASS
`pin_claims::tests::claims_succeed_on_free_pins_and_record_owner`	ipmc-sensors pin_claims	PASS
`pin_claims::tests::double_claim_names_both_owners_and_changes_nothing`	ipmc-sensors pin_claims	PASS

Test	Area	Result
`pin_claims::tests::empty_mask_is_refused`	ipmc-sensors pin_claims	PASS
`pin_claims::tests::empty_owner_is_refused_and_reserves_nothing`	ipmc-sensors pin_claims	PASS
`pin_claims::tests::field_masks`	ipmc-sensors pin_claims	PASS
`pin_claims::tests::merge_keeps_other_bits`	ipmc-sensors pin_claims	PASS
`pin_claims::tests::pin_id_makes_a_one_bit_mask`	ipmc-sensors pin_claims	PASS
`pin_claims::tests::same_pin_on_another_port_is_free`	ipmc-sensors pin_claims	PASS
`reset_pulse::tests::a_refused_assert_records_nothing_and_a_refused_release_is_retried`	ipmc-sensors reset_pulse	PASS
`reset_pulse::tests::a_second_request_restarts_the_time_and_the_clock_may_wrap`	ipmc-sensors reset_pulse	PASS
`reset_pulse::tests::the_output_is_asserted_for_the_pulse_time_and_then_released`	ipmc-sensors reset_pulse	PASS
`routing::tests::analog_groups_route_independently`	ipmc-sensors routing	PASS
`routing::tests::external_sources_have_no_bus_and_answer_unavailable`	ipmc-sensors routing	PASS
`routing::tests::hardware_selected_without_backend_is_unavailable`	ipmc-sensors routing	PASS
`routing::tests::hardware_selected_without_backend_reports_a_failed_enable`	ipmc-sensors routing	PASS
`routing::tests::input_index_matches_all`	ipmc-sensors routing	PASS
`routing::tests::io_routes_inputs_and_power_independently`	ipmc-sensors routing	PASS
`routing::tests::simulated_groups_need_no_hardware`	ipmc-sensors routing	PASS
`trace::tests::an_unreadable_input_is_reported_as_unreadable_never_cleared`	ipmc-sensors trace	PASS
`trace::tests::identical_snapshots_print_nothing`	ipmc-sensors trace	PASS
`trace::tests::input_and_temperature_changes_are_reported`	ipmc-sensors trace	PASS
`trace::tests::levels_follow_the_defines_and_parse_their_names`	ipmc-sensors trace	PASS
`trace::tests::rail_crossing_prints_one_event_with_the_millivolts`	ipmc-sensors trace	PASS
`trace::tests::sample_line_lists_rails_temperature_inputs_and_summaries`	ipmc-sensors trace	PASS
`trace::tests::tenths_prints_sign_and_one_decimal`	ipmc-sensors trace	PASS

12. Rust tests: ipmc-wire

unit tests (10 cases)

Test	Area	Result
`sha256::tests::a_480_kb_buffer_matches_the_reference`	ipmc-wire sha256	PASS
`sha256::tests::chunked_feeding_equals_one_call`	ipmc-wire sha256	PASS
`sha256::tests::every_length_to_300_matches_the_reference`	ipmc-wire sha256	PASS
`sha256::tests::fips_180_4_example_messages`	ipmc-wire sha256	PASS
`tests::builder_pushes_and_reports_length`	ipmc-wire crate root	PASS
`tests::check_word_is_the_xor_of_the_words_and_the_magic`	ipmc-wire crate root	PASS
`tests::checksum_known_values`	ipmc-wire crate root	PASS
`tests::crc32_matches_the_standard_check_value_and_empty_input`	ipmc-wire crate root	PASS
`tests::hex_tokens_parse_with_and_without_the_prefix`	ipmc-wire crate root	PASS
`tests::type_length_field_is_c0_or_length_then_text`	ipmc-wire crate root	PASS

13. Python suites

tools/test_defs.py (5 cases)

Test	Area	Result
`test_a_value_rustfmt_wraps_is_joined`	tools/test_defs.py FixtureTests	PASS
`test_forms`	tools/test_defs.py FixtureTests	PASS
`test_rejections_name_the_line`	tools/test_defs.py FixtureTests	PASS
`test_every_item_has_a_value_of_a_known_kind`	tools/test_defs.py RealFileTests	PASS
`test_known_values`	tools/test_defs.py RealFileTests	PASS

tools/app-port (45 cases)

Test	Area	Result
`test_interactive_mode_does_not_send_a_tagged_line_that_is_too_long`	tools/app-port LineLengthTests	PASS
`test_interactive_mode_refuses_the_line_and_goes_on`	tools/app-port LineLengthTests	PASS
`test_main_returns_2_when_a_tagged_request_is_too_long`	tools/app-port LineLengthTests	PASS
`test_the_tag_counts_toward_the_limit_and_nothing_is_written_when_it_is_exceeded`	tools/app-port LineLengthTests	PASS
`test_a_request_longer_than_the_line_limit_is_refused_before_the_port_opens`	tools/app-port MainTests	PASS
`test_main_returns_1_on_an_error_answer_and_closes_the_port`	tools/app-port MainTests	PASS
`test_main_returns_1_when_nothing_answers`	tools/app-port MainTests	PASS
`test_main_sends_each_argument_and_returns_zero_when_all_are_ok`	tools/app-port MainTests	PASS
`test_a_non_ascii_request_is_refused_and_nothing_is_written`	tools/app-port NonAsciiTests	PASS
`test_main_returns_2_with_a_message_and_does_not_open_the_port`	tools/app-port NonAsciiTests	PASS
`test_run_requests_prints_the_message_and_goes_on`	tools/app-port NonAsciiTests	PASS
`test_a_data_key_that_starts_like_ok_does_not_end_the_answer`	tools/app-port ParsingTests	PASS
`test_an_empty_value_and_the_two_blank_empty_field_line_are_data_lines`	tools/app-port ParsingTests	PASS
`test_an_error_line_ends_the_answer_with_its_code_and_sentence`	tools/app-port ParsingTests	PASS
`test_help_rows_are_lines_of_the_answer_but_not_data`	tools/app-port ParsingTests	PASS
`test_is_final_accepts_ok_ok_with_a_tag_and_error_only`	tools/app-port ParsingTests	PASS
`test_prompt_and_echo_lines_are_skipped_data_is_collected_and_ok_ends_the_answer`	tools/app-port ParsingTests	PASS
`test_the_final_line_words_are_read`	tools/app-port ParsingTests	PASS
`test_main_raw_uses_the_terminal_and_closes_the_port`	tools/app-port RawTests	PASS
`test_raw_ends_when_idle_says_so`	tools/app-port RawTests	PASS
`test_raw_passes_keys_to_the_port_and_bytes_back_until_ctrl_right_bracket`	tools/app-port RawTests	PASS

Test	Area	Result
`test_interactive_ends_at_end_of_input`	tools/app-port RunTests	PASS
`test_interactive_stops_at_quit_and_skips_blank_lines`	tools/app-port RunTests	PASS
`test_requests_print_the_data_lines_and_the_final_line_and_report_failure`	tools/app-port RunTests	PASS
`test_opening_the_port_clears_what_arrived_before`	tools/app-port SerialOpenTests	PASS
`test_a_missing_header_gives_the_default`	tools/app-port SettingsTests	PASS
`test_the_header_values_are_read`	tools/app-port SettingsTests	PASS
`test_the_prompt_is_the_one_in_defs_rs`	tools/app-port SettingsTests	PASS
`test_a_bare_line_after_a_sync_that_is_not_the_request_is_not_the_echo`	tools/app-port SyncTests	PASS
`test_a_line_is_the_echo_only_when_the_prompt_is_followed_by_exactly_the_request`	tools/app-port SyncTests	PASS
`test_a_timeout_or_a_partial_line_makes_the_next_request_sync_again`	tools/app-port SyncTests	PASS
`test_after_a_sync_the_bare_echo_is_the_echo_and_not_the_answer`	tools/app-port SyncTests	PASS
`test_no_prompt_after_the_cr_is_no_answer_and_nothing_is_sent`	tools/app-port SyncTests	PASS
`test_the_client_syncs_with_the_prompt_before_its_first_request_only`	tools/app-port SyncTests	PASS
`test_the_serial_transport_sends_one_cr_and_reads_until_the_prompt`	tools/app-port SyncTests	PASS
`test_without_tags_the_echo_of_ok_is_not_its_answer`	tools/app-port SyncTests	PASS
`test_a_request_goes_out_with_a_tag_and_crlf_and_the_tagged_answer_returns`	tools/app-port TagTests	PASS
`test_a_timeout_returns_none`	tools/app-port TagTests	PASS
`test_an_answer_with_another_tag_is_skipped_with_its_data_lines`	tools/app-port TagTests	PASS
`test_an_error_answer_is_matched_by_its_tag_too`	tools/app-port TagTests	PASS
`test_an_untagged_error_for_a_lost_request_ends_this_requests_answer`	tools/app-port TagTests	PASS
`test_an_untagged_error_of_another_code_does_not_end_the_answer`	tools/app-port TagTests	PASS
`test_tags_count_up_per_request_and_fit_the_protocol_tag`	tools/app-port TagTests	PASS
`test_the_tags_of_a_run_start_from_the_clock_not_from_one`	tools/app-port TagTests	PASS
`test_without_tags_the_first_final_line_is_the_answer`	tools/app-port TagTests	PASS

tools/chassis-manager (100 cases)

Test	Area	Result
`test_a_target_that_answers_again_inside_the_recovery_time_passes`	tools/chassis-manager CommandsToThelpmcTests	PASS
`test_a_target_that_never_answers_again_fails_the_run`	tools/chassis-manager CommandsToThelpmcTests	PASS
`test_an_answer_after_the_recovery_time_is_not_a_recovery`	tools/chassis-manager CommandsToThelpmcTests	PASS
`test_set_event_receiver_sends_the_manager_address_and_c1h_is_not_a_failure`	tools/chassis-manager CommandsToThelpmcTests	PASS

Test	Area	Result
`test_timeouts_after_the_recovery_time_are_lost_readings`	tools/chassis-manager CommandsToTheIpmcTests	PASS
`test_a_retry_on_the_same_bus_breaks_the_alternation`	tools/chassis-manager CrossCheckAlternationTests	PASS
`test_one_answer_on_a_then_all_on_b_is_not_alternation`	tools/chassis-manager CrossCheckAlternationTests	PASS
`test_strict_alternation_after_set_ipmb_state_is_recognised`	tools/chassis-manager CrossCheckAlternationTests	PASS
`test_the_bus_difference_is_expected_only_when_ours_alternates`	tools/chassis-manager CrossCheckAlternationTests	PASS
`test_without_transmissions_or_an_enable_event_alternation_is_not_established`	tools/chassis-manager CrossCheckAlternationTests	PASS
`test_a_cancelled_reservation_is_counted_in_both_commands`	tools/chassis-manager CrossCheckCountTests	PASS
`test_a_count_difference_without_an_explanation_is_unexpected`	tools/chassis-manager CrossCheckCountTests	PASS
`test_a_cycle_count_that_does_not_fit_the_duration_is_unexpected`	tools/chassis-manager CrossCheckCountTests	PASS
`test_a_missing_chunk_in_ours_is_unexpected`	tools/chassis-manager CrossCheckCountTests	PASS
`test_a_missing_last_read_of_a_captured_record_is_unexpected`	tools/chassis-manager CrossCheckCountTests	PASS
`test_a_poll_count_that_is_not_cycles_times_sensors_is_unexpected`	tools/chassis-manager CrossCheckCountTests	PASS
`test_a_read_the_capture_lost_in_front_of_a_later_read_is_noted_and_expected`	tools/chassis-manager CrossCheckCountTests	PASS
`test_extra_reserves_in_ours_are_unexpected`	tools/chassis-manager CrossCheckCountTests	PASS
`test_sdr_counts_that_follow_from_the_record_lengths_are_expected`	tools/chassis-manager CrossCheckCountTests	PASS
`test_the_poll_count_follows_from_the_run_parameters`	tools/chassis-manager CrossCheckCountTests	PASS
`test_a_capabilities_response_of_only_the_completion_code_is_unexpected`	tools/chassis-manager CrossCheckLengthTests	PASS
`test_a_capabilities_response_shorter_than_the_mandatory_length_is_unexpected`	tools/chassis-manager CrossCheckLengthTests	PASS
`test_a_response_of_a_command_without_a_length_exception_must_match_in_length`	tools/chassis-manager CrossCheckLengthTests	PASS
`test_a_short_sensor_reading_is_unexpected_and_a_missing_fifth_byte_is_expected`	tools/chassis-manager CrossCheckLengthTests	PASS
`test_extra_trailing_bytes_after_the_mandatory_length_are_expected`	tools/chassis-manager CrossCheckLengthTests	PASS
`test_a_defined_health_state_difference_is_expected`	tools/chassis-manager CrossCheckMaskTests	PASS

Test	Area	Result
`test_a_different_layer_is_unexpected`	tools/chassis-manager CrossCheckMaskTests	PASS
`test_a_reserved_bit_in_the_identifier_byte_is_unexpected`	tools/chassis-manager CrossCheckMaskTests	PASS
`test_a_reserved_sensor_bit_is_unexpected`	tools/chassis-manager CrossCheckMaskTests	PASS
`test_an_invalid_health_value_is_unexpected`	tools/chassis-manager CrossCheckMaskTests	PASS
`test_an_invalid_tier_value_is_unexpected`	tools/chassis-manager CrossCheckMaskTests	PASS
`test_event_enable_is_excused_but_scanning_enabled_is_not`	tools/chassis-manager CrossCheckMaskTests	PASS
`test_ffh_in_the_identifier_byte_is_unexpected`	tools/chassis-manager CrossCheckMaskTests	PASS
`test_the_fru_state_activating_is_expected_but_not_a_reserved_or_second_state_bit`	tools/chassis-manager CrossCheckMaskTests	PASS
`test_tier_1_against_tier_2_is_expected`	tools/chassis-manager CrossCheckMaskTests	PASS
`test_one_interface_makes_the_missing_ipmb_b_expected`	tools/chassis-manager CrossCheckOneInterfaceTests	PASS
`test_one_interface_with_a_transmission_on_b_is_unexpected`	tools/chassis-manager CrossCheckOneInterfaceTests	PASS
`test_two_interfaces_keep_a_missing_set_ipmb_state_and_bus_b_unexpected`	tools/chassis-manager CrossCheckOneInterfaceTests	PASS
`test_a_request_answered_in_ours_but_timed_out_in_the_capture_is_unexpected`	tools/chassis-manager CrossCheckTimeoutTests	PASS
`test_a_request_that_timed_out_in_ours_but_was_answered_in_the_capture_is_unexpected`	tools/chassis-manager CrossCheckTimeoutTests	PASS
`test_a_timeout_the_capture_never_sent_is_unexpected`	tools/chassis-manager CrossCheckTimeoutTests	PASS
`test_all_polls_timing_out_is_not_a_clean_run`	tools/chassis-manager CrossCheckTimeoutTests	PASS
`test_get_device_id_prints_the_version`	tools/chassis-manager DecoderTests	PASS
`test_the_ipmi_version_has_the_major_in_the_low_nibble`	tools/chassis-manager DecoderTests	PASS
`test_a_silent_address_is_not_discovered`	tools/chassis-manager DiscoveryTests	PASS
`test_an_ipmc_that_answers_an_error_to_both_forms_is_not_discovered`	tools/chassis-manager DiscoveryTests	PASS
`test_an_ipmc_that_answers_only_the_broadcast_form_is_discovered`	tools/chassis-manager DiscoveryTests	PASS
`test_a_frame_of_an_older_epoch_delivered_after_the_reset_is_dropped`	tools/chassis-manager EpochTests	PASS
`test_the_adapter_reset_drops_the_old_board_by_epoch`	tools/chassis-manager EpochTests	PASS
`test_the_interface_hands_the_epoch_to_its_router`	tools/chassis-manager EpochTests	PASS
`test_the_reader_tags_each_frame_line_with_the_number_of_ready_lines_before_it`	tools/chassis-manager EpochTests	PASS
`test_a_bad_checksum_or_another_address_is_not_answered`	tools/chassis-manager EventReceiverTests	PASS
`test_a_new_sequence_number_or_a_repeat_after_t9_is_a_new_event`	tools/chassis-manager EventReceiverTests	PASS
`test_an_event_that_arrives_while_a_request_waits_is_answered_on_its_bus`	tools/chassis-manager EventReceiverTests	PASS
`test_another_request_to_the_manager_is_answered_c1h_and_recorded`	tools/chassis-manager EventReceiverTests	PASS

Test	Area	Result
`test_decoder_texts`	tools/chassis-manager EventReceiverTests	PASS
`test_idle_answers_a_request_that_arrives_between_requests`	tools/chassis-manager EventReceiverTests	PASS
`test_the_duplicate_key_leaves_out_the_event_data`	tools/chassis-manager EventReceiverTests	PASS
`test_the_event_record_has_the_decoded_fields`	tools/chassis-manager EventReceiverTests	PASS
`test_the_literal_frames_match_the_builders`	tools/chassis-manager EventReceiverTests	PASS
`test_the_summary_carries_the_events_and_the_counts`	tools/chassis-manager EventReceiverTests	PASS
`test_tier_2_answers_00h_and_tier_1_answers_c1h_and_records_it_as_refused`	tools/chassis-manager EventReceiverTests	PASS
`test_withheld_frames_get_no_answer_then_the_retry_is_answered_as_a_duplicate`	tools/chassis-manager EventReceiverTests	PASS
`test_without_a_receiver_a_request_to_the_manager_is_dropped`	tools/chassis-manager EventReceiverTests	PASS
`test_a_failed_area_info_makes_the_run_fail`	tools/chassis-manager FruAccessTests	PASS
`test_a_failed_read_makes_the_run_fail`	tools/chassis-manager FruAccessTests	PASS
`test_a_fru_that_does_not_decode_makes_the_run_fail`	tools/chassis-manager FruAccessTests	PASS
`test_an_odd_size_in_words_is_read_whole_and_cut_to_the_size`	tools/chassis-manager FruAccessTests	PASS
`test_byte_addressed_fru_is_read_with_offsets_and_counts_in_bytes`	tools/chassis-manager FruAccessTests	PASS
`test_the_access_unit_comes_from_bit_0_of_the_area_info`	tools/chassis-manager FruAccessTests	PASS
`test_word_addressed_fru_is_read_with_offsets_and_counts_in_words`	tools/chassis-manager FruAccessTests	PASS
`test_a_broadcast_goes_to_the_general_call_address`	tools/chassis-manager LinkPolicy	PASS
`test_a_bus_that_keeps_timing_out_while_the_other_answers_is_marked_failed`	tools/chassis-manager LinkPolicy	PASS
`test_a_request_gets_its_response_and_checks_the_completion_code`	tools/chassis-manager LinkPolicy	PASS
`test_a_retry_keeps_the_sequence_number_and_goes_to_the_other_bus`	tools/chassis-manager LinkPolicy	PASS
`test_a_silent_target_does_not_mark_a_bus_failed`	tools/chassis-manager LinkPolicy	PASS
`test_a_silent_target_is_retried_c1_times_then_times_out`	tools/chassis-manager LinkPolicy	PASS
`test_a_single_bus_retries_on_that_bus`	tools/chassis-manager LinkPolicy	PASS
`test_alternation_follows_the_last_transmission_including_retries`	tools/chassis-manager LinkPolicy	PASS
`test_another_command_may_reuse_the_sequence_number_within_t9`	tools/chassis-manager LinkPolicy	PASS
`test_ipmb_a_only_until_b_is_enabled`	tools/chassis-manager LinkPolicy	PASS
`test_messages_alternate_between_the_enabled_buses_starting_on_a`	tools/chassis-manager LinkPolicy	PASS
`test_production_timeouts_stay_within_t3`	tools/chassis-manager LinkPolicy	PASS
`test_sequence_numbers_count_up_modulo_64`	tools/chassis-manager LinkPolicy	PASS
`test_the_same_command_waits_out_t9_before_its_sequence_number_is_used_again`	tools/chassis-manager LinkPolicy	PASS
`test_the_spec_limits_are_enforced`	tools/chassis-manager LinkPolicy	PASS
`test_tries_override_for_discovery`	tools/chassis-manager LinkPolicy	PASS
`test_a_short_response_has_no_record_id`	tools/chassis-manager LocatorRecordIdTests	PASS

Test	Area	Result
`test_the_decoded_text_names_the_record`	tools/chassis-manager LocatorRecordIdTests	PASS
`test_the_record_id_is_read_little_endian`	tools/chassis-manager LocatorRecordIdTests	PASS
`test_a_timeout_for_one_target_marks_no_bus_failed_for_another`	tools/chassis-manager PerTargetBusTests	PASS
`test_ipmb_b_is_used_only_for_the_target_it_was_enabled_for`	tools/chassis-manager PerTargetBusTests	PASS
`test_the_enable_events_name_the_exchange_count`	tools/chassis-manager PerTargetBusTests	PASS
`test_a_failed_self_test_command_fails`	tools/chassis-manager PollingChecksTests	PASS
`test_a_good_poll_passes`	tools/chassis-manager PollingChecksTests	PASS
`test_an_error_completion_code_in_the_poll_fails`	tools/chassis-manager PollingChecksTests	PASS
`test_the_summary_lists_transmissions_checks_and_run_parameters`	tools/chassis-manager PollingChecksTests	PASS
`test_a_locator_id_that_is_not_in_the_sdr_fails`	tools/chassis-manager SdrLocatorTests	PASS
`test_a_walk_that_stops_early_fails`	tools/chassis-manager SdrLocatorTests	PASS
`test_the_locator_check_uses_the_record_id_of_the_header_not_the_lookup_alias`	tools/chassis-manager SdrLocatorTests	PASS

tools/fwupdate (50 cases)

Test	Area	Result
`test_read_status_ends_within_its_limit_while_lines_keep_coming`	tools/fwupdate DeadlineTests	PASS
`test_wakeup_ends_within_its_limit_while_lines_keep_coming`	tools/fwupdate DeadlineTests	PASS
`test_broken_files_are_refused_naming_the_rule`	tools/fwupdate HexAndPrecheckTests	PASS
`test_byte_outside_the_app_region_is_refused`	tools/fwupdate HexAndPrecheckTests	PASS
`test_far_addresses_are_refused_before_any_large_allocation`	tools/fwupdate HexAndPrecheckTests	PASS
`test_good_image_passes_and_round_trips`	tools/fwupdate HexAndPrecheckTests	PASS
`test_other_file_faults`	tools/fwupdate HexAndPrecheckTests	PASS
`test_04_record_at_every_64k_boundary_and_trimmed_ends`	tools/fwupdate RechunkTests	PASS
`test_aligned_records_boundaries_and_skipped_blank_chunks`	tools/fwupdate RechunkTests	PASS
`test_every_record_line_fits_the_limit`	tools/fwupdate RechunkTests	PASS
`test_abort_after_range_error_names_the_record`	tools/fwupdate SequenceTests	PASS
`test_as_is_sends_the_file_records`	tools/fwupdate SequenceTests	PASS
`test_erase_actions_and_simple_commands`	tools/fwupdate SequenceTests	PASS
`test_erase_timeout_exits_3`	tools/fwupdate SequenceTests	PASS
`test_err_status_exits_1`	tools/fwupdate SequenceTests	PASS
`test_no_run_and_field_send_no_run`	tools/fwupdate SequenceTests	PASS
`test_other_exceptions_still_propagate`	tools/fwupdate SequenceTests	PASS
`test_precheck_refusal_sends_nothing_and_no_precheck_skips_it`	tools/fwupdate SequenceTests	PASS

Test	Area	Result
`test_resend_after_checksum_error`	tools/fwupdate SequenceTests	PASS
`test_resend_after_line_damaged`	tools/fwupdate SequenceTests	PASS
`test_resume_after_err_aborted`	tools/fwupdate SequenceTests	PASS
`test_resume_drops_stale_input_before_load`	tools/fwupdate SequenceTests	PASS
`test_resumes_run_out`	tools/fwupdate SequenceTests	PASS
`test_retries_run_out`	tools/fwupdate SequenceTests	PASS
`test_serial_exception_is_a_refusal_not_a_traceback`	tools/fwupdate SequenceTests	PASS
`test_update_sequence`	tools/fwupdate SequenceTests	PASS
`test_verify_digest_comparison_is_skipped_as_is_and_without_a_header`	tools/fwupdate SequenceTests	PASS
`test_verify_digest_is_compared_with_the_file_header`	tools/fwupdate SequenceTests	PASS
`test_a_partial_line_stays_for_the_next_call`	tools/fwupdate SerialTransportTests	PASS
`test_drain_drops_what_is_waiting_and_the_partial_line`	tools/fwupdate SerialTransportTests	PASS
`test_timeout_is_assigned_once_and_lines_split_from_one_read`	tools/fwupdate SerialTransportTests	PASS
`test_two_lines_in_one_read_are_two_results`	tools/fwupdate SerialTransportTests	PASS
`test_fallbacks_when_the_file_is_absent`	tools/fwupdate SettingsTests	PASS
`test_values_come_from_defs_rs`	tools/fwupdate SettingsTests	PASS
`test_values_follow_a_defs_file`	tools/fwupdate SettingsTests	PASS
`test_confirm_flag_sends_the_confirm_form_from_the_start`	tools/fwupdate WakeupTests	PASS
`test_confirm_needs_enter`	tools/fwupdate WakeupTests	PASS
`test_countdown_line_is_seen_and_the_prompt_reported`	tools/fwupdate WakeupTests	PASS
`test_enter_prints_the_answers_of_each_runtime_port`	tools/fwupdate WakeupTests	PASS
`test_enter_sends_the_runtime_command_first`	tools/fwupdate WakeupTests	PASS
`test_other_input_and_end_of_input_refuse_the_entry`	tools/fwupdate WakeupTests	PASS
`test_power_off_answers_need_no_prompt`	tools/fwupdate WakeupTests	PASS
`test_second_ok_in_flight_is_not_taken_for_the_next_status`	tools/fwupdate WakeupTests	PASS
`test_the_stdin_prompt_accepts_confirm_in_any_case`	tools/fwupdate WakeupTests	PASS
`test_usage_errors_exit_2`	tools/fwupdate WakeupTests	PASS
`test_wakeup_gives_up_with_exit_3`	tools/fwupdate WakeupTests	PASS
`test_wakeup_repeats_until_ok`	tools/fwupdate WakeupTests	PASS
`test_a_complete_write_returns`	tools/fwupdate WriteTests	PASS
`test_other_write_errors_propagate`	tools/fwupdate WriteTests	PASS
`test_write_timeout_short_write_and_stuck_output_are_boot_timeouts`	tools/fwupdate WriteTests	PASS

tools/capture (4 cases)

Test	Area	Result
`test_a_dump_converts_to_the_exact_pcap_bytes`	tools/capture Capture2PcapTests	PASS
`test_main_writes_the_pcap_and_the_csv`	tools/capture Capture2PcapTests	PASS
`test_text_outside_a_block_and_trace_blocks_are_ignored`	tools/capture Capture2PcapTests	PASS
`test_tshark_reads_the_commands`	tools/capture Capture2PcapTests	PASS

tools/test_test_coverage.py (15 cases)

Test	Area	Result
`test_a_pipe_in_a_cell_is_escaped_and_whitespace_is_folded`	tools/test_test_coverage.py AreaAndSplit	PASS
`test_area_names_the_package_and_module`	tools/test_test_coverage.py AreaAndSplit	PASS
`test_cases_only_the_extension_build_has_are_split_off`	tools/test_test_coverage.py AreaAndSplit	PASS
`test_a_binary_and_a_library_of_one_package_are_told_apart_by_their_source_file`	tools/test_test_coverage.py CargoTests	PASS
`test_every_test_line_gets_its_package_target_and_result`	tools/test_test_coverage.py CargoTests	PASS
`test_read_targets_normalises_names_and_paths`	tools/test_test_coverage.py CargoTests	PASS
`test_board_report_counts_the_last_cell_by_section`	tools/test_test_coverage.py DocumentParsers	PASS
`test_boot_plan_rows_take_the_status_from_the_result_cell`	tools/test_test_coverage.py DocumentParsers	PASS
`test_conformance_report_totals`	tools/test_test_coverage.py DocumentParsers	PASS
`test_gaps_are_the_numbered_rows_of_section_7`	tools/test_test_coverage.py DocumentParsers	PASS
`test_no_summary_fails`	tools/test_test_coverage.py ReplayTests	PASS
`test_other_numbers_fail`	tools/test_test_coverage.py ReplayTests	PASS
`test_the_expected_numbers_pass`	tools/test_test_coverage.py ReplayTests	PASS
`test_a_count_that_disagrees_with_ran_is_an_error`	tools/test_test_coverage.py UnittestTests	PASS
`test_results_after_noise_and_skips_are_read`	tools/test_test_coverage.py UnittestTests	PASS

14. Emulator replay

The replay of the captured Chassis Manager traffic (`vectors/sbc_ab.vec`, local only) through the emulator, compared with the numbers of CLAUDE.md gate 9.

Build	Summary line	Against the expected numbers	Result
Tier-1 (IPMC_TIER23=0)	`PASS requests=309 answered=309 match=44 same_cc=42 cc_diff=134 not_implemented=89 unanswered=0 no_bus=0 bus_differs=91 malformed=0`	match 44 same_cc 42 cc_diff 134 not_implemented 89; expected 44/42/134/89	PASS

15. Board tests

Phase 12 bench table (`Documentation/ipmc_boot_plan.md` 13.3)

Test	What	Result
B1	Drive copy of `ipmc-board.bin` (default `IPMC_BOOT_COUNTDOWN 3`), power-on, nothing sent	PASS
B2	Time from reset to the runtime banner, with the default countdown and with `IPMC_BOOT_COUNTDOWN 0` (define restored byte for byte afterwards)	PASS
B3	`DEBUG BOOTLOADER` on COM3 (payload power on: the two `Payload power is on ...` / `Send DEBUG BOOTLOADER CONFIRM to restart` lines and no restart; then `DEBUG BOOTLOADER CONFIRM`), then `fwupdate.py --port COM5 wakeup`	PASS
B4	`BOOTLOADER` on the app port (`tools/app-port`; payload power on: `ERROR CONFIRM: ...` and no restart; then `BOOTLOADER CONFIRM`), then `WAKEUP` on COM3	PASS
B5	Full update on COM5: a runtime built with a changed version	PASS
B6	Full update on COM3	PASS
B7	`LOAD` before an erase; `ERASE APP` then another line instead of `CONFIRM`	PASS
B8	A hand-made hex with one record at 0x0800_0000 and one at 0x0800_8000, sent with `--no-precheck` after `ERASE APP`	PASS
B9	One record with a damaged checksum (tool test option)	PASS
B10	A hex with one data byte changed and its record checksum corrected (`--no-precheck`)	PASS
B11	Power cut during `LOAD` at about half (pull the Nucleo's USB cable, which powers the board)	DEFERRED
B12	Power cut during `ERASE APP`	DEFERRED
B13	`ERASE FRU` + `CONFIRM`, then `RUN`	PASS
B14	Power cut during `ERASE FRU` with a valid runtime	DEFERRED
B15	BOOTLOADER pin: jumper PC10 to 3.3 V, power-on with a valid runtime	DEFERRED
B16	Runtime `SYS STATUS` with the jumper on and off	DEFERRED
B17	`DEBUG BOOTLOADER`, `WAKEUP`, then `RESET` with a valid runtime and the pin open	PASS
B18	Board with sectors 3-7 erased (SWD erase or `ERASE APP` then reset)	PASS
B19	IPMB during a session	PASS
B20	APP_UART with `IPMC_APP_UART_FLOW true` and RTS/CTS wired	DEFERRED
B21	SWD path (once WinUSB is installed): `gen.ps1 flash -Swd` with a changed runtime	DEFERRED
B22	Countdown entry instead of the PC10 jumper: `fwupdate.py --port COM5 wakeup`, then press the black reset button	PASS
B23	As B22 on COM3	PASS
B24	`WAKEUP` sent after the last digit (tool started late)	PASS
B25	Prompt check	PASS

Board test report (`Documentation/board_test_report.md`, written 2026-10-23 22:02:00)

The report is generated by `tools/board_test_report.py` against the board; this tool reads it and does not run it.

Section	PASS	FAIL	NOT-TESTABLE
A. Environment	7	0	0
B. Command line (Phase 8)	27	0	0
C. Chassis Manager (Phase 7)	12	0	0
D. Conformance (Phase 7)	98	0	60
E. Link and driver health	8	0	0
F. FRU persistence (Phase 6b)	8	0	0
Total	160	0	60

16. Not covered on hardware

The open verification gaps of PLAN.md section 7 (items 1 to 14, item 14 being the deferred bootloader bench tests). Each needs an owner action or extra equipment.

#	Check	Why it is open
1	Scope check of SCL/SDA on IPMB-A, both master modes	Timing is measured only with the DWT cycle counter
2	Clock-stretch timeout and SCL/SDA stuck mid-transfer (decision 14)	Timing too tight to jam from the Aardvark
3	Arbitration loss and multi-master hand-over	Needs a second master on the bus; the paths changed in the Opus and Codex rounds
4	Start-up fault recovery	Needs a line stuck at reset
5	Real ES0299 BUSY-stuck state	Never seen on this bench; the reset ran only from the fault-clear path
6	ES0299 errata text	st.com did not respond from this host
7	IPMB-B on hardware, dual-bus access (owner 10-24-2026: a second Aardvark is coming; run this when both are connected)	One Aardvark, wired to IPMB-A (decision 6)
8	NVMRO from the strap pin	The bench build forces NVMRO; the pin path never ran end to end
9	Heartbeat by eye	Not confirmed by the owner
10	Power and fault inputs	Jumper tests not run
11	Broadcast Get Device ID through an independent tool	Today sent by our own pyaardvark script (python-ipmi has no broadcast form)
12	Test coverage after the table-driven rewrite	No git baseline existed to diff the old tests against
13	Hardware watchdog	A flash BSY that never clears stalls the core (code runs from the same bank, RM0368 3.5.1), and any other hang has no recovery (Codex Phase 6b finding 5)
14	Bootloader bench tests B11, B12, B14 (power cut during LOAD, ERASE APP, ERASE FRU), B15 (PC10 jumper, the field entry into a valid but broken runtime), B20 (APP RTS/CTS), B21 (SWD) (Opus Phase 12 RISK 1)	Deferred by the owner 10-26-2026; the code analysis finds no bricking path (sector 3 is erased first and the digest covers the stated length)

17. Tier-2/3 extension

The build with the extension (`IPMC_TIER23=1`) runs 741 cases: the 689 public cases above and 52 that exist only with the extension, listed here by crate and target.

Public cases in the extension run: 689, 0 failed.

18. Tier-2/3 Rust tests: ipmc-ext

unit tests (52 cases)

Test	Area	Result
`tier23::tests::a_c1_answer_stops_every_event_until_the_next_set_event_receiver`	ipmc-tier23 table and glue	PASS
`tier23::tests::a_c1_answer_to_a_queued_event_clears_the_queue`	ipmc-tier23 table and glue	PASS
`tier23::tests::a_full_queue_drops_the_new_event_and_counts_it`	ipmc-tier23 table and glue	PASS
`tier23::tests::a_new_address_sends_every_sensor_state_again`	ipmc-tier23 table and glue	PASS
`tier23::tests::a_newer_state_replaces_the_pending_fru_state_event`	ipmc-tier23 table and glue	PASS
`tier23::tests::a_node_busy_answer_keeps_the_event_and_sends_it_again_later`	ipmc-tier23 table and glue	PASS
`tier23::tests::a_row_answers_only_at_or_above_its_min_tier`	ipmc-tier23 table and glue	PASS
`tier23::tests::a_sample_with_no_change_sends_nothing_and_counts_stay_in_step`	ipmc-tier23 table and glue	PASS

Test	Area	Result
`tier23::tests::a_sensor_with_events_off_or_an_offset_masked_sends_nothing`	ipmc-tier23 table and glue	PASS
`tier23::tests::an_error_completion_also_resends_the_fru_state_event`	ipmc-tier23 table and glue	PASS
`tier23::tests::cold_reset_sets_the_pending_reset_and_a_bad_request_does_not`	ipmc-tier23 table and glue	PASS
`tier23::tests::command_name_names_the_rows_this_tier_answers`	ipmc-tier23 table and glue	PASS
`tier23::tests::disabling_the_receiver_stops_events_and_a_new_address_sends_the_active_ones_again`	ipmc-tier23 table and glue	PASS
`tier23::tests::every_event_leaves_as_the_exact_platform_event_frame`	ipmc-tier23 table and glue	PASS
`tier23::tests::set_and_get_event_receiver_round_trip_and_a_bad_set_changes_nothing`	ipmc-tier23 table and glue	PASS
`tier23::tests::set_event_receiver_stops_the_retries_of_the_event_in_flight`	ipmc-tier23 table and glue	PASS
`tier23::tests::the_capability_mask_follows_the_tier`	ipmc-tier23 table and glue	PASS
`tier23::tests::the_commands_answer_their_bytes_and_completion_codes`	ipmc-tier23 table and glue	PASS

Test	Area	Result
`tier23::tests::the_deassertion_mask_gates_the_cleared_temperature_event`	ipmc-tier23 table and glue	PASS
`tier23::tests::the_fru_state_cause_follows_rules_4_1_5_2_6_and_4_1_5_2_7`	ipmc-tier23 table and glue	PASS
`tier23::tests::the_fru_state_event_is_resent_until_it_is_acknowledged`	ipmc-tier23 table and glue	PASS
`tier23::tests::the_rows_are_the_tier_two_and_three_commands`	ipmc-tier23 table and glue	PASS
`tier23::tier2::events::outcome_tests::a_completion_that_is_not_ours_or_a_replaced_event_does_not_claim_an_acknowledgement`	ipmc-tier2 events	PASS
`tier23::tier2::events::outcome_tests::is_replaced_follows_the_pending_generation`	ipmc-tier2 events	PASS
`tier23::tier2::events::outcome_tests::the_end_of_event_line_says_what_follows`	ipmc-tier2 events	PASS
`tier23::tier3::sel::tests::the_issued_id_wraps_past_ffffh_to_one_and_skips_zero`	ipmc-tier3 sel	PASS
`tier23::tier3::tests::a_cancelled_reservation_id_is_not_issued_again`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::a_change_of_an_ipmb_speed_makes_the_link_events_of_offsets_4_and_5`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::a_deactivation_request_does_not_outlive_m4_and_m5`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::a_disabled_offset_sends_no_event_and_adds_no_sel_record`	ipmc-tier3 crate root	PASS

Test	Area	Result
`tier23::tier3::tests::a_full_sel_takes_no_event_and_sets_the_overflow_flag`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::a_mode_change_is_refused_in_transition_and_for_an_unsupported_mode`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::a_new_event_receiver_gets_every_active_state_again_without_new_records_and_none_is_dropped`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::a_warm_reset_keeps_the_receiver_enables_sel_and_locks_and_resends_the_event_in_flight`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::clear_sel_checks_the_signature_the_action_and_the_reservation`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::fru_control_cold_reset_pulses_the_payload_reset_in_m4_and_m5_only`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::fru_hash_changes_with_an_accepted_write_and_only_then`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::get_sel_entry_walks_the_ids_and_cuts_the_slices`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::mandatory_sensor_numbers_are_listed_from_m1_on`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::set_payload_mode_moves_the_sensor_and_sends_the_event`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::the_activation_rows_follow_rules_4_1_5_4`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::the_cause_of_a_commanded_change_is_not_kept_for_a_later_unrelated_one`	ipmc-tier3 crate root	PASS

Test	Area	Result
`tier23::tier3::tests::the_commands_answer_their_bytes_and_completion_codes`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::the_enables_get_set_mask_and_never_enable_an_event_the_sdr_lacks`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::the_policy_automation_moves_the_fru_between_m4_and_m5_and_powers_in_m1`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::the_policy_bits_check_everything_first_and_change_nothing_on_an_error`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::the_power_on_gate_follows_activation_locked`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::the_rows_hold_every_tier_three_command_and_only_those`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::the_sel_clock_counts_seconds_from_the_value_set`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::the_sel_clock_does_not_step_back_when_the_millisecond_tick_wraps`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::the_sel_logs_each_made_event_once_with_the_exact_record`	ipmc-tier3 crate root	PASS
`tier23::tier3::tests::warm_reset_asks_for_a_warm_reset_and_never_weakens_a_cold_one`	ipmc-tier3 crate root	PASS

19. Emulator replay

The replay of the captured Chassis Manager traffic (`vectors/sbc_ab.vec`, local only) through the emulator, compared with the numbers of CLAUDE.md gate 9.

Build	Summary line	Against the expected numbers	Result
Tier-2/3 extension	`PASS requests=309 answered=309 match=66 same_cc=46 cc_diff=197 not_implemented=0 unanswered=0 no_bus=0 bus_differs=219 malformed=0 ipmc_requests=1 events=1`	match 66 same_cc 46 cc_diff 197 not_implemented 0; expected 66/46/197/0	PASS

20. Tier-2/3 conformance reports

The Tier-2 and Tier-3 conformance suites (`tools/conformance_t2` , `tools/conformance_t3` of `../IPMIRustFRU_Tier23`) need the emulator server or the board; this tool reads the stored reports and does not run them.

Report	Written	PASS	FAIL	NOT-TESTABLE
conformance_t2_emu.md	2026-10-24 14:17	53	0	12
conformance_t2_board.md	2026-10-24 13:32	50	0	15
conformance_t3_emu.md	2026-10-24 17:40	78	0	23
conformance_t3_board.md	2026-10-24 16:58	62	5	34