

ChurnGuard screens, annotated against the requirements

Mid-fidelity wireframes for the churn-risk detection and retention workflow. These are deliberately unstyled — they exist to agree behaviour, content and validation with Customer Success before a designer or developer commits. Every numbered marker on a screen resolves to a functional requirement in the margin beside it.

Author Shubham Tiwari, Senior Business Analyst**Traces to** FRD-CG-001 · FSD-CG-001 §5
Reviewed with 4 CSMs, 2 CS Managers, CS Ops

 content block  chart or data region  conditional / state-dependent  numbered marker → requirement in the margin

W-01 Account risk panel

Primary user: CSM · Context: Account record

CRM > ACCOUNTS > NORTHGATE SUPPLY CO.

RISK

1

55

WATCH

MOVEMENT SINCE LAST CYCLE

▲ 12 points · Stable → Watch

Day 3 in current tier · Last scored 04:12 today

Dominant driver: Product usage decline

2

Support signal unavailable

Data last received 21 Feb. Score calculated on the remaining four signals.

3

SIGNAL BREAKDOWN — ORDERED BY CONTRIBUTION

SIGNAL	SUB-SCORE	CONTRIBUTION	WHAT IS DRIVING IT
Product usage	71		14 active days vs 38 average (90d)
Marketplace health	55		Walmart connector down 4 days
Support	—		Unavailable since 21 Feb
Commercial	30		Invoice 34 days overdue
Engagement	47		No logged contact for 67 days

► Expand a row to see every component, the band matched and points awarded

4

90-DAY TREND

Tier bands shaded · rising trend across 6 cycles

5

ACTIONS

Open retention case

Rescore now

Override tier

- 1 Composite score, tier and movement sit at the top of the panel. Tier is carried by label, icon and colour together — never colour alone — so it survives greyscale printing and colour-vision differences.
[FR-031](#) · [NFR-17](#) · [UI-02](#)
- 2 Where a signal is stale or incomplete, the banner names the signal and the date data was last received. A reduced-signal score is never presented as a complete one.
[FR-034](#) · [FSD §6 V-07](#)
- 3 Five signals, ordered by weighted contribution, each showing sub-score, contribution bar and the driving value stated in plain language with its comparison period. The CSM must be able to explain the score without leaving this screen.
[FR-012](#) · [FR-032](#) · [NFR-16](#) · [UI-04](#)
- 4 90-day trend distinguishes an account that is deteriorating from one that has been static. Tier bands are shaded behind the line.
- 5 Three actions only. "Open retention case" pre-populates from the current score and dominant driver; "Rescore now" queues behind a running cycle rather than failing.

W-02 Retention task — the alert as the CSM receives it

Primary user: CSM · Context: task list / notification

TASK · RT-04182

DUE TOMORROW

1

Northgate Supply Co. — risk increased to Critical
Score 74 · was 58 (Watch) · escalated overnight

2

WHY THIS ACCOUNT

1. **Product usage** — 14 active days vs 38 avg

2. **Marketplace health** — Walmart connector down 4 days

3. **Engagement** — no logged contact for 67 days

3

RESPONSE DUE

Tue 03 Mar
1 business day · Critical SLA
Mon is a configured public holiday

4

RECOMMENDED PLAYBOOK

Usage recovery — adoption review
Mapped to dominant driver: product usage decline

5

ACTIVITY ON THIS TASK

28 Feb — score updated 68 → 74, tier unchanged. Task updated rather than duplicated.

Start case

Open risk panel

Reassign

SPECIFICATION MARGIN

- 1 The alert leads with the account and the change, not with the system. A CSM scanning a task list must be able to triage from the first line.
[FR-021](#) · [FR-022](#)
- 2 Top three contributing signals with their values travel with the task, so the CSM has the reason before opening anything.

- 3

Due date is calculated in business days on the CS working calendar, skipping weekends and configured regional public holidays. The screen states the rule applied.
FR-023 · BRule-05
- 4

Playbook is attached from the driver-to-playbook mapping, which CS Ops maintains as configuration.
FR-027 · FR-050
- 5

A rescored account already holding an open task for that tier updates this task and appends a dated note. No second task is created.
FR-026 · US-08

W-03Retention health dashboard

Primary users: CS Manager, VP Customer Success

ANALYTICS > RETENTION HEALTH

REFRESHED 04:31 TODAY

1

FILTERS

Team: allCSMPlanPrimary marketplaceLast 30 days

2

ACCOUNTS BY TIER142 / 41 / 17Stable / Watch / Critical

ARR BY TIERCritical \$—Watch and Stable below

SLA COMPLIANCE—%Touched on or before due date

SAVE RATE—%Saved + saved + churned

3

TIER MOVEMENT, SELECTED PERIOD

4

DOMINANT DRIVER MIX – CRITICAL ACCOUNTS

5

CRITICAL WORKLIST – BY ARR DESCENDING

ACCOUNT	CSM	SCORE	DAYS IN TIER	CASE
Northgate Supply Co.	—	74	3	Open
Harbourline Trading	—	81	9	In progress
Vellum & Co.	unassigned	77	2	None — queue

Export view

SPECIFICATION MARGIN

1

Filters apply to every tile and to the worklist together. A filtered export must match what is on screen and respect the user's access rights.
FR-043 · FR-047

2

Six headline figures, each reconciled against its source query during UAT before the dashboard is accepted. Refresh timestamp is always visible; a failed cycle shows the age of the data.
FR-042 · FR-046 · UAT-09

WF-CG-001 Annotated Wireframe Pack

Shubham Tiwari | Page 3 of 6

- 3

Movement, not just position. Leadership asked to see escalations and de-escalations in the period, because a stable count can hide heavy churn beneath it.
[FR-042](#) · [BR-08](#)
- 4

Driver mix across Critical accounts tells CS Ops which playbook to invest in, and feeds the quarterly weight review.
[FR-045](#) · [US-22](#)
- 5

Worklist is ordered by ARR so the weekly review starts where the money is. An account with no owner is visible here as an ownership gap, not hidden.
[FR-044](#) · [FR-025](#)

W-04 Scoring configuration with impact preview

Primary user: Business Administrator (CS Ops)

oSETUP > CHURNGUARD > SCORING MODEL

VERSION 4 · ACTIVE

1

SIGNAL WEIGHTS

Product usage	30 %
Marketplace health	25 %
Support experience	20 %
Commercial & billing	15 %
Relationship engagement	15 %

Weights must total 100%

Current total: 105%. Reduce by 5 points before saving.

2

TIER BOUNDARIES & SLA

Stable	0 – 39	
Watch	40 – 69	3 days
Critical	70 – 100	1 day
Hysteresis buffer	± 3	

3

PREVIEW IMPACT – NOT SAVED

Applied to last night's data:
Stable 138 · Watch 45 · Critical 17

Estimated new alerts per day: 6

4

CHANGE NOTE – REQUIRED

Takes effect from the next scoring cycle. Historical scores stay linked to version 4.

Preview impact

Save as version 5

View change history

SPECIFICATION MARGIN

- 1

Weights are validated live and the save is blocked until they total exactly 100%. The message states the current total and the correction needed — it does not just say "invalid".
[FR-048](#) · [FSD §6 V-01](#)
- 2

Boundaries must be continuous and non-overlapping; the hysteresis buffer prevents alert churn on accounts oscillating at a boundary.
[FR-049](#) · [FR-018](#) · [V-02](#)
- 3

Preview runs the proposed configuration against the last cycle's stored inputs and returns the resulting tier distribution and expected alert volume, saving nothing. This exists because alert volume against fixed CSM headcount was the top-rated project risk.
[FR-052](#) · [Risk R-3](#)
- 4

Every change is versioned with an effective date and applies forward only. Historical scores remain attached to the

version that produced them, so any past score can be reconstructed.

[FR-051](#) · [NFR-25](#) · [DQ-04](#)

W-05 Retention case closure

Primary user: CSM · Context: modal on the case record

CLOSE CASE RC-00318 · NORTHGATE SUPPLY CO.

1

OPENING POSITION — READ ONLY
Opened 03 Mar at score 74 (Critical) · driver: product usage · playbook: usage recovery

2

OUTCOME

Closed — Saved

Closed — Churned

Closed — False positive

3

CLOSURE REASON — REQUIRED

Select a closure reason before closing this case
Reasons come from the controlled list agreed with CS Ops.

4

SHOWN ONLY FOR "FALSE POSITIVE"
Which signal produced the false reading? — required

Close case

Cancel

SPECIFICATION MARGIN

- 1 Opening score, tier, driver and playbook are captured at creation and never updated, so the outcome can be compared against the position at the time of detection.
[FR-036](#) · [US-16](#)
- 2 Six statuses, three of them closing. A case can only leave the workflow through one of them.
[FR-037](#)
- 3 Closure reason is mandatory and comes from a controlled list — free text here would make save rate unreportable, which was the whole point of problem P-6.
[FR-038](#) · [FSD §6 V-03](#)
- 4 Naming the responsible signal on a false positive is what feeds the quarterly model review. The field appears only for that outcome.
[BRule-07](#) · [V-04](#) · [US-22](#)

