

UAT Plan & Sign-off Pack

ChurnGuard — Release 1

Document ID	UAT-CG-001
Version	1.0
Author	Shubham Tiwari, Senior Business Analyst (UAT coordinator)
Business owner	VP, Customer Success
Duration	10 business days, plus up to 3 days regression window
Environment	UAT sandbox, refreshed from production with anonymised account data

1. Objectives

UAT confirms that ChurnGuard does what the business asked for, in the hands of the people who will use it, on data they recognise. It is not a second round of system testing — functional defects are expected to have been closed in SIT.

Specifically, UAT must confirm that:

1. Every Must-priority business requirement in BRD-CG-001 is satisfied.
2. Scores CSMs see on their own accounts are believable and explainable.
3. Alerts arrive with the right owner, the right reason and the right due date.
4. Dashboard figures reconcile with source data to the satisfaction of RevOps.
5. Access, override and audit behaviour satisfies Information Security.
6. A CSM can complete the alert-to-case workflow after a single 30-minute session (NFR-19).

2. Scope

In scope: all Must and Should requirements in FRD-CG-001; the nightly cycle end to end; alerting, SLA and case workflow; risk panel; dashboard; configuration and preview; override; access matrix and audit.

Out of scope: performance and load testing (completed in SIT against NFR-01 to NFR-05, evidence attached to the exit report); infrastructure failover; R2 items.

3. Entry criteria

#	Criterion	Owner	Status
E-1	All Must-priority stories delivered and demonstrated in sprint review	Delivery lead	
E-2	SIT complete; zero open Severity 1 or 2 defects; Severity 3 defects listed with agreed disposition	QA lead	
E-3	RTM shows 100% of R1 requirements linked to at least one executed test case	BA	
E-4	UAT environment refreshed within 5 days, with 90 days of backfilled score history (FSD \$8, M-1)	CRM Engineering	
E-5	Playbook content and driver mapping loaded	CS Enablement	
E-6	CS working calendar including public holidays loaded (open item O-1 closed)	CS Ops	
E-7	UAT participants named, access provisioned per role, 30-minute orientation delivered	BA	
E-8	Test data pack prepared: seeded accounts at every tier boundary, every data-quality state, ownership gap, seasonal category	BA + QA	
E-9	Defect logging process agreed in Jira with severity definitions circulated	BA	

UAT does not start until every entry criterion is met. A conditional start requires sponsor approval recorded in the daily log.

4. Participants

Name / role	Responsibility	Scenarios
VP Customer Success	Business owner; final sign-off	Reviews all; executes UAT-09
CS Manager × 2	Team-level validation; escalation and SLA behaviour	UAT-05, UAT-09, UAT-11

CSM × 4 (2 per tier structure)	Day-to-day workflow validation on their own accounts	UAT-05 – UAT-08, UAT-11
CS Operations Lead	Process, playbooks, configuration	UAT-06, UAT-10
RevOps analyst	Dashboard and ARR reconciliation	UAT-09
Data & BI analyst	Signal accuracy against SQL baseline	UAT-02, UAT-04
Information Security reviewer	Access matrix and audit trail	UAT-12
BA (coordinator)	Scenario walkthrough, defect triage, daily log, RTM update, sign-off pack	All
QA lead	Defect reproduction and retest	All

5. Test data pack

Ref	Data condition	Purpose
TD-01	Account scoring 38, 40, 69, 70 exactly	Tier boundary verification
TD-02	Account at Watch scoring 38 then 36	Hysteresis behaviour
TD-03	Account with one signal feed stale beyond 48h	Weight redistribution
TD-04	Account with two signal feeds stale	Score suppression
TD-05	Account moving Stable → Critical in one cycle	Manager escalation path
TD-06	Account with no active owning CSM	Ownership gap routing
TD-07	Account onboarded 40 days ago	Critical-alert exclusion rule
TD-08	Account in a seasonal marketplace category during the seasonal window	GMV suppression rule
TD-09	Account with an open Watch task, rescored at Watch	Duplicate-task prevention
TD-10	Account with an active tier override reaching expiry	Override expiry
TD-11	Account recovered to Stable for 30 days with an open case	Auto-closure
TD-12	Account with a submitted cancellation	Exclusion from scoring

Anonymisation: real account names replaced with reference codes; ARR values scaled by a fixed factor; contact details masked. No production PII is present in the UAT environment.

6. UAT scenarios

Each scenario maps to business requirements and to the SIT test cases already executed. Full step detail is in the execution workbook; the summary below is the plan of record.

ID	Scenario	Requirements	SIT cases	Owner	Priority
UAT-01	Nightly cycle runs to completion; in-scope list matches the segment definition; run log is complete and readable	BR-01 · FR-014	TC-001 – TC-003	Data & BI	High
UAT-02	Signal sub-scores reconcile against independently calculated SQL results for a 50-account historical sample	BR-02 · FR-001 – FR-010	TC-004 – TC-010	Data & BI	High
UAT-03	Tier assignment at boundaries; hysteresis prevents movement inside the buffer; movement type recorded correctly	BR-03 · FR-016 – FR-018	TC-011 – TC-014	CS Manager	High
UAT-04	One stale signal redistributes weight and flags Reduced; two stale signals suppress the score and retain the previous one; banners are accurate	BR-11 · FR-007 – FR-009, FR-034	TC-050 – TC-054	Data & BI	High
UAT-05	Escalation creates a task for the correct CSM, with the correct SLA due date on the business calendar; Stable → Critical also notifies the manager; no duplicate task; ownership gap routes to the queue; breach detected and notified	BR-04 · FR-021 – FR-026, FR-028, FR-029	TC-015 – TC-022	CSM + CS Manager	High
UAT-06	Correct playbook attached from the dominant driver; mapping change applies from the next cycle	BR-05 · FR-013, FR-027	TC-023 – TC-024	CS Ops	Medium
UAT-07	CSM can explain a score from the risk panel alone — signal breakdown, raw values, comparison periods and trend, without opening a second screen	BR-06 · FR-012, FR-031 – FR-033	TC-025 – TC-028	CSM	High
UAT-08	Case opens pre-populated from the alert; duplicate case blocked; closure requires an outcome and reason; false positive requires the responsible signal; recovered account auto-closes as Saved	BR-07 · FR-035 – FR-041	TC-029 – TC-035	CSM	High
UAT-09	Every dashboard tile reconciles to source; filters apply consistently across tiles and worklist; export matches the screen; refresh timestamp accurate	BR-08 · FR-042 – FR-047	TC-036 – TC-041	RevOps + VP CS	High
UAT-10	Weights failing to total 100% are rejected; overlapping tier boundaries rejected; preview returns tier distribution and alert volume without saving; saved change applies from the next cycle and leaves history intact	BR-10 · FR-048 – FR-052	TC-045 – TC-049	CS Ops	High
UAT-11	Override requires reason, justification and an expiry within 90 days; calculated tier still visible; alerts suppressed during the override; normal behaviour resumes on expiry	BR-13 · FR-053 – FR-055	TC-059 – TC-061	CSM + CS Manager	Medium

UAT-12	Access matrix enforced for every profile; score history and audit entries cannot be edited or deleted by any role; audit report filterable and exportable; 13-month history retention verified	BR-09, BR-12 · FR-019, FR-020, FR-056 – FR-058	TC-042 – TC-044, TC-055 – TC-058	InfoSec	High
--------	--	--	----------------------------------	---------	------

Scenario detail — example (UAT-05)

Objective: confirm that an escalation reaches the right person, with the right reason, under the right SLA.

Step	Action	Expected result	FR
1	Seed account TD-05 to score 74 with previous tier Stable; run the cycle	Tier set to Critical; movement recorded as Escalation	FR-016, FR-017
2	Open the owning CSM's task list	One Retention Task present for the account	FR-021
3	Open the task	Shows account, score 74, Stable → Critical, dominant driver, top three signals with values, link to the risk panel	FR-022
4	Check the due date, cycle run on a Thursday	Due date is the following Monday where Friday is a configured public holiday	FR-023, BRule-05
5	Check the CS Manager's notifications	Manager notified because the move was Stable → Critical in one cycle	FR-024
6	Rescore TD-09 at Watch with an open Watch task	No second task; existing task updated with the new score and a dated note appended	FR-026
7	Run the cycle for TD-06 with no active owner	Task assigned to the team's CS Manager queue; ownership gap flagged	FR-025
8	Advance past the due date on a task with no logged activity	Task marked Breached; CS Manager notified	FR-029
9	Log activity on the account as the owning CSM	First-touch timestamp stamped once; elapsed business time calculated; status Met	FR-028

7. Defect management

Severity definitions

Severity	Definition	Response	Resolution target
S1 Critical	Core function unusable, or a score/alert is materially wrong with no workaround	Immediate; UAT paused for that scenario	1 business day
S2 High	Significant function impaired; workaround exists but is not acceptable long-term	Same day triage	2 business days
S3 Medium	Function works with a limitation; acceptable workaround exists	Next triage	Before exit, or agreed deferral
S4 Low	Cosmetic, wording, or minor usability	Logged	Deferrable to post-launch backlog

Process

Defects are raised in Jira against the UAT epic with scenario ID, account reference, steps, expected and actual result, and evidence. The BA triages within 4 working hours, confirms it is a defect rather than a requirement change, assigns severity with the business owner for S1/S2, and tracks it on the daily log. A defect judged to be a new requirement is routed to change control, not fixed inside UAT.

Daily rhythm

09:30 stand-up — yesterday's results, blockers, today's scenarios. 16:30 defect triage — new defects, severity, retest queue. Daily log circulated to the sponsor with pass/fail counts, open defects by severity and any risk to the exit date.

8. Change control during UAT

Ref	Rule
CC-1	Any request that alters agreed behaviour is a change request, not a defect, regardless of how it is raised
CC-2	Change requests are logged with business justification, requirement impact, effort estimate and schedule impact
CC-3	The sponsor decides: accept into R1, defer to R2, or reject. Decisions are recorded in the change log
CC-4	An accepted change requires an updated FRD section, RTM row and new test case before it is built
CC-5	Threshold and weight adjustments arising from calibration are configuration changes (FR-048, FR-049), not code changes, and do not require a change request

9. Exit criteria

#	Criterion	Threshold
X-1	UAT scenarios executed	100%
X-2	High-priority scenarios passed	100%

X-3	All scenarios passed	≥ 95%, with every failure being S3 or S4 with an agreed disposition
X-4	Open S1 defects	0
X-5	Open S2 defects	0
X-6	Open S3 defects	Documented, with owner and target date, accepted by the business owner
X-7	RTM coverage	Every R1 requirement traced to a passed test case
X-8	Usability check (NFR-19)	Every participating CSM completed the alert-to-case workflow unaided after one orientation session
X-9	Signal accuracy (UAT-02)	50 of 50 sample accounts reconcile exactly
X-10	Dashboard reconciliation (UAT-09)	Every tile reconciles to source; RevOps confirms in writing
X-11	Security review (UAT-12)	InfoSec confirms the access matrix and audit trail
X-12	Go-live readiness	Cutover plan, shadow-run period, rollback approach and hypercare rota agreed

10. Sign-off pack contents

The pack submitted to the sponsor contains:

1. This UAT plan, final version
2. Execution workbook — every scenario and step with result, tester, date and evidence reference
3. Updated RTM showing requirement-to-test coverage with final status
4. Defect log — all defects raised, severity, resolution, retest result
5. Open items register — accepted S3/S4 defects with owners and target dates
6. Change log — requests raised during UAT and their decisions
7. Signal accuracy report — 50-account SQL reconciliation
8. Dashboard reconciliation report — RevOps confirmation
9. Security review confirmation — InfoSec
10. Benefits baseline capture — pre-launch values for BO-1 to BO-6
11. Cutover and hypercare plan
12. Signature sheet, below

11. Signature sheet

Release: ChurnGuard R1 · **UAT period:** ___ to ____

By signing, each approver confirms that the scenarios owned by their function have been executed, that the results were reviewed, and that any outstanding items are recorded in the open items register and accepted.

Role	Name	Scope of confirmation	Signature	Date
Business sponsor — VP Customer Success		Overall acceptance; UAT-09		
CS Operations Lead		UAT-06, UAT-10; playbooks and configuration		
CS Manager (Team A)		UAT-03, UAT-05, UAT-11		
CS Manager (Team B)		UAT-05, UAT-09		
RevOps / Finance		UAT-09; ARR and segment definitions		
Data & BI Lead		UAT-01, UAT-02, UAT-04; signal accuracy		
Information Security		UAT-12; access and audit		
QA Lead		Defect closure and retest evidence		
Delivery Lead — CRM Engineering		Build complete; cutover readiness		
Business Analyst	Shubham Tiwari	Requirements coverage; RTM complete; pack assembled		

Conditional acceptance: where acceptance is granted with conditions, each condition is listed below with an owner and a date, and is tracked to closure in hypercare.

#	Condition	Owner	Due
1			
2			

12. Cutover and hypercare

Step	Detail	Owner
CU-1	Capture BO-1 to BO-6 baselines in the week before go-live	BA + RevOps
CU-2	Deploy to production; run first cycle in shadow mode (FR-030)	CRM Engineering
CU-3	14-day shadow period; daily review of tier distribution and would-be alert volume	BA + CS Ops
CU-4	Calibration review; tune thresholds via configuration; document the version applied	Business Administrator
CU-5	Enable alerting; notify CSMs; confirm first-day task volume is within the agreed range	CS Ops
CU-6	Hypercare — 3 weeks. Daily check for the first week, then twice weekly. Dedicated triage channel; BA on point for requirement questions	BA + QA
CU-7	Exit hypercare when: no S1/S2 defects for 10 consecutive business days, SLA compliance reporting stable, and CS Ops confirms it can run configuration changes unaided	Sponsor
CU-8	Benefits review at 30, 60 and 90 days against the CU-1 baselines	BA + Sponsor

Rollback: alerting can be disabled by returning the system to shadow mode without removing scoring or history — a configuration change, not a deployment. Full rollback removes the automation layer while leaving score history intact for analysis.