

Iron Veil Press — Complete GitHub Repository Map

Purpose: Define a safe, maintainable GitHub architecture for the Iron Veil Press website, The Threl public playtest, canon development, production assets, and private lore.

Executive recommendation

Do **not** place public and private materials in different folders of one public GitHub repository. GitHub repository visibility applies to the entire repository, and a supposedly hidden folder is not a security boundary. The safest architecture is a GitHub organization with separate repositories for public website code, public playtest files, private canon, private production assets, and private business/operations.

Repository	Visibility	Primary role
ironveilpress-site	Public	Live Iron Veil Press website and public landing pages.
threl-public-playtest	Public	Downloadable player and GM playtest materials.
ironveilpress-canon	Private	Authoritative Threl canon, rules, governance, conflict records, and secret lore.
ironveilpress-production	Private	Source manuscripts, layout files, art masters, audio, video, fonts, and release builds.
ironveilpress-operations	Private	Business, licensing review, launch plans, analytics notes, contributor records, and internal project management.

The public repositories may be linked to each other. The private repositories must never be linked from public GitHub pages, public Markdown, public PDFs, public website source, or public download directories.

Organization-level layout

Plain Text

Iron Veil Press GitHub Organization

└─ ironveilpress-site	PUBLIC
└─ threl-public-playtest	PUBLIC
└─ ironveilpress-canon	PRIVATE
└─ ironveilpress-production	PRIVATE
└─ ironveilpress-operations	PRIVATE

Repository 1 — ironveilpress-site — public website

This repository contains only material that may be inspected by anyone on the internet and deployed to the public website.

Plain Text

```
ironveilpress-site/
└─ README.md
└─ LICENSE
└─ .gitignore
└─ .github/
    └─ ISSUE_TEMPLATE/
        └─ bug-report.md
        └─ accessibility-report.md
    └─ workflows/
        └─ deploy.yml
        └─ link-check.yml
└─ public/
    └─ favicon.svg
    └─ robots.txt
    └─ sitemap.xml
    └─ publications/
        └─ welcome-to-threl/
            └─ WelcometoThrel.pdf
            └─ welcome_to_threl_cover.png
    └─ assets/
        └─ logos/
        └─ backgrounds/
        └─ catalogue/
└─ src/
    └─ components/
        └─ Header.html
        └─ Hero.html
        └─ Mission.html
        └─ PublicPlaytestCTA.html
        └─ Catalogue.html
        └─ Community.html
```

```

| | | | — Licensing.html
| | | | — Newsletter.html
| | | | — Footer.html
| | | — pages/
| | | | — index.html
| | | | — playtest.html
| | | — styles/
| | | | — global.css
| | | | — responsive.css
| | | | — accessibility.css
| | — data/
| | | — catalogue.json
| | | — public-links.json
| — docs/
| | — website-content-guide.md
| | — accessibility-checklist.md
| | — deployment-notes.md
| — tests/
| | — links.test.js
| | — metadata.test.js
| | — accessibility.test.js

```

The website should expose a first-class **The Threl** and **Public Playtest** navigation item. The playtest CTA should link to the public playtest repository's GitHub Pages landing page, not directly to an anonymous PDF.

Repository 2 — threl-public-playtest — public playtest materials

This repository contains the current public materials needed to run the game in the real world. It should have a simple README and a GitHub Pages landing page under `/docs`.

Plain Text

```

threl-public-playtest/
| — README.md
| — LICENSE
| — CHANGELOG.md
| — .gitignore
| — .github/
| | — workflows/
| | | — link-check.yml
| — docs/
| | — index.html
| | — style.css
| | — assets/

```

```

├── threl-playtest-cover.png
├── playtest/
│   ├── overview/
│   │   ├── Threl_Playtest_CANON_CORRECTED.md
│   │   ├── version.md
│   │   ├── scope-and-audience.md
│   │   └── experimental-items.md
│   ├── player/
│   │   ├── Threl_MVP_Player_Quick_Reference.md
│   │   └── The_Prodiga1_Dungeon_Pregenerated_Characters_CANON_CORRECTED.pdf
│   ├── gm/
│   │   ├── Threl_GM_Failure_Echoes_Strain_Reference.md
│   │   └── participation-guidelines.md
│   ├── module/
│   │   ├── The_Prodiga1_Dungeon_CANON_CORRECTED.pdf
│   │   └── The_Prodiga1_Dungeon_Module_Phrase_Cards.md
│   ├── feedback/
│   │   ├── feedback-form.md
│   │   ├── session-report-template.md
│   │   └── issue-reporting.md
│   └── changelog/
│       └── CHANGELOG.md
├── scripts/
│   └── verify-public-package.sh

```

The public playtest README should state the current version, intended audience, MVP rules boundary, what is experimental, how to run the Ashenfold scenario, where to report feedback, and which materials are downloads. It should not include secret Warden lore, unreleased campaign outcomes, private conflict notes, or internal production commentary.

Repository 3 — **ironveilpress-canon** — private canon authority

This is the authoritative private canon repository. It should be restricted to the project owner and explicitly approved collaborators.

Plain Text

```

ironveilpress-canon/
├── README.md
├── CANON_POLICY.md
├── CANON_STATUS.md
├── .gitignore
├── 00_Meta/
│   ├── Rules_and_Mechanics_Master_Reference.md
│   └── Canonical_Codex.md

```

```

├── Canon_Status_Registry.md
├── Conflict_Notes.md
├── Conflict_Audit_Archive/
├── Warden_Instructions.md
├── World_Drift_Design_Layer.md
├── Superseded/
├── 01_Rules_and_Mechanics/
├──   ├── MVP_Dabar_Core_Rules.md
├──   ├── MVP_Phrase_Card_Index.md
├──   ├── Phrase_Cards/
├──   ├── Strain_and_Recovery_Superseded.md
├──   ├── Conditions.md
├──   ├── Failure_Echoes.md
├──   ├── Force_It.md
├──   ├── Campaign_Ripple_Drift.md
├──   ├── World_Drift_Design_Layer.md
├──   └── Advanced_Rules/
├── 02_Lore/
├──   ├── Cosmology/
├──   ├── Theology/
├──   ├── Factions/
├──   ├── Places/
├──   ├── NPCs/
├──   │   └── The_Warden/
├──   │       ├── The_Warden-Public_Lore_Draft.md
├──   │       ├── The_Warden-Secret_Lore_Dossier.md
├──   │       └── Voice_Profile.md
├──   ├── The_Frey_Status_Unresolved.md
├──   └── The_Frey_Wars_Private_History.md
├── 03_Campaigns/
├──   ├── Year_One/
├──   │   ├── The_Prodigal_Dungeon.md
├──   │   ├── The_Ashen_Covenant.md
├──   │   └── Wrath_of_the_Seraphim.md
├──   ├── Modules/
├──   ├── Campaign_Ripples/
├──   └── Outcomes/
├── 04_Systems/
├──   ├── Dabar/
├──   ├── Ripple_System/
├──   ├── World_Drift/
├──   └── Warden_Validation/
├── 05_Continuity/
├──   ├── Project_Pass_On/
├──   ├── Timeline/
├──   ├── Open_Questions.md
├──   └── Retcons_and_Supersessions.md
├── 06_Audits/

```

- └─ Module_Audits/
- └─ Rules_Audits/
- └─ Publication_Audits/
- └─ Security_and_Leakage_Audits/

The current **Rules & Mechanics Master Reference** must be stored here as the top-level authority. Any older rules files remain in `Superseded/` for provenance and must not be silently treated as active authority.

Repository 4 — ironveilpress-production — private production source

This repository contains editable and high-resolution source material used to create public releases. It is not a public archive.

Plain Text

```
ironveilpress-production/
└─ README.md
└─ RELEASE_POLICY.md
└─ .gitignore
└─ manuscripts/
  └─ source/
  └─ canon-corrected/
  └─ editorial-revisions/
└─ layout/
  └─ typst/
  └─ markdown-builders/
  └─ html-builders/
  └─ templates/
└─ releases/
  └─ staging/
  └─ approved/
  └─ archived/
└─ artwork/
  └─ concept-art/
  └─ final-art/
  └─ covers/
  └─ screen-art/
  └─ licenses-and-attribution/
└─ audio/
  └─ character-voice-profiles/
  └─ narration/
  └─ music/
└─ typography/
  └─ licensed-fonts/
```

```
|   └─ font-licenses/
└─ print/
|   └─ bleed-and-trim/
|   └─ printer-proofs/
└─ scripts/
    └─ build-pdfs/
    └─ render-previews/
    └─ verify-releases/
```

Draft PDFs, unapproved exports, internal comments, source PSD/AI files, high-resolution art, and production scripts belong here rather than in the public playtest repository.

Repository 5 — ironveilpress-operations — private business and governance

Plain Text

```
ironveilpress-operations/
└─ README.md
└─ legal/
|   └─ licensing-review/
|   └─ SRD-attribution-review/
|   └─ trademark-notes/
|   └─ contributor-agreements/
└─ business/
|   └─ release-calendar/
|   └─ pricing/
|   └─ storefronts/
|   └─ print-on-demand/
└─ marketing/
|   └─ brand-guidelines/
|   └─ social-copy/
|   └─ newsletter/
|   └─ launch-campaigns/
└─ community/
|   └─ playtest-feedback-analysis/
|   └─ moderation-guidelines/
|   └─ partner-contacts/
└─ analytics/
|   └─ website-reports/
|   └─ download-reports/
|   └─ privacy-review/
└─ project-management/
    └─ roadmaps/
    └─ decision-log.md
```

└─ task-checklists/
└─ meeting-notes/

Do not store API keys, passwords, private customer data, payment information, or personal information in Git history. Use GitHub Actions secrets or an approved secrets manager.

Public/private classification of current Threl material

Material	Repository	Visibility	Reason
Rules & Mechanics Master Reference	ironveilpress-canon	Private authority; public derivative allowed	Canon authority should remain controlled; public MVP rules may be excerpted into player/GM guides.
Threl MVP Player Quick Reference	threl-public-playtest	Public	Intended for players.
GM Failure Echoes & Strain Reference	threl-public-playtest	Public	Intended for GMs.
Corrected Prodigal Dungeon PDF	threl-public-playtest	Public	Public playtest module.
Corrected pregenerated characters PDF	threl-public-playtest	Public	Public player material.
Prodigal Dungeon Phrase Cards	threl-public-playtest	Public	Required public module material.
Threl Playtest package	threl-public-playtest	Public	Public testing instructions and scenario.
Warden public lore	ironveilpress-canon draft; public derivative only after approval	Controlled	Public and secret lore must not be mixed.
Warden secret lore dossier	ironveilpress-canon	Restricted private	Contains private GM/production lore.
The Frey / Frey Wars details	ironveilpress-canon	Restricted private	“Frey Wars” is established but its details are intentionally private;

			“The Frey” remains unresolved.
Conflict audits and canon reconciliation reports	ironveilpress-canon or ironveilpress-operations	Private	Internal analysis and status decisions are not public playtest content.
Website source and public HTML	ironveilpress-site	Public	Required for public deployment and review.
Unapproved source manuscripts	ironveilpress-production	Private	Prevents accidental publication of superseded or secret text.
High-resolution artwork and editable layout files	ironveilpress-production	Private	Production masters and licensing records.
Legal and licensing review	ironveilpress-operations	Private	Internal review should not be confused with public license statements.

Public/private export workflow

The safe workflow is:

1. Draft and revise material in ironveilpress-canon or ironveilpress-production .
2. Verify it against the current Master Reference and canon-status registry.
3. Mark the document **Public Approved**, **Public Derivative**, **Private GM**, or **Restricted Secret**.
4. Run a leakage scan for private Warden lore, secret history, unresolved production notes, internal file paths, audit commentary, and unpublished mechanics.
5. Export only approved public files into threl-public-playtest or ironveilpress-site .
6. Tag the public repository release and update CHANGELOG.md .
7. Update the website playtest hub to point to the new public release.
8. Preserve the source and approval record in the private repositories.

A public export is a copy, not a live mirror. Public repositories should not use Git submodules pointing at private repositories, because they can expose repository names,

paths, or inaccessible links and create fragile builds.

Required repository protections

The private repositories should require two-factor authentication, protected `main` branches, pull requests for canon changes, review approval for public exports, and GitHub Actions secret scanning. The public repositories should use automated link checks, PDF content-type checks, accessibility checks, and a workflow that prevents accidental inclusion of files from private source directories.

Files that must never be public

The following must remain outside public repositories unless separately redacted and approved:

- The Warden’s secret lore dossier, private chronology, military history, and hidden affiliations.
- Detailed Frey Wars history and any future definition of “The Frey” before canon approval.
- Internal conflict audits, leakage reports, pass-on notes, and project-status records.
- Unresolved canon decisions and supersession debates.
- Private source manuscripts and unapproved PDFs.
- High-resolution production art and editable layout masters when licensing or production rights are not public.
- API keys, credentials, personal data, customer information, unpublished contracts, and payment records.
- Internal absolute filesystem paths such as `/home/ubuntu/...`.

Recommended top-level public navigation targets

The website should link to the following public destinations:

Plain Text

```
https://www.ironveilpress.quest/  
https://www.ironveilpress.quest/playtest/  
https://<OWNER>.github.io/threl-public-playtest/  
https://github.com/<OWNER>/threl-public-playtest
```

The website should link to the playtest landing page first. The landing page should link to the actual Markdown and PDF downloads. This keeps the public experience explanatory, versioned, and discoverable rather than exposing an anonymous file path as the only entry point.

Final architecture principle

Private repositories are the source of truth. Public repositories are curated exports.
The website is the public presentation layer.

This separation protects secret lore, prevents superseded mechanics from being published accidentally, makes canon approval traceable, and gives players a stable, understandable way to download and play the current Threl materials.