IronVision UX simplification – Phase 1 (audit, proposal, baseline, mockups)

No app behaviour or production UI was changed. The mockups are static HTML in `mockups/`. They are not routed or wired into the app.

File	Content
`AUDIT.md`	Route inventory (33 routes with file refs), per-screen findings, top-15 complexity sources
`CONNECTEDNESS.md`	9 "should flow" links: works, partial or not, with the exact gap; duplicate copies
`IA.md`	Navigation, step contents and page moves, status model, dashboard, My Work, Workbench 2-pane, glossary, Guided Mode, standard flows
`METRICS.md`	Baseline for 12 tasks on the current UI, with an eMASS reference column (cited, approximate)
`FLOWS.md`	Mermaid diagrams for the standard flows and the connected system record
`BACKLOG.md`	7 incremental releases: effort, risk, data/permission impact, target metric
`COMPAT.md`	Deep links, testids, role matrix, tenant sweep: how each is preserved
`screens/current/`	33 current-UI screenshots (evidence)
`screens/tasks/`	End-of-task screenshots
`mockups/png/`	13 mockups
`before_after/`	6 side-by-sides
`data/`	Raw crawl and metrics JSON

Scripts in `scripts/ux_baseline/`. Re-run unchanged after the redesign:

- `crawl.py` – screens plus counts
- `tasks.py` – the 12 task walks
- `metrics_table.py` – rebuilds METRICS.md
- `mockups.py` + `render.py` – mockups, PNGs and side-by-sides

Top 15 sources of complexity (detail and evidence in AUDIT.md)

#	Source	Evidence
1	Two navigation systems: 29 sidebar links + stepper + 7 hub pages that only link onward	assess.png, nav.ts
2	Workbench overload: 13 selects, 15 checkboxes, 4 export buttons; list hidden until a filter is chosen	workbench.png
3	Generic, wrong "Next action: Assign key roles" on every step page	select.png, assess.png
4	SSP/SAR/RAR generation in 4 places	implement.png, authorization.png
5	SCA work scattered across Reviews, Workbench, Test Results and Mapping Review	assess.png, reviews.png
6	Mapping Review: 6 tabs + 3 sections, internal labels	mapping_review.png
7	Data entered twice: info type + PII at registration and in Categorize; inheritance in two editors	metrics register/categorize
8	Imports end without a next action	metrics import_impl/test_results/evidence

9	ISCM strategy (28 fields) inside Select	select.png
10	Evidence upload needs a "source" first (+3 clicks)	metrics evidence
11	Internal terminology (Ledger, ingest run, CCI view, eMASS Sync/import, S-5, Trigraph…)	per-route table
12	Status dimensions mixed without labels (implementation vs coverage vs assessment)	workbench.png
13	System detail is a second dashboard with no step status or "continue"	system_detail.png
14	No role-based home	nav.ts
15	Finding → POA&M → control only partly linked	metrics finding/poam

Connectedness

Link	Status
eMASS TR import → Assess workspace	Partial – historical results stored, no SCA queue
SLCM → strategy + schedules	Strategy works; schedules partial (wait for ISSM approval, no notice)
Policy upload → mapping suggestions	Works (not shown on the control)
Approved mapping → coverage only	Works
ACAS → findings + assets + POA&M	Partial – no POA&M creation step
Categorization change → baseline notice	Works (Select); not on a dashboard
Completed assessment → package readiness	Partial – only when a document is generated
Evidence discoverable	Partial – not in finding, POA&M or assessment
Implementation Plan import → Implement + next action	Partial – no next action

IA summary

- **Global:** My Work · Systems · Import Center · Search · Admin.
- **System context:** dashboard + 7 RMF steps, visitable in any order. Each step has a status: complete / remaining / awaiting role / optional / blocked.

Step	Sub-pages
Prepare	Roles, Profile & boundary, Inventory, PPSM
Categorize	Info types, PII, AO approval
Select	Baseline, Tailoring, Monitoring strategy
Implement	Workbench, Policies, Evidence, Inheritance
Assess	SCA workspace, Test results, Findings, Mapping review
Authorize	Package & documents, POA&M, Risk acceptance, Decision
Monitor	Dashboard, Schedules, Freshness, eMASS sync

- **Workbench** becomes 2 panes: tree + 4 filters on the left; 6 tabs and 4 labelled status chips on the right; advanced eMASS fields collapsed.
- **Glossary** with exact labels and colours: `IA.md` §3.6.

Baseline metrics (current UI, scripted; ISSO, SYNTHETIC sandbox)

Task	Clicks	Page changes	Fields	Next action
Register	6	2	3	yes[1]
Categorize	4	1	3	yes[1]
Baseline	5	1	1	yes[1]
Import Implementation Plan	6	2	2	no
Update control	6	2	2	no
Attach evidence	7	2	3	no
Import test results	4	2	1	no
Review finding	5	3	1	no
POA&M (link to matching)	2	1	0	no
Generate SSP	3	1	0	yes[1]
Package	3	3	0	yes[1]
ISCM	5	1	3	yes[1]
Total	**56**	**21**	**19**	**6/12**

- 3 tasks involve data entered twice: register and categorize share the info type and PII; evidence needs a source name first.
- [1] Often only the generic banner.
- Scripted times, the eMASS reference column and the caveats are in METRICS.md.

Backlog (UI-only; data and permission impact: none)

Release	Items
R1	Dashboard + step status + step-specific next action; RMF navigation
R2	Workbench 2-pane; status glossary chips
R3	Import Center 4-step flow with next action and auto evidence source; Mapping Review (3 tabs)
R4	SCA assessment workspace; Package & documents + live readiness
R5	My Work per role; registration de-duplication
R6	Guided Mode; connectedness gaps (ACAS → POA&M suggestion, strategy-awaiting notice, suggestions on the control)
R7	Saved filters, search, Help merge

3 · Proposed information architecture

Mockups are in `mockups/*.html` and `mockups/png/*.png`. They are static, non-functional and not wired into the app.

3.1 Navigation

Global (always visible):

- **My Work** (home)
- **Systems**
- **Import Center**
- **Search** (⌘K: systems, controls in any ID form, CCIs, findings, POA&M, people)
- **Admin** (role-gated)

System context: a persistent system switcher at the top of the sidebar. Under it:

- **System dashboard**
- the **7 RMF steps**, each with a status dot and a short status
- **Recently viewed** (systems and controls)

Steps can be visited in any order. Nothing is forced to be linear.

Step	Lives under it (sub-pages)	Current pages that move here
1 Prepare	Roles & people · System profile & boundary · HW/SW inventory · PPSM ports & interconnections	`/rmf/prepare`, `/systems/:id` (profile part), `/inventory`, PPSM (eMASS import)
2 Categorize	Information types & impact · Privacy (PII) · AO approval & history	`/rmf/categorize` (info types removed from registration)
3 Select	Baseline & overlays · Tailoring & parameters · Monitoring strategy (ISCM, its own tab)	`/rmf/select` (split into 3 tabs), `/catalog` becomes the Workbench "Reference catalog" mode
4 Implement	Control Workbench · Policies (auditor + coverage) · Evidence · Inheritance	`/systems/:id/controls`, `/policy-auditor`, `/evidence-sources` + `/evidence-ledger` (browse), `/inheritance`, `/ccis` (into Requirements tab), `/rmf/implement` (removed as a hub, becomes the step overview)
5 Assess	Assessment workspace (SCA queue) · Test results · Findings · Mapping review	`/reviews` (SCA part), `/test-results`, `/findings/:id`, `/mapping-review`, `/rmf/assess`
6 Authorize	Package & documents (SSP/SAR/RAR/POA&M/OSCAL) · POA&M · Risk acceptance · Decision (AO)	`/systems/:id/authorization` + `/rmf/authorize` merged, `/poams`
7 Monitor	Monitoring dashboard · Schedules & due · Evidence freshness · eMASS sync	`/rmf/monitor`, `/emass`, ledger freshness, `/traceability` (also shown per control)
Global	My Work · Systems · Import Center · Search · Admin (+ Audit log, Notifications, Help)	`/rmf-workflow` (becomes Help "RMF overview"), `/portfolio` (ISSM/AO My Work + Systems), `/help` + `/docs-center` merged

Merged or removed (UI only, all functionality kept):

- the 7 hub pages become the step overview on the dashboard
- the duplicate document buttons
- the categorization summary on Select (becomes a chip)
- Registration's info-type/PII fields
- separate eMASS import / Test Results import buttons (Import Center)
- `/rmf-workflow`
- Help vs Docs Center

Unchanged:

- deep-link routes (redirects)
- APIs
- permissions

3.2 Per-step status model

Status	Meaning	Colour
Complete	All required activities done and approvals recorded	emerald `#10B981`
Remaining	Required work left (shows the count, e.g. "110 remaining")	brand `#2597B2`
Awaiting another role	Your part is done; waiting for SCA / ISSM / AO (shows who)	gold `#F5A623`
Optional	Not required yet (e.g. Monitor before ATO)	mist `#CBD5E1`
Blocked	A prerequisite is missing (shows which, with a link)	coral `#F97066`

Responsible roles per step:

Step	Roles
Prepare	System Owner, ISSO
Categorize	ISSO proposes, AO approves
Select	ISSO proposes; ISSM approves the strategy
Implement	ISSO, System Owner, CCP
Assess	SCA (independent)
Authorize	ISSM reviews, AO decides
Monitor	ISSO, ISSM

The status is computed from the existing records with no new data. It uses the same counts as the current stepper (`services/counts.py` , step-status endpoints).

3.3 System RMF dashboard (`mockups/png/dashboard.png`)

- **Header:** system name, categorization, framework, phase, eMASS ID, ATO target.
- **"Continue where you left off":** the last edited object plus the recommended next action. The action is computed from that step's own status, not the generic "Assign key roles".
- **7 step cards**, each showing:

- status and progress
- required vs completed counts
- missing information
- pending approval (with who)
- roles
- one primary next action
- **Readiness for authorization:** a live blocker list. These are the same checks the documents use today, shown before generation.
- **Pending approvals** and **Recent activity**, both read from the same shared system record (import, scan and policy events).

3.4 My Work by role (`mockups/png/mywork_*.png`)

Role	Sees first	Not shown
ISSO	Statements to write, mapping suggestions, stale evidence, unmapped findings, unfinished imports	Approve/authorize actions (SoD)
SCA	Assessment requests assigned, retests after POA&M closure, imported historical results to confirm	Statement editing (SCA independence)
ISSM	Strategy and package approvals, returned items, ATO expiries	Recording determinations
AO	Decisions only: categorization approval, risk acceptance, authorization decision	Any edit actions; the package opens read-only

The data comes from the existing work queue, reviews and notifications. Permissions are unchanged; actions are hidden only where the role matrix already denies them.

3.5 Control Workbench, 2 panes (`mockups/png/workbench.png`)

Left pane:

- the existing catalog-tree component, with search (ID/title/CCI/keyword normalisation already built)
- simple status dots
- **4 filters:** Status · Family · Needs action · Mine
- the list is always visible (today it is hidden until you pick a filter)

Right pane:

- a header with **4 labelled status chips:** Implementation · Assessment · Policy coverage · Evidence. Open findings / POA&M are added as a chip.
- tabs: **Requirements** (statement, ODPs, CCIs, assessment procedure) | **Implementation** | **Evidence & Policies** | **Assessment** (read-only for ISSO; SCA records) | **Findings & POA&M** | **Monitoring** (SLCM, schedule, freshness)
- **Advanced eMASS fields are collapsed:** designation, SLCM overrides, N/A justification, estimated completion, CCP.

3.6 Terminology and status glossary

Dimension	Labels (eMASS wording where it exists)	Colour	One-line meaning
Implementation status	Planned · Implemented · Partially Implemented · Not Implemented · Not Applicable · Inherited	brand / emerald / gold / coral / slate / violet	What the system owner says is in place (eMASS "Implementation Status").
Policy coverage	Covered · Partially covered · Not covered · Not analysed	outlined chip (no fill)	Whether an approved policy says the control is required. Never an assessment.

Assessment determination	Satisfied · Other Than Satisfied · Not Assessed · Not Applicable	solid chip, emerald / coral / mist	The SCA's independent result (eMASS "Compliance Status": Compliant / Non-Compliant).
Authorization status	Not yet authorized · ATO · ATO with conditions · IATT · DATO · Expired	header badge	The AO's decision for the whole system.
Evidence freshness	Current · Due soon · Stale · Missing	dot + age	Whether evidence is within its required review period.
POA&M status	Ongoing · Risk Accepted · Completed · Delayed	chip with due date	eMASS POA&M "Status".

Label renames (UI text only):

Current label	New label
Evidence Ledger	Evidence
Evidence Sources	Evidence › Add
Templates → Test Results	Assess › Test results
CCI view	Requirements tab
Reviews	Assessment workspace (SCA) / Approvals (ISSM/AO)
eMASS Sync	Monitor › eMASS sync
Accept as informational	Keep as information only
Never monitored	No monitoring recorded yet
Make it the … profile value	Use for these families
legacy_unreviewed	Needs review

3.7 Navigation aids

- Breadcrumbs: System › Step › Page › Object.
- Global search (⌘K).
- Recently viewed systems and controls.
- Saved filters per user: Workbench and Mapping Review.
- One toast and loading pattern: sonner plus a skeleton. These already exist; use them everywhere.

3.8 Guided Mode (per user toggle; `mockups/png/guided_on.png` vs `guided_off.png`)

When on, each step shows a panel with:

- **Purpose**
- **Why it matters**
- **Information you need**
- **Who does it** (role)
- **What's next**

Inline "why" notes also appear next to complex fields. It uses the same data, rules and permissions as streamlined mode, and only adds explanatory content. Default is on for new users (first 14 days) and off otherwise. The toggle lives in the header.

3.9 Standard flows

Diagrams are in `FLOWS.md`.

Flow	Used by
Upload → Preview → Import → Completed (with next action)	every import
Upload → Analyze → Review findings → Approve/Correct	policy, STIG, ACAS mapping
Select control → Review evidence → Record determination → Save & next	SCA
Generate SSP → Review validation → Download	documents

4 · Baseline task metrics (CURRENT UI)

- **Run:** `python3 scripts/ux_baseline/tasks.py`, then `python3 scripts/ux_baseline/metrics_table.py`.
- **Setup:** ISSO (demo sandbox) on the SYNTHETIC sandbox (https://aegis-rmf-demo.preview.emergentagent.com), fresh system `UXB6E5` for tasks 1–7 and 12, seeded LTP for tasks 8–11.
- **Counting rules:**
- Clicks: every click or option choice, including the file chooser and sidebar navigation.
- Fields: text typed, options chosen or files picked.
- Page changes: changes of URL path.
- Scripted time: wall-clock time of the script, including network. It is not human time; use it only to compare before and after.
- **Caveat – "Next action shown":** the walk records yes when any "Next action / Next step" text is on the final screen. Today that is often the generic "Next action: Assign key roles" banner (audit #3), so a yes here overstates the guidance.
- **Package:** the LTP package was already submitted, so the submit button was absent. The package task measures the path to the package page.
- **Screenshots** at the end of each task: `screens/tasks/<task>.png`.

Task	Clicks	Page changes	Fields	Scripted s	Next action shown	Data entered twice	Completed	eMASS reference (approx.)
Register a system	6	2	3	8.6	yes	info type + PII entered here AND in Categorize	yes	≈4 wizard pages (System Information, Authorization Information, Roles, Review/Submit) [1]
Categorize	4	1	3	4.1	yes	yes (see register)	yes	≈3 screens – Categorization tab, info types, submit (approx.) [2]
Select a baseline	5	1	1	4.7	yes	no	yes	≈2 – Controls → baseline auto-assigned from categorization, tailor (approx.) [2]
Import implementation info (Implementation Plan)	6	2	2	7.0	**no**	no	yes	≈4 – Controls → Bulk Processing → Implementation Plan import → review (approx.) [1][3]
Update a control	6	2	2	11.7	**no**	no	yes	≈3 – Controls → select control → Implementation Plan tab → save (approx.) [2]
Attach evidence	7	2	3	7.1	**no**	source name before first upload	yes	≈3 – Artifacts → Add Artifact → associate to control (approx.) [2]
Import test results	4	2	1	5.0	**no**	no	yes	≈4 – Controls → Bulk Processing → Test Result import → review (approx.) [1][3]
Review a finding	5	3	1	4.8	**no**	no	yes	≈3 – Controls / Assets → non-compliant test result (approx.) [2]
Create/update a POA&M (from the finding)	2	1	0	2.8	**no**	no	yes	≈4 – POA&M → Add/Edit item → milestones → save (approx.) [1]
Generate an SSP	3	1	0	3.5	yes	no	yes	≈2 – Reports → System Security Plan report (approx.) [2]
Prepare an authorization package	3	3	0	9.5	yes	no	yes	≈3 – Package → Submit → Package Approval Chain (PAC) [1]

Configure continuous monitoring	5	1	3	4.6	yes	no	yes	≈3 – Controls → SLCM fields per control / bulk (approx.) [2]
Total (12 tasks)	**56**	**21**	**19**	–	6/12	3		

eMASS reference sources (approximate where marked):

- [1] DCSA, *NISP eMASS Industry Operation Guide* v1.1 (registration's 4 steps, POA&M, package submission / PAC) – https://www.dcsa.mil/Portals/91/Documents/CTP/tools/NISP%20eMASS%20Industry%20Operation%20Guide%20Version%201.1.pdf
- [2] DISA eMASS User Guide (in-app Help; not public – counts estimated from [1] and [3], so approximate)
- [3] rmf.org, *eMASS Overview / Essentials* (bulk processing of the Implementation Plan and Test Results) – https://rmf.org/wp-content/uploads/2018/03/eMASS-Overview-Outline.pdf

7 · Prioritized implementation backlog (incremental releases)

Rules for every release:

- **UI-only.** Existing APIs and records are reused.
- Data impact: **none**. Permission impact: **none**. The role matrix and SoD are unchanged; actions are only hidden where they are already denied.
- Each release ships on its own, behind no flag, with:
- unit/RTL tests
- the baseline task script re-run
- the tenant sweep plus the full serial suite
- old deep links redirected


Rel	Item	Effort	Risk	Data / permission impact	Target metric
R1	**System RMF dashboard** + "Continue where you left off" + per-step status model (computed from existing counts) + step-specific next action (replaces the generic "Assign key roles")	M (5–7 d)	Low	None / none	next_action_shown 6/12 (several only the generic banner) → 12/12 step-specific. Page changes to start any task −1.
R1	**RMF navigation**: 7 steps + 5 global items, breadcrumbs, recently viewed. Old routes stay as aliases.	M (4–5 d)	Medium (deep links, testids)	None / none	Sidebar entries 29 → 12 (+ sub-items in context). Hub page changes removed.
R2	**Workbench 2-pane**: always-visible tree, 4 filters, labelled status chips, 6 tabs, advanced fields collapsed	L (8–10 d)	Medium (most-used screen; many testids)	None / none	update_control clicks 6 → 3. Visible selects 13 → 4.
R2	**Glossary in UI**: one StatusChip component per dimension + label renames	S (2–3 d)	Low	None / none	Terminology issues (audit list) → 0
R3	**Import Center flow**: Upload → Preview → Import → Completed, with next action and an "open in step" link. Evidence upload creates a default source automatically.	M (4–6 d)	Low	None / none. The source is the existing model, auto-created per system.	import_impl next action false → true. Evidence clicks 7 → 3, fields 3 → 1.
R3	**Mapping Review simplified**: 3 tabs, reason inline, row actions, bulk approve high-confidence with a shared rationale (existing bulk API)	M (4–5 d)	Low	None / none (human approval kept)	Tabs 6 → 3. Visible buttons 51 → ≈20.
R4	**Assessment workspace (SCA)**: one queue, with evidence + implementation + historical eMASS results side by side. Save & next.	L (7–9 d)	Medium (SCA independence: read-only for others)	None / none	Clicks per determination ≈ 5 → 2. TR import → SCA queue link closed.
R4	**Package & documents** merged (one place for SSP/SAR/RAR/POA&M/OSCAL) + live readiness blockers	M (4–5 d)	Low	None / none	ssp: page changes 1. Duplicate doc buttons 4 → 1.
R5	**My Work per role** (ISSO/SCA/ISSM/AO) from the existing queue, reviews and notifications	M (5–6 d)	Low	None / none	Time-to-first-action for a new user (scripted) −50%
R5	**Registration de-duplication**: info types/PII owned by Categorize. Registration keeps a link to it.	S (2 d)	Medium (registration tests, PII binary flow)	None (fields still saved on the same record) / none	Fields entered twice 2 → 0
R6	**Guided Mode** toggle (per user preference, existing user settings)	M (4–5 d)	Low	User preference only / none	New-ISSO walkthrough without help pages

R6	**Connectedness gaps**: ACAS → "create POA&M for N new findings" suggestion (human confirm); Monitor notice "strategy awaiting ISSM approval"; pending policy suggestions shown on the control	M (5 d)	Low	None / none (suggestions only, human creates)	Connectedness table: all rows → Works
R7	Saved filters, ⌘K search everywhere, Help merge	S–M (3–4 d)	Low	User preference only	–


Order rationale: dashboard and navigation first, because every later screen hangs off them. Then the three heaviest daily screens: Workbench, Import, Mapping Review. Then assessment, which fixes the SCA's scattered work.

Mockups (non-functional)


assessment




dashboard


MOCKUP – NON-FUNCTIONAL · SYNTHETIC DEMONSTRATION DATA
IronVision AI
Search systems, controls (AC-2, ac-2.1), findings, POA&M, people... ⌘K
Acting as ISSO
Guided mode: off
LTP – Logistics Tracking Platform
My Work
Systems
Import Center
Search
Admin
LTP · RMF STEPS
System dashboard
1 · Prepare Done
2 · Categorize Done
3 · Select Done
4 · Implement 62%
5 · Assess SCA
6 · Authorize –
7 · Monitor Optional
RECENTLY VIEWED
AC-2 Account Management
P-0015 Log4Shell
MPP – Mission Planning
LTP › Dashboard
Logistics Tracking Platform
Moderate (C M · I M · A L) · FIPS 199 · In assessment · eMASS DEMO-1000 · ATO target 2027-02-01
CONTINUE WHERE YOU LEFT OFF
AC-2 Account Management – implementation statement (draft, edited 14 min ago)
Recommended next: submit AC-2 for ISSO review, then 37 more controls without a statement in the AC family.
Resume AC-2 →
1 · Prepare Complete
4/4 roles · boundary set
No pending approvals
Roles: System Owner, ISSO
View →
2 · Categorize Complete
Moderate · approved rev 3
No pending approvals
Roles: ISSO → AO
View →
3 · Select Complete
291 controls · strategy draft
⏳ Awaiting: ISSM approval of the monitoring strategy
Roles: ISSO → ISSM
Remind ISSM →
4 · Implement 62% · 110 remaining
181/291 implemented
⏳ Awaiting: 38 controls without a statement
Roles: ISSO, System Owner
Write 38 statements →
5 · Assess Awaiting SCA
0/291 determined
⏳ Awaiting: SCA assessment requested
Roles: SCA
Open SCA queue →
6 · Authorize Not started
SSP 92% valid · 6 open POA&M
No pending approvals
Roles: ISSM → AO
Check SSP validation →
7 · Monitor Optional until ATO
12 evidence items stale
No pending approvals
Roles: ISSO
Refresh stale evidence →
Readiness for authorization
58% – 3 blockers
• 38 statements missing • SCA determinations 0/291 • ISCM strategy not approved
See package checklist →
Pending approvals for this system
ITEM
WAITING FOR
SINCE
Continuous Monitoring Strategy v4 (from SLCM import)
ISSM Morgan Lee
2 days
SCA assessment request (291 controls)
SCA Dana Brooks
5 days
Risk acceptance P-0031
AO Col. Taylor
1 day
Recent activity (one shared record)
eMASS Implementation Plan imported – 287 controls updated
ISSO · today
ACAS scan ltp_weekly_scan.nessus → 2 findings, 1 asset, linked to P-0015
auto · today
Policy AC-policy v3 → 14 mapping suggestions
ISSO · yesterday


guided_off


MOCKUP – NON-FUNCTIONAL · SYNTHETIC DEMONSTRATION DATA
IronVision AI
Search systems, controls (AC-2, ac-2.1), findings, POA&M, people... ⌘K
Acting as ISSO
Guided mode: off
LTP – Logistics Tracking Platform
My Work
Systems
Import Center
Search
Admin
LTP · RMF STEPS
System dashboard
1 · Prepare Done
2 · Categorize Done
Information types & impact
Privacy (PII)
AO approval
3 · Select Done
4 · Implement 62%
5 · Assess SCA
6 · Authorize –
7 · Monitor Optional
RECENTLY VIEWED
AC-2 Account Management
P-0015 Log4Shell
MPP – Mission Planning
LTP › 2 · Categorize
Categorize
Information types
Search 180 information types...
D.16.3 Inventory Control M · M · L
C.3.2.4 Logistics Management M · M · M
Result
Moderate
C Moderate · I Moderate · A Moderate → 800-53B Moderate baseline
Does this system contain PII?
Yes
No
Awaiting AO approval
Submit for AO approval


guided_on


MOCKUP – NON-FUNCTIONAL · SYNTHETIC DEMONSTRATION DATA
IronVision AI
Search systems, controls (AC-2, ac-2.1), findings, POA&M, people... ⌘K
Acting as ISSO
Guided mode: on
LTP – Logistics Tracking Platform
My Work
Systems
Import Center
Search
Admin
LTP · RMF STEPS
System dashboard
1 · Prepare Done
2 · Categorize Done
Information types & impact
Privacy (PII)
AO approval
3 · Select Done
4 · Implement 62%
5 · Assess SCA
6 · Authorize –
7 · Monitor Optional
RECENTLY VIEWED
AC-2 Account Management
P-0015 Log4Shell
MPP – Mission Planning
LTP › 2 · Categorize
Categorize
Guided mode · Step 2 Categorize
Purpose
Decide how bad a loss of confidentiality, integrity or availability would be (FIPS 199).
You need
The information types the system processes (SP 800-60), PII yes/no.
Who
ISSO proposes · AO approves. Next: Select picks the baseline from this result.
Information types
Search 180 information types...
D.16.3 Inventory Control M · M · L
C.3.2.4 Logistics Management M · M · M
Why: each type has provisional impact levels; the highest per objective wins (high-water mark).
Result
Moderate
C Moderate · I Moderate · A Moderate → 800-53B Moderate baseline
Does this system contain PII?
Yes
No
Awaiting AO approval
Submit for AO approval


import_center




mapping_review




mywork_ao


MOCKUP – NON-FUNCTIONAL · SYNTHETIC DEMONSTRATION DATA
IronVision AI
Search systems, controls (AC-2, ac-2.1), findings, POA&M, people... ⌘K
Acting as AO
Guided mode: off
LTP – Logistics Tracking Platform
My Work
Systems
Import Center
Search
Admin
LTP · RMF STEPS
System dashboard
1 · Prepare Done
2 · Categorize Done
3 · Select Done
4 · Implement 62%
5 · Assess SCA
6 · Authorize –
7 · Monitor Optional
RECENTLY VIEWED
AC-2 Account Management
P-0015 Log4Shell
MPP – Mission Planning
My Work
My Work – AO
Decisions waiting for you. Ordered by what blocks authorization first.
Due this week
5
Waiting on others
3
Overdue
1
Systems
4
Next actions
SYSTEM
TASK
STEP
LTP
Risk acceptance P-0031 (CAT II, residual Moderate)
Authorize
Open →
MPP
Authorization decision – package complete, SAR & RAR attached
Authorize
Open →
FMDH
Approve categorization revision 2 (High)
Categorize
Open →
Role-based: Decisions only; nothing to edit. Package summary opens read-only.


mywork_issm


MOCKUP – NON-FUNCTIONAL · SYNTHETIC DEMONSTRATION DATA
IronVision AI
Search systems, controls (AC-2, ac-2.1), findings, POA&M, people... ⌘K
Acting as ISSM
Guided mode: off
LTP – Logistics Tracking Platform
My Work
Systems
Import Center
Search
Admin
LTP · RMF STEPS
System dashboard
1 · Prepare Done
2 · Categorize Done
3 · Select Done
4 · Implement 62%
5 · Assess SCA
6 · Authorize –
7 · Monitor Optional
RECENTLY VIEWED
AC-2 Account Management
P-0015 Log4Shell
MPP – Mission Planning
My Work
My Work – ISSM
Approvals and oversight. Ordered by what blocks authorization first.
Due this week
6
Waiting on others
3
Overdue
1
Systems
4
Next actions
SYSTEM
TASK
STEP
LTP
Approve Continuous Monitoring Strategy v4
Select
Open →
MPP
Review package before AO submission
Authorize
Open →
LTP
2 implementation statements returned for rework
Implement
Open →
Portfolio
2 ATOs expire within 90 days
Monitor
Open →
Role-based: Approvals + oversight; assessment determinations stay with the SCA.


mywork_isso


MOCKUP – NON-FUNCTIONAL · SYNTHETIC DEMONSTRATION DATA
IronVision AI
Search systems, controls (AC-2, ac-2.1), findings, POA&M, people... ⌘K
Acting as ISSO
Guided mode: off
LTP – Logistics Tracking Platform
My Work
Systems
Import Center
Search
Admin
LTP · RMF STEPS
System dashboard
1 · Prepare Done
2 · Categorize Done
3 · Select Done
4 · Implement 62%
5 · Assess SCA
6 · Authorize –
7 · Monitor Optional
RECENTLY VIEWED
AC-2 Account Management
P-0015 Log4Shell
MPP – Mission Planning
My Work
My Work – ISSO
Your work across 4 systems. Ordered by what blocks authorization first.
Due this week
7
Waiting on others
3
Overdue
1
Systems
4
Next actions
SYSTEM
TASK
STEP
LTP
Write 38 implementation statements (AC, IA, SC)
Implement
Open →
LTP
14 policy mapping suggestions to review
Implement
Open →
MPP
12 evidence items are stale (> 90 days)
Monitor
Open →
FMDH
3 unmapped open findings
Assess
Open →
TRS
Import the eMASS Test Results you started
Assess
Open →
Role-based: No approve/authorize actions shown (SoD).


mywork_sca


MOCKUP – NON-FUNCTIONAL · SYNTHETIC DEMONSTRATION DATA
IronVision AI
Search systems, controls (AC-2, ac-2.1), findings, POA&M, people... ⌘K
Acting as SCA
Guided mode: off
LTP – Logistics Tracking Platform
My Work
Systems
Import Center
Search
Admin
LTP · RMF STEPS
System dashboard
1 · Prepare Done
2 · Categorize Done
3 · Select Done
4 · Implement 62%
5 · Assess SCA
6 · Authorize –
7 · Monitor Optional
RECENTLY VIEWED
AC-2 Account Management
P-0015 Log4Shell
MPP – Mission Planning
My Work
My Work – SCA
Assessments assigned to you. Ordered by what blocks authorization first.
Due this week
5
Waiting on others
3
Overdue
1
Systems
4
Next actions
SYSTEM
TASK
STEP
LTP
Assess 291 controls – requested by ISSM 5 days ago
Assess
Open →
MPP
Re-test 4 controls after POA&M closure
Assess
Open →
LTP
Approve 22 imported eMASS test results (historical)
Assess
Open →
Role-based: Only assessment actions – no statement editing (SCA independence).


navigation


MOCKUP – NON-FUNCTIONAL · SYNTHETIC DEMONSTRATION DATA
IronVision AI
Search systems, controls (AC-2, ac-2.1), findings, POA&M, people… ⌘K
Acting as ISSO
Guided mode: off
LTP – Logistics Tracking Platform
My Work
Systems
Import Center
Search
Admin
LTP · RMF STEPS
System dashboard
1 · Prepare Done
2 · Categorize Done
3 · Select Done
4 · Implement 62%
Control Workbench
Policies
Evidence
Inheritance
5 · Assess SCA
6 · Authorize –
7 · Monitor Optional
RECENTLY VIEWED
AC-2 Account Management
P-0015 Log4Shell
MPP – Mission Planning
LTP › 4 · Implement
Navigation – 7 RMF steps inside the system
Global: My Work · Systems · Import Center · Search · Admin. Everything else lives under the system's RMF steps (any order). Status dot per step; breadcrumbs and recently viewed everywhere.
1 · Prepare
• Roles & people
• System profile & boundary
• HW/SW inventory
• PPSM ports
2 · Categorize
• Information types & impact
• Privacy (PII)
• AO approval
3 · Select
• Baseline & overlays
• Tailoring & parameters
• Monitoring strategy
4 · Implement
• Control Workbench
• Policies
• Evidence
• Inheritance
5 · Assess
• Assessment workspace
• Test results
• Findings
• Mapping review
6 · Authorize
• Package & documents
• POA&M
• Risk acceptance
• Decision
7 · Monitor
• Dashboard
• Schedules & due
• Evidence freshness
• eMASS sync

ssp



MOCKUP – NON-FUNCTIONAL · SYNTHETIC DEMONSTRATION DATA
IronVision AI
Search systems, controls (AC-2, ac-2.1), findings, POA&M, people... ⌘K
Acting as ISSO
Guided mode: off
LTP – Logistics Tracking Platform
My Work
Systems
Import Center
Search
Admin
LTP · RMF STEPS
System dashboard
1 · Prepare Done
2 · Categorize Done
3 · Select Done
4 · Implement 62%
5 · Assess SCA
6 · Authorize
Package & documents
POA&M
Risk acceptance
Decision
7 · Monitor Optional
RECENTLY VIEWED
AC-2 Account Management
P-0015 Log4Shell
MPP – Mission Planning
LTP › 6 · Authorize › Package & documents › SSP
Generate SSP
The SSP is built from the shared system record – nothing is typed twice.
1 Generate ✓
2 Review validation
3 Download
Validation – 92% complete
✓ System profile, roles, boundary Prepare
✓ Categorization (approved rev 3) Categorize
✓ 291 controls, parameters Select
38 controls without a statement
Fix in Workbench →
1 interconnection without ISA date
Fix in Prepare →
Download
SSP (DOCX) · SSP (PDF) · Appendix: control implementation (eMASS xlsx)
Download anyway (watermarked DRAFT)
Download SSP
Each issue links to the exact field where the information lives.

workbench



MOCKUP – NON-FUNCTIONAL · SYNTHETIC DEMONSTRATION DATA
IronVision AI
Search systems, controls (AC-2, ac-2.1), findings, POA&M, people... ⌘K
Acting as ISSO
Guided mode: off
LTP – Logistics Tracking Platform
My Work
Systems
Import Center
Search
Admin
LTP · RMF STEPS
System dashboard
1 · Prepare Done
2 · Categorize Done
3 · Select Done
4 · Implement 62%
Control Workbench
Policies
Evidence
Inheritance
5 · Assess SCA
6 · Authorize –
7 · Monitor Optional
RECENTLY VIEWED
AC-2 Account Management
P-0015 Log4Shell
MPP – Mission Planning
LTP › 4 · Implement › Control Workbench › AC-2
Control Workbench
Import...
Export
Search ID, title, CCI, keyword... (ac-2.1)
Status
Family
Needs action
Mine
291
AC Access Control 18/25
AC-2 Account Management
AC-2(1) Automated Account Mgmt
AC-2(3) Disable Accounts
AC-3 Access Enforcement
AC-17(2) Protection of Confidentiality
AT Awareness & Training 5/6
AU Audit & Accountability 9/16
CM Configuration Mgmt 12/22
CP Contingency Planning 3/13
implemented partial finding not started
AC-2 Account Management
Save
Implementation: Partially Implemented
Assessment: Not Assessed
Policy coverage: Covered (AC policy v3)
Evidence: Current
1 open finding · P-0015
Requirements
Implementation
Evidence & Policies (3)
Assessment
Findings & POA&M (1)
Monitoring
Implementation status
Partially Implemented
Responsible entities
ISSO; System Owner
Implementation statement
a. The organization defines the types of accounts allowed (individual, group, system, service)... [ODP: account types = individual, service]
b. Account managers are assigned by the System Owner...
Draft · autosaved 14 min ago · suggestion from AC policy v3 available
Submit for review
▸ Advanced eMASS fields (designation, SLCM overrides, N/A justification, estimated completion, CCP) – collapsed

Before / after


assessment: current UI (left) vs proposal (right)




dashboard: current UI (left) vs proposal (right)




import_center: current UI (left) vs proposal (right)



mapping_review: current UI (left) vs proposal (right)



navigation: current UI (left) vs proposal (right)



workbench: current UI (left) vs proposal (right)

