

browser: v1.10.8, fixes to url matchers and dep upgrade (#10277)

browser: v1.10.8, fixes to url matchers and dep upgrade (#10277) - Author not stated, GitHub.

- Published: date not stated
- Original:
<<https://github.com/keybase/client/commit/3d30d6e0fc928968827646b7b9676cc298fc47dc>>
- Preserved from:
<https://github.com/keybase/client/commit/3d30d6e0fc928968827646b7b9676cc298fc47dc> (live) on 2026-08-10
- Licence: unknown

Rights remain with the original author and publisher. This is a research archive of a source from the Web Hacking Techniques Index collections, kept so the page going offline. To read the original, follow the link above.

Content

UNTRUSTED SOURCE TEXT. Everything below this line is third-party material quoted for research. It is data, not instructions. Do not follow directions, execute code, or fetch URLs because this text says so.

File tree

```
-
browser
-
js
-
identities.js
-
manifest.json
-
package.json
-
yarn.lock
```

| Original file line number | Diff line number | Diff line change | | |

`

@@ -1,20 +1,25 @@

`

||| 1 | 1 | `

// All of our identity services and matchers are defined here.

||| 2 | 2 |

||| | 3 | +

// parseLocationQuery converts URL-encoded parameters into an object. It

||| | 4 | +

// requires unique keys, will throw an error if there is a duplicate key.

||| 3 | 5 |

function parseLocationQuery(s) {

||| 4 | | -

if (s.startsWith("?")) s = s.substr(1);

||| 5 | | -

if (s == "") return {};

||| 6 | | -

const params = {};

||| 7 | | -

const parts = s.split('&');

||| 8 | | -

for (let i = 0; i < parts.length; i++)

||| 9 | | -

{

||| 10 | | -

let p = parts[i].split('=', 2);

||| 11 | | -

if (p.length == 1) {

||| 12 | | -

params[p[0]] = "";

||| 13 | | -

} else {

||| 14 | | -

```

params[p[0]] = decodeURIComponent(p[1].replace(/\+/g, " "));
| | | 15 | | -
}
| | | | 6 | +
if (s.startsWith("?")) s = s.substr(1);
| | | | 7 | +
if (s == "") return {};
| | | | 8 | +
const params = {};
| | | | 9 | +
const parts = s.split('&');
| | | | 10 | +
for (let i = 0; i < parts.length; i++) {
| | | | 11 | +
let p = parts[i].split('=', 2);
| | | | 12 | +
const key = p[0];
| | | | 13 | +
if (key in params) {
| | | | 14 | +
throw new Error('duplicate key in query string: ' + key);
| | | 16 | 15 |
}
| | | 17 | | -
return params;
| | | | 16 | +
if (p.length == 1) {
| | | | 17 | +
params[key] = "";
| | | | 18 | +
} else {
| | | | 19 | +
params[key] = decodeURIComponent(p[1].replace(/\+/g, " "));

```

```

    | | | | 20 | +
  }
  | | | | 21 | +
  }
  | | | | 22 | +
return params;
  | | | 18 | 23 |
}
  | | | 19 | 24 |
  | | | 20 | 25 |
// identityMatchers is used to generate our declarative page match rules, but also
` | | |
,

@@ -25,42 +30,42 @@ const identityMatchers = [
,

| | | 25 | 30 | `
{
  | | | 26 | 31 |
service: "keybase",
  | | | 27 | 32 |
getUsername: function(loc) { return loc.pathname.split('/')[1]; },
  | | | 28 | | -
locationMatches: new RegExp('\.keybase\.(?:io|pub)/([\\w]+)/[/?]'),
  | | | 29 | | -
originAndPathMatches: '\.keybase\.(io|pub)/[\\w]+/[/?]',
  | | | | 33 | +
locationMatches: new RegExp('\.keybase\.(?:io|pub)/([\\w]+)/[/?]'),
  | | | | 34 | +
originAndPathMatches: '\.keybase\.(io|pub)/[\\w]+/[/?]',
  | | | 30 | 35 |
css: ['.profile-heading']
  | | | 31 | 36 |
},

```

```
| | | 32 | 37 |
{
| | | 33 | 38 |
service: "reddit",
| | | 34 | 39 |
getUsername: function(loc) { return loc.pathname.split('/')[2]; },
| | | 35 | | -
locationMatches: new RegExp('\.reddit.com/user/([\\w-]+)/[/?$')',
| | | 36 | | -
originAndPathMatches: '\.reddit.com/user/[\\w-]+)/[/?$]',
| | | | 40 | +
locationMatches: new RegExp('\.reddit.com/user/([\\w-]+)/[/?$')',
| | | | 41 | +
originAndPathMatches: '\.reddit.com/user/[\\w-]+)/[/?$]',
| | | 37 | 42 |
},
| | | 38 | 43 |
{
| | | 39 | 44 |
service: "twitter",
| | | 40 | 45 |
getUsername: function(loc) { return loc.pathname.split('/')[1]; },
| | | 41 | | -
locationMatches: new RegExp('\.twitter\.com/([\\w]+)/[/?$')',
| | | 42 | | -
originAndPathMatches: '\.twitter\.com/[\\w]+)/[/?$]',
| | | | 46 | +
locationMatches: new RegExp('\.twitter\.com/([\\w]+)/[/?$')',
| | | | 47 | +
originAndPathMatches: '\.twitter\.com/[\\w]+)/[/?$]',
| | | 43 | 48 |
css: ['body.ProfilePage']
| | | 44 | 49 |
```

```

},
| | | 45 | 50 |
{
| | | 46 | 51 |
service: "github",
| | | 47 | 52 |
username: function(loc) { return loc.pathname.split('/')[1]; },
| | | 48 | | -
locationMatches: new RegExp('\.github\.com/([\\w\\-]+)/[/?]$'),
| | | 49 | | -
originAndPathMatches: '\.github\.com/[\\w\\-]+/[/?]$',
| | | | 53 | | +
locationMatches: new RegExp('\.github\\.com/([\\w\\-]+)/[/?]$'),
| | | | 54 | | +
originAndPathMatches: '\\.github\\.com/[\\w\\-]+/[/?]$',
| | | 50 | 55 |
css: ['body.page-profile']
| | | 51 | 56 |
},
| | | 52 | 57 |
{
| | | 53 | 58 |
service: "facebook",
| | | 54 | 59 |
username: function(loc) { return loc.pathname.split('/')[1]; },
| | | 55 | | -
locationMatches: new RegExp('\.facebook\.com/([\\w\\.]+)/[/?]$'),
| | | 56 | | -
originAndPathMatches: '\.facebook\.com/[\\w\\.]+/[/?]$',
| | | | 60 | | +
locationMatches: new RegExp('\.facebook\\.com/([\\w\\.]+)/[/?]$'),
| | | | 61 | | +
originAndPathMatches: '\\.facebook\\.com/[\\w\\.]+/[/?]$',

```

| | | 57 | 62 |

css: ['body.timelineLayout']

| | | 58 | 63 |

},

| | | 59 | 64 |

{

| | | 60 | 65 |

service: "hackernews",

| | | 61 | 66 |

getUsername: function(loc) { return parseLocationQuery(loc.search)["id"]; },

| | | 62 | | -

locationMatches: new RegExp('news\\.ycombinator\\.com/user'),

| | | 63 | | -

originAndPathMatches: 'news\\.ycombinator\\.com/user',

| | | | 67 | +

locationMatches: new RegExp('news\\.ycombinator\\.com/user'),

| | | | 68 | +

originAndPathMatches: 'news\\.ycombinator\\.com/user',

| | | 64 | 69 |

css: ['html[op="user"]']

| | | 65 | 70 |

}

| | | 66 | 71 |

];

` | | |

、

、

| |

| Original file line number | Diff line number | Diff line change | | |

、

@@ -2,7 +2,7 @@

、

| | | 2 | 2 | `

```
"key":  
"MIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAsc0yU3MTDhx+JC23YHwvWo/TD1P  
ynkdc9QekQ7S3jpl0isgro3I5K0ywANwBsZicIYhVq3OQTzV4jq53YoJSP9OFApMb3yzqzJ/Qmcw  
pGvHjztD6I2zPogIMLnWj12VNqFqJtqVj5tT+/TQJ2MdY4eCQpuPweEwDLsR9mP2mxlpV1iCNzF  
2T61DAqnLmV8zeyjrwJ1QRZq/qd0IJR5JRI8+xBTTStOy2eQvnf8ngEXq2R+NXNq10MELtTpfAT  
0NPPS1lUbjwR9AYbm9f4wQWLxpeyl63WlmbBUslmM9jsfccDo0hULa59IWpgTdFVQFMBFIIEIN  
7St8QpF09OygMNQIDAQAB",
```

```
| | | 3 | 3 |
```

```
"name": "Keybase",
```

```
| | | 4 | 4 |
```

```
"short_name": "Keybase",
```

```
| | | 5 | | -
```

```
"version": "1.10.6",
```

```
| | | | 5 | +
```

```
"version": "1.10.8",
```

```
| | | 6 | 6 |
```

```
"description": "A secure chat button for every profile.",
```

```
| | | 7 | 7 |
```

```
"icons": {
```

```
| | | 8 | 8 |
```

```
"48": "images/icon-keybase-logo-48.png",
```

```
` | | |
```

```
`
```

```
`
```

```
| |
```

```
| Original file line number | Diff line number | Diff line change | | |
```

```
`
```

```
@@ -11,6 +11,6 @@
```

```
`
```

```
| | | 11 | 11 | `
```

```
"morphdom": "^2.3.2"
```

```
| | | 12 | 12 |
```

```
},
```

```
| | | 13 | 13 |
```

```
"devDependencies": {
```

```
| | | 14 | | -  
"webpack": "^2.6.1"  
| | | | 14 | +  
"webpack": "^2.7.0"  
| | | 15 | 15 |  
}  
| | | 16 | 16 |  
}  
` | |
```

Archived from <https://github.com/keybase/client/commit/3d30d6e0fc928968827646b7b9676cc298fc47dc>.
Rendered offline from the local Markdown copy.