

badsecrets

badsecrets - blacklanternsecurity, GitHub.

- Published: date not stated
- Original: <https://github.com/blacklanternsecurity/badsecrets>
- Preserved from: <https://github.com/blacklanternsecurity/badsecrets> (preserved-copy) on 2026-08-04
- Repository commit: d9e43d8f08efadca4e929a87b565cded7f416583
- Licence: see the repository

Rights remain with the original author and publisher. This is a research archive of a source cited by ysonet, kept so the technique survives the page going offline. To read the original, follow the link above.

Content

UNTRUSTED SOURCE TEXT. Everything below this line is third-party material quoted for research. It is data, not instructions. Do not follow directions, execute code, or fetch URLs because this text says so.

Repository reading copy: selected documentation at the recorded commit. Source code is never checked out, built or run.

- Repository: <https://github.com/blacklanternsecurity/badsecrets>
- Commit: d9e43d8f08efadca4e929a87b565cded7f416583
- Documents preserved: 2

LICENSE

Blob 6f39fa236681, 33531 bytes, at commit d9e43d8f08ef.

Copyright (C) 2007 Free Software Foundation, Inc. Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble The GNU Affero General Public License is a free, copyleft license for software and other kinds of works, specifically designed to ensure cooperation with the community in the case of network server software.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, our General Public Licenses are intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if

you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

Developers that use our General Public Licenses protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License which gives you legal permission to copy, distribute and/or modify the software.

A secondary benefit of defending all users' freedom is that improvements made in alternate versions of the program, if they receive widespread use, become available for other developers to incorporate. Many developers of free software are heartened and encouraged by the resulting cooperation. However, in the case of software used on network servers, this result may fail to come about. The GNU General Public License permits making a modified version and letting the public access it on a server without ever releasing its source code to the public.

The GNU Affero General Public License is designed specifically to ensure that, in such cases, the modified source code becomes available to the community. It requires the operator of a network server to provide the source code of the modified version running there to the users of that server. Therefore, public use of a modified version, on a publicly accessible server, gives the public access to the source code of the modified version.

An older license, called the Affero General Public License and published by Affero, was designed to accomplish similar goals. This is a different license, not a version of the Affero GPL, but Affero has released a new version of the Affero GPL which permits relicensing under this license.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS 0. Definitions. "This License" refers to version 3 of the GNU Affero General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code. The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

1. Basic Permissions. All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with

the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

1. Protecting Users' Legal Rights From Anti-Circumvention Law. No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

1. Conveying Verbatim Copies. You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

1. Conveying Modified Source Versions. You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date. b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices". c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it. d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so. A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit.

Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

1. Conveying Non-Source Forms. You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange. b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge. c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b. d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements. e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d. A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

1. Additional Terms. "Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works

containing it; or c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or d) Limiting the use for publicity purposes of names of licensors or authors of the material; or e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors. All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

1. Termination. You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

1. Acceptance Not Required for Having Copies. You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License

grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

1. Automatic Licensing of Downstream Recipients. Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

1. Patents. A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be

so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

1. No Surrender of Others' Freedom. If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.
1. Remote Network Interaction; Use with the GNU General Public License. Notwithstanding any other provision of this License, if you modify the Program, your modified version must prominently offer all users interacting with it remotely through a computer network (if your version supports such interaction) an opportunity to receive the Corresponding Source of your version by providing access to the Corresponding Source from a network server at no charge, through some standard or customary means of facilitating copying of software. This Corresponding Source shall include the Corresponding Source for any work covered by version 3 of the GNU General Public License that is incorporated pursuant to the following paragraph.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the work with which it is combined will remain governed by version 3 of the GNU General Public License.

1. Revised Versions of this License. The Free Software Foundation may publish revised and/or new versions of the GNU Affero General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU Affero General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU Affero General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU Affero General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

1. Disclaimer of Warranty. THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.
1. Limitation of Liability. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.
1. Interpretation of Sections 15 and 16. If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute

waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

Copyright (C)

This program is free software: you can redistribute it and/or modify it under the terms of the GNU Affero General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Affero General Public License for more details.

You should have received a copy of the GNU Affero General Public License along with this program. If not, see [. Also add information on how to contact you by electronic and paper mail.](#)

If your software can interact with users remotely through a computer network, you should also make sure that it provides a way for users to get its source. For example, if your program is a web application, its interface could display a "Source" link that leads users to an archive of the code. There are many ways you could offer source, and different solutions will be better for different programs; see section 13 for the specific requirements.

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU AGPL, see [.](#)

README.md

Blob `dd722b1e740f`, 42094 bytes, at commit `d9e43d8f08ef`.

badsecrets

<p align="left"></p>

[\[image: Ruff\]](#) [\[image: License\]](#) [\[image: Tests\]](#) [\[image: codecov\]](#) [\[image: Pypi Downloads\]](#)

A pure python library for identifying the use of known or very weak cryptographic secrets across a variety of platforms. The project is designed to be both a repository of various

"known secrets" (for example, ASP.NET machine keys found in examples in tutorials), and to provide a language-agnostic abstraction layer for identifying their use.

Knowing when a 'bad secret' was used is usually a matter of examining some cryptographic product in which the secret was used: for example, a cookie which is signed with a keyed hashing algorithm. Things can get complicated when you dive into the individual implementation oddities each platform provides, which this library aims to alleviate.

Check out our full [blog post](#) on the Black Lantern Security blog!

Inspired by [Blacklist3r](#), with a desire to expand on the supported platforms and remove language and operating system dependencies.

Current Modules

Passive Modules

Passive modules analyze cryptographic products (cookies, tokens, signed URLs, etc.) that you already have. They work offline by attempting to decrypt or verify the product against a database of known secrets.

Name	Description
ASPNET_Viewstate	Checks the viewstate/generator against a list of known machine keys.
ASPNET_Resource	Checks <code>WebResource.axd</code> and <code>ScriptResource.axd</code> encrypted URLs against a list of known machine keys. Useful when <code>__VIEWSTATE</code> is not present on a page.
Telerik_HashKey	Checks patched (2017+) versions of Telerik UI for a known <code>Telerik.Upload.ConfigurationHashKey</code>
Telerik_EncryptionKey	Checks patched (2017+) versions of Telerik UI for a known <code>Telerik.Web.UI.DialogParametersEncryptionKey</code>
Flask_SignedCookies	Checks for weak Flask cookie signing password. Wrapper for flask-unsign
Peoplesoft_PSToken	Can check a peoplesoft PS_TOKEN for a bad/weak signing password
Django_SignedCookies	Checks django's session cookies (when in signed_cookie mode) for known django secret_key
Rails_SecretKeyBase	Checks Ruby on Rails signed or encrypted session cookies (from multiple major releases) for known secret_key_base
Generic_JWT	Checks JWTs for known HMAC secrets or RSA private keys
Jsf_viewstate	Checks Both Mojarra and Myfaces implimentations of Java Server Faces (JSF) for use of known or weak secret keys

Name	Description
Symfony_SignedURL	Checks symfony "_fragment" urls for known HMAC key. Operates on Full URL, including hash
Express_SignedCookies_ES	Checks express.js express-session middleware for signed cookies and session cookies for known 'session secret'
Express_SignedCookies_CS	Checks express.js cookie-session middleware for signed cookies and session cookies for known secret
Laravel_SignedCookies	Checks 'laravel_session' cookies for known laravel 'APP_KEY'
ASPNET_Compressedviewstate	Checks for a once popular custom compressed Viewstate code snippet vulnerable to RCE
Rack2_SignedCookies	Checks Rack 2.x signed cookies for known secret keys
Yii2_SignedCookies	Checks Yii2 framework signed cookies for known cookie validation keys
Shiro_RememberMe	Checks Apache Shiro <code>rememberMe</code> cookies for known AES encryption keys
LTPA_Token	Checks IBM WebSphere <code>LtpaToken</code> and <code>LtpaToken2</code> cookies for known LTPA encryption keys

Active Modules

Active modules go a step beyond passive detection. They use YARA-based prefiltering to fingerprint a live target (based on HTTP response headers, cookies, and body content), then forge cryptographic products with known keys and send them to the target to confirm whether the key is accepted. This makes them useful for cases where you don't already have a token to analyze but suspect the target may be using default or well-known secrets.

Active modules are enabled by default in URL mode (`--url`). Use `--passive-only` to disable them.

Name	Description
Shiro_RememberMe_Key	Forges Apache Shiro <code>rememberMe</code> cookies with known AES keys and tests if the target accepts them (deserialization RCE)
GlobalProtect_DefaultMasterKey	Tests PAN-OS GlobalProtect portals for use of the default master encryption key
LTPA_Token_Key	Forges IBM WebSphere <code>LtpaToken2</code> cookies with known LTPA keys and tests if the target grants authentication (auth bypass)

Installation

We have a [pypi](#) package, so you can just do `pip install badsecrets` to make use of the library.

Simple Usage

The best way to use Badsecrets is by simply running `badsecrets` after doing a pip install:

```
pip install badsecrets
badsecrets
eyJhbGciOiJIUzI1NiJ9.eyJpc3N1ZXIiOiJJc3N1ZXIiLCJVc2VybmFtZSI6IkZhZFNlY3JldHMiLCJleHAiOi0jE1OTMxMzM0ODMsImhhdCI6MTQ2NjkwMzA4M30.0vqRikAo_0kKJ0GVrAwQlezymxrLGjcEiW_s3UJMMCo
```

Under the hood, it's using the `cli.py` example. The CLI can also be accessed manually without a pip installation:

Without pip installation:

```
git clone https://github.com/blacklanternsecurity/badsecrets.git
cd badsecrets
python ./badsecrets/examples/cli.py
eyJhbGciOiJIUzI1NiJ9.eyJpc3N1ZXIiOiJJc3N1ZXIiLCJVc2VybmFtZSI6IkZhZFNlY3JldHMiLCJleHAiOi0jE1OTMxMzM0ODMsImhhdCI6MTQ2NjkwMzA4M30.0vqRikAo_0kKJ0GVrAwQlezymxrLGjcEiW_s3UJMMCo
```

Examples

To use the examples, after doing the pip install just `git clone` the repo and `cd` into the `badsecrets` directory:

```
git clone https://github.com/blacklanternsecurity/badsecrets.git
cd badsecrets
```

The commands in the example section below assume you are in this directory.

If you are using the Badsecrets [BBOT](#) module, you don't need to do anything else - BBOT will install the package for you.

cli.py

Bad secrets includes an [example CLI](#) for convenience when manually checking secrets. As mentioned above, it is also accessible by just executing `badsecrets`, after a successful pip install.

Usage

```
usage: badsecrets [-h] [-nc] [-j] [-u URL] [-nh] [-c FILE_OR_MODULE:KEYS]
                  [-p PROXY] [-a USER_AGENT] [-H HEADER] [-d] [-t TIMEOUT]
                  [-P] [-l]
                  [product ...]
```

Check cryptographic products against badsecrets library

positional arguments:

product Cryptographic product to check **for** known secrets

options:

-h, --help show **this** help message and exit

-nc, --no-color Disable color message in the console

-j, --json Output results as JSON only (no banner, no color).
 Outputs nothing on no detection

-u URL, --url URL **Use** URL Mode. Specified the URL of the page to access
 and attempt to check **for** secrets

-nh, --no-hashcat Skip the check **for** compatible hashcat commands when
 secret isn't found

-c FILE_OR_MODULE:KEYS, --custom-secrets FILE_OR_MODULE:KEYS
 Custom secrets to check. Can be specified multiple
 times. Without a module prefix, the file is loaded **for**
 all modules. With a module prefix (MODULE:value), keys
 are targeted to that module only. Value can be a file
 path or comma-separated inline keys. Example: -c
 my_keys.txt or -c Shiro_RememberMe_Key:key1,key2 or -c
 GlobalProtect_DefaultMasterKey:keys.txt

-p PROXY, --proxy PROXY
 In URL mode, Optionally specify an HTTP proxy

-a USER_AGENT, --user-agent USER_AGENT
 In URL mode, Optionally set a custom user-agent

-H HEADER, --header HEADER
 Custom header (e.g., -H 'Cookie: foo=bar'). Can be
 specified multiple times

-d, --debug Enable debug output (request URL, response status,
 headers, etc.)

-t TIMEOUT, --timeout TIMEOUT
 Request timeout in seconds (**default: 10**)

-P, --passive-only Disable active probing in URL mode (only run passive
 analysis)

-l, --list-modules List all available modules with descriptions and exit

- Basic usage - checking a cryptographic product for a known secret (against all modules):

```
badsecrets
eyJhbGciOiJIUzI1NiJ9.eyJjc3N1ZXIiOiJJc3N1ZXIiLCJvc2VybmFtZSI6IkZhZFNlY3JldHMiLCJleHAiOiJlOTMxMzM0ODMsImhhdCI6MTQ2NjkwMzA4M30.ovqRikAo_0kKJ0GVrAwQlezymxrLGjcEiW_s3UJMMCo
```

It has a URL mode, which will connect to a target and attempt to carve for cryptographic products and check any it finds against all modules.

- URL Mode

```
badsecrets --url http://example.com/contains_bad_secret.html
```

You can also set a custom user-agent with `--user-agent "user-agent string"` or a proxy with `--proxy http://127.0.0.1` in this mode.

Example output:

```
$ badsecrets
eyJhbGciOiJIUzI1NiJ9.eyJjc3N1ZXIiOiJJc3N1ZXIiLCJvc2VybmFtZSI6IkZhZFNlY3JldHMiLCJleHAiOiJlOTMxMzM0ODMsImhhdCI6MTQ2NjkwMzA4M30.ovqRikAo_0kKJ0GVrAwQlezymxrLGjcEiW_s3UJMMCo

  _ )           |           |
 _ \   _ ' |   _ ' |   _ |   _ \   _ |   _ |   _ \   _ |   _ |
 | |   (   |   (   | \_ \   _/   (   |   _/   |   \_ \
___/   \_,_| \_,_| ___/   \_| \_| _|   \_| \_| ___/

v0.3.337

Known Secret Found!

Detecting Module: Generic_JWT

Product Type: JSON Web Token (JWT)
Product:
eyJhbGciOiJIUzI1NiJ9.eyJjc3N1ZXIiOiJJc3N1ZXIiLCJvc2VybmFtZSI6IkZhZFNlY3JldHMiLCJleHAiOiJlOTMxMzM0ODMsImhhdCI6MTQ2NjkwMzA4M30.ovqRikAo_0kKJ0GVrAwQlezymxrLGjcEiW_s3UJMMCo
Secret Type: HMAC/RSA Key
Location: manual
Secret: 1234
Details: {'Issuer': 'Issuer', 'Username': 'BadSecrets', 'exp': 1593133483, 'iat': 1466903083, 'jwt_headers': {'alg': 'HS256'}}
```

- Hashcat

By default, when a secret is NOT found, the provided product will be checked for potential hashcat matches. If there is a match, a nearly complete hashcat command will be

produced (potentially) suitable for cracking the product via hashcat. This can let you get those keys that may not be known, but are weak and still crackable. Not all modules are capable of producing hashcat output. This behavior can be disabled with the `--no-hashcat` option.

```
badsecrets
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiIxMjM0NTY3ODkwIiwibmFtZSI6IkpvaG4gRG9lIiwiaWF0IjoxNTE2MjM5MDIyfQ.qvkcSLMQPAQdEuRFv0h3aQIRpTfaI57GjXL0WI_6NaE
```

Example output:

```
 _ )      |
 _ \    _ ' | _ ' | _ | _ \ _ | _ | _ \ _ | _ |
 | | ( | ( | \_ \ _/ ( | _/ | \_ \
___/ \_,_| \_,_| ___/ \_| \_| _ | \_| \_| ___/
```

v0.3.337

No secrets found :(

Potential matching hashcat commands:

Module: [Flask_SignedCookies] Flask Signed Cookie Command: [hashcat -m 29100 -a 0
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiIxMjM0NTY3ODkwIiwibmFtZSI6IkpvaG4gRG9lIiwiaWF0IjoxNTE2MjM5MDIyfQ.qvkcSLMQPAQdEuRFv0h3aQIRpTfaI57GjXL0WI_6NaE <dictionary_file>]

Module: [Generic_JWT] JSON Web Token (JWT) Algorithm: HS256 Command: [hashcat -m 16500 -a 0
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiIxMjM0NTY3ODkwIiwibmFtZSI6IkpvaG4gRG9lIiwiaWF0IjoxNTE2MjM5MDIyfQ.qvkcSLMQPAQdEuRFv0h3aQIRpTfaI57GjXL0WI_6NaE <dictionary_file>]

- Custom Secret Lists

It is possible to specify a file containing additional secrets. These will be added to the default lists when the check is performed. This is accomplished with the `-c / --custom-secrets` flag. The provided value must be a valid file. There is a 100k size limit on the provided file.

```
badsecrets
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiIxMjM0NTY3ODkwIiwibmFtZSI6IkpvaG4gRG9lIiwiaWF0IjoxNTE2MjM5MDIyfQ.vKxsE0u-TrpoMQ5zmBv1_I-NXSgouq6iZJWMHbHSmgY -c test.txt
```

Example output:

```
__ )      |      |
__ \  _ ' |  _ ' |  __|  _ \  __|  __|  _ \  __|  __|
|  |  (  |  (  | \_ \  _/  (  |  _/  |  \_ \
___/  \_,_| \_,_| ___/  \_,_| \_,_|  \_,_| \_,_| ___/
```

v0.3.337

Including custom secrets list [test.txt]

Known Secret Found!

Detecting Module: Generic_JWT

Product Type: JSON Web Token (JWT)

Product:

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiIxMjM0NTY3ODkwIiwibmFtZSI6IkpvaG4gRG9lIiwiaWF0IjoxNTE2MjM5MDIyfQ.vKxsE0u-TrpoMQ5zmBv1_I-NXSgouq6iZJWMHbHSmgY

Secret Type: HMAC/RSA Key

Location: manual

Secret: fake123

Details: {'sub': '1234567890', 'name': 'John Doe', 'iat': 1516239022, 'jwt_headers': {'alg': 'HS256', 'typ': 'JWT'}}

blacklist3r.py (removed)

The standalone `blacklist3r.py` tool has been **deprecated and removed**. The capabilities in the main `badsecrets` viewstate modules now far surpass what the standalone tool offered, and it had become a maintenance burden. Use the main `badsecrets` CLI (or the `aspnet_viewstate` module directly) for ASP.NET viewstate / machine key analysis.

telerik_knownkey.py

badsecrets - Telerik UI known key exploitation tool

usage: telerik_knownkey.py [-h] -u URL [-p PROXY] [-a USER_AGENT] [-m] [-f] [-v VERSION] [-c CUSTOM_KEYS] [-d] [--modern-dialog-params]

options:

-h, --help show this help message **and exit**

-u URL, --url URL The URL of the page to access **and** attempt to pull viewstate **and** generator **from**

-p PROXY, --proxy PROXY Optionally specify an HTTP proxy

-a USER_AGENT, --user-agent USER_AGENT Optionally set a custom user-agent

-m, --machine-keys Optionally include ASP.NET MachineKeys when loading keys

-f, --force Force enumeration of vulnerable AsyncUpload endpoint without user confirmation

-v VERSION, --version VERSION Specify a custom Telerik version to test

-c CUSTOM_KEYS, --custom-keys CUSTOM_KEYS Specify custom keys **in** format '**encryptionkey,hashkey**'. When provided, only these keys will be tested.

-d, --debug Enable debug mode to show detailed request information

--modern-dialog-params Use modern dialog parameters format (may work better **for** newer Telerik versions **2018+**)

Fully functional CLI example for identifying known Telerik Hash keys

(`Telerik.Upload.ConfigurationHashKey`) and Encryption keys

(`Telerik.Web.UI.DialogParametersEncryptionKey`) used with Telerik DialogHandler instances for Post-2017 versions (those patched for CVE-2017-9248), and brute-forcing version / generating exploitation DialogParameters values.

Currently, this appears to be the only tool capable of building a working exploit URL for "patched" versions of Telerik.

```
python ./badsecrets/examples/telerik_knownkey.py --url
http://vulnerablesite/Telerik.Web.UI.DialogHandler.aspx
```

Optionally include ASP.NET MachineKeys with --machine-keys (Will SIGNIFICANTLY increase brute-forcing time)

Update: This utility will now, in addition to the `Telerik.Web.UI.DialogHandler.aspx` endpoint, also detect known `Telerik.AsyncUpload.ConfigurationEncryptionKey` keys in use via the `Telerik.Web.UI.WebResource.axd` endpoint.

```
python ./badsecrets/examples/telerik_knownkey.py --url
http://vulnerablesite/Telerik.Web.UI.WebResource.axd
```

With a pip install, can now be run directly via the `telerik-knownkey` command

```
python telerik-knownkey --url http://vulnerablesite/Telerik.Web.UI.WebResource.axd
```

symfony_knownkey.py

Brute-force detection of Symfony known secret key when "_fragment" URLs are enabled, even when no example URL containing a hash can be located. [Relevant Blog Post](#).

```
python ./badsecrets/examples/symfony_knownkey.py --url https://localhost/
```

With a pip install, can now be run directly via the `symfony-knownkey` command

```
python symfony-knownkey --url http://vulnerablesite/Telerik.Web.UI.WebResource.axd
```

BBOT Module

One of the best ways to use Badsecrets, especially for the `ASPNET_Viewstate` and `Jsf_viewstate` modules is with the Badsecrets **BBOT** module. This will allow you to easily check across thousands of systems in conjunction with subdomain enumeration.

```
bbot -f subdomain-enum -m badsecrets -t evil.corp
```

```
badsecrets]$ bbot -m badsecrets -t http://172.16.25.128/ -s
[WARN] bbot.cli: This is a (safe) active scan. Non-intrusive connections will be made to target
[INFO] bbot.scanner: Scan with 2 modules seeded with 1 targets
[SUCC] bbot.cli: Scan ready. Press enter to execute ferocious_tammy

[SUCC] bbot.scanner: Starting scan ferocious_tammy
[IP_ADDRESS]      172.16.25.128      host      (distance=0, in-scope, ipv4, private, ptr-record, resolved, target)
[SCAN]            ferocious_tammy (SCAN:7dceea6b9a1f64f7a99ab4bd71927b4ff259e09c) TARGET (distance=0)
[URL]             http://172.16.25.128/      httpx      (dir, distance=0, http-title=untitled-page, in-scope, ip-172-16-25-128, status=200)
[VULNERABILITY]   {"description": "Known Secret Found. Secret Type: [ASP.NET MachineKey] Secret: [validationKey: 0F97BAE23F6F36801AB085F145124E00A6F79
3A97093D778EE5CD24F35B78B6FC4C0D0D4420657689C4F321F8596B59E83F02E296E970C4DEAD2DFE226294979 validationAlgo: SHA1 encryptionKey: 8CCFBC5B7589D037DC3B4A885376
07480A696450AECC74F418B4877BEC008156 encryptionAlgo: AES] Product Type: [ASP.NET Viewstate] Product: [rPoLG9d6gQZU+/aSnKkzXolhX3i0wkde88ZphYf60mEfpTiweWIIJub
fmGYDk2b5GtE2q+oLhyz7NE6Dh/ab/Ef43FhovPp7jqj5WsL4DEub/hx4V] Detecting Module: [ASPNET_Viewstate]", "host": "172.16.25.128", "severity": "HIGH", "url": "http
://172.16.25.128:80"} badsecrets      (distance=0, nign, in-scope)
[SUCC] bbot.scanner: Scan ferocious_tammy completed in 4 seconds with status FINISHED
```

Docker

```
docker build -t badsecrets .
docker run -t badsecrets <args>
```

Basic library usage

check_secret

See if a token or other cryptographic product was produced with a known key

```

from badsecrets import modules_loaded

Django_SignedCookies = modules_loaded["django_signedcookies"]
ASPNET_Viewstate = modules_loaded["aspnet_viewstate"]
Flask_SignedCookies = modules_loaded["flask_signedcookies"]
Peoplesoft_PSToken = modules_loaded["peoplesoft_pstoken"]
Telerik_HashKey = modules_loaded["telerik_hashkey"]
Telerik_EncryptionKey = modules_loaded["telerik_encryptionkey"]
Rails_SecretKeyBase = modules_loaded["rails_secretkeybase"]
Generic_JWT = modules_loaded["generic_jwt"]
Jsf_viewstate = modules_loaded["jsf_viewstate"]
Symfony_SignedURL = modules_loaded["symfony_signedurl"]
Express_SignedCookies_ES = modules_loaded["express_signedcookies_es"]
Express_SignedCookies_CS = modules_loaded["express_signedcookies_cs"]
Laravel_SignedCookies = modules_loaded["laravel_signedcookies"]
ASPNET_Compressed_Viewstate = modules_loaded["aspnet_compressedviewstate"]
ASPNET_Resource = modules_loaded["aspnet_resource"]
Rack2_SignedCookies = modules_loaded["rack2_signedcookies"]
Yii2_SignedCookies = modules_loaded["yii2_signedcookies"]
Shiro_RememberMe = modules_loaded["shiro_rememberme"]
LTPA_Token = modules_loaded["ltpa_token"]


x = ASPNET_Viewstate()
print(f"###{str(x.__class__.__name__)}###")
r =
x.check_secret("AgF5WuyV011CsYJ1K5rjyuLXqUGCITS0apG1cYNiriYQ6VTKochMpn8ws4eJRvft81nQIA=="
, "EDD8C9AE")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")


x = ASPNET_Resource()
print(f"###{str(x.__class__.__name__)}###")
r = x.check_secret("csxgANq6A8wDXhKZYWe0xTn12X5UGyMiDbr-
_rZsj1_Cg6UVSJFYesWU78zHhAVtCyLGHu3-2T_yBK-Qpp1SMtNG6Iw1")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")


x = Telerik_HashKey()
print(f"###{str(x.__class__.__name__)}###")

```

```

r =
x.check_secret("vpwClvnL0DIx9te2v0%2F4e06KzbKkjtwmNnMx09D1Dmau0dPliYzgpqB9MnEqhPNe3fWemQy
H25eLULJi8KiYHXeHvjfS1TZAL2o5Gku1gJbLuqusRXZQYTNlU2Aq4twX00o0CgVUTfknU89iw0ceyaKjSte0hxGv
aE3VEDfiKDd8%2B9j9vD3qso0mLMqn%2Btxirc%2Fkiq5oBbz0CgMrJjkaPMa2SJpc5QI2amfBJ%2BsAN25VH%2B
wabEJXrjRy%2B8NLYCoUQQKrI%2BEzRSdBsiM0xQTD4vz2TCjSKrK5JEEFMTyE7J39MhXFG38Bq%2FZMD0%2FETHH
dsBtTTkqzJ2odVArc0zrce3Kt2%2FqgTUPW%2BCjFtkSNmh%2FzLB9BhbxB1kJt1NkNsjiywvP9j7PvNo0BJsa80wp
EyrPTT3Gm%2BfhDwtjvwvpN7l7oIfbcERGExAFrAMEN00t4WGLYhF%2F8c9NcDv0Bv3YJrJoGq0rRurXSh9kcwum9
nB%2FGWcjPikqTdm6p3Z48hEnQCVuJNkwJwIKesYxJqCL95IEdX3PzR81zf36uXPLa3YdeAgM1RD8YGLwLIxnrLh
vMbRvQW0W9eoPzE%2FjP68JGUIZc1TwTQusIWjnuVubFTEUMDLfDNk12tMwM9mfNWt8lWFTMjv9pF70W50t07gVN%
2B0mCxqAuQmScRVExNds%2FF%2Fpli4oxRKfgI7FhAaC%2Fu1DopZ6vvBdUq1pBQE66fQ9SnxRTmIClCpULUHnO90
ULTpUi9ga2UtBCTzI8z6Sb6qyQ52NopNZMfdRn9orzdp8oqFeyYpF%2BQEtbp%2F5AMENkFkWUxHzN8NoS108P6G6
ubSyDdY4QJPaFS4FxNhhm85WlZC9xfEZIAGSSB0u9JJVYiKxXnL1yYLqrLWp5mfBHZeUBwEa%2FMjGxZEVYDhXo4P
iU0jxN7fYmjaoob3DSgA5H3BcFuNG5d8CUon0lQcEie5b%2BUH0pI9zAk7qcuEUXbaZ5Mvh0t2jXCRALRKYDyBdbHL
WAFo10dTIM6L3aSTM5uEz9%2FaLXLXoWlMo7dTDpu05bBfTq7YkoPEXl3g3JJX47UhuLq85i3%2Bzxfvd7r%2Fmid
69kbD3PnX%2Bj0QxaiShhy0Zg6jllHMeRRXvZap3FPCIfxbCf7j2TRqB5gYefBIIdGYjrdiL6HS8SbjXcR0Mwh2Fx
nt505X4jmkmdcGmneU3z%2B84TSSFewcSpXGEGvHVkkU40aT6vyFwsxCmdrR187tQZ7gn3ZkAiTps%2Ff0PcL5QWX
ja06Z%2FHT3zboq6Hj9v9NBHzpC1eAK0YN8r4V2UMI3P0%2FsIPQYXhoveLjJwq6snKZTX37ulE1mbS1u0Y%2BZr
vFYbLN5DdNL%2B%2Bl%2F%2BcWIpc0RSYBLo19xHpKeoeLjU2sxaYzK%2B92D4zKANDPPvsHPqJD1Y%2FBwCL%2Ff
ZKaJfRK9Bj09ez1Z1ixTEKjIRCwuxijJGq33faZchbwpMPpTfv43jEriGwXwoq0o9Mbji9ggPAiL7081XZXNT4vv4
RoxXTN93V100rt3ClXauL%2BlNID%2BseN2CEZZqnygpTDf2an%2FVsmJGJJcc0goW3l43mhx2U79zeuT94cFPgPv
ITEbMtjmuNsUb0Buw6nqm5rAs%2FxiSDRqfQxGQWfS0kuwuU6RRmiME2Ps0NrBENIbZzcbgw6%2BRIwClWkveG%2
BK%2FPdcAdfmRkAPWUNadxnheU2jNnzI1yYNI0hziUBPxgFEcAT45E7rWvf8ghT08HZvphzytPmD%2FxuvJaDdRg
b6a30TjSpa7i%2BEHkIMxM5eH1kiwhN6xkTcBsJ87epGdFRWKhTGKYwCbaYid1nRs7%2BvQEU7MRYghok8KMTueEL
ipohm3otuKo8V4a7w4TgTSBvPE%2BLPLJRwhM8KcJGlcpzF1NowRo6zeJJhbdPpouUH2NJzDcp7P4uUuUB9Cxt9B9
86My6zDnzleyBvRMzj7TABfmfPFPoY3RfzBUzDm%2FA9lOGsM6d9WZj2CH0WxqiLDGmP1Ts9DWX%2FsYyqEGK5R1X
pnp7kRIarPtYliecp50ZIH6nqSkoCBlLMCCE6JN%2BdoXobTpuLALdmQV0%2Bppv%2FAjzIJrTHgX7jwRGEAeRgAx
TomtemmIaH5NtV7xt8XS%2BqwgghdJl1D06%2FWhpMtJ1%2FoQGoJ0%2F7ChYyefyAfsiQNWs066UNVyl71RVPwATn
bR05K5mtxn0M2wuXXpAARNh6pQTcVX%2FTJ4jmosyKwhI6I870NE0sSaWlKVy0db97C3Bt0pvzq8BagV5FMsnTJKm
qIIM0HRkMkaliyfow9is%2B5xGN5eKM8NE4E6h04CvmpG%2BH2xFTSNzloV0FjLdDmj5UfMjhUuEb3rkkK1bGAVa
aherp6Ai6N4YJQzh%2FDdp06al95EZN20YolzxitgDgsWVGhMvddyQTwnRqRY04hdVJTwdhi4TiCpBLJlWcty2ozy
6VDs4w77E0AQ5JnxUmDVPA3vXmADJZR0hIJSuxXfYg%2BRIdV4fzGunV4%2B9jpiyM9G1liiesURK82o%2BdcG7F
aCkkun2K2bvD6qGcL6luhoxNeLVpAxjrRjaEBRxxsexZ9rExpMlFD8e3NM%2B0K0LQJvdEvpWYS5UTG9cAbNAzBs%3
DpDpXFGf2lEMcyGaK1ouARHUfqU0fzkeVwjXU90RI%2Fs%3D")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

x = Flask_SignedCookies()
print(f"###{str(x.__class__.__name__)}###")
r = x.check_secret("eyJ0ZWxsbyI6IndvcmxkIn0.XDtqeQ.1qsBdjyRJLokwRzJdzXMVCSyRTA")
if r:
    print(r)
else:

```

```

    print("KEY NOT FOUND :(")

x = Peoplesoft_PSToken()
print(f"###{str(x.__class__.__name__)}###")
r =
x.check_secret("qAAAAAQDAGEBAAAAvAIAAAAAAAsAAAABABTaGRyAk4AdQg4AC4AMQAwABSpxUdcNT67zqSLW
1wY5/FHQd1U6mgAAAFAFNkYXRhXHicHYfJDUBQAESfJY502iDWgwIsJxHcxdaApTvFGX8mefPmAVzHtizta2MSrC
zsXBxsn0It9yo6GvyekZqJmZaBPCUmVUMS2c9MjCmJKLSR/u+laUGuzwdaGw3o")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

x = Django_SignedCookies()
print(f"###{str(x.__class__.__name__)}###")
r = x.check_secret(".eJxVjLs0AiEURP-F2hAuL8HSfr-BAPciq4ZNlt3K-
09KsoU2U8w5My8W4r7VsHdaw4zsw0CdfU84PaAHIP7bbwvLRtnRMfCj9o590C9Lwe7t9Bjb20tbMkAEGQtQjegy
kmJy9JZIw-6CgUaCGsA6eSyV65s1Qya_xGKZrY-wPVYjdw:1oj0rE:bf0ktjgLLUykwCIRIpaTZRQMM3-
UypscEN57ECtXis")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

x = Rails_SecretKeyBase()
print(f"###{str(x.__class__.__name__)}###")
r =
x.check_secret("dUEvRldLekFNcklGZ3ZSbU1XaHJ0ZGxsLzhYTHlNTW43T3BVN05kZXE3WUhQ0VVkbVA3Rm5Wa
Ss5eG5Q01VIRVBzeDFNTnNpZ0xCM1FKbzFZTEJISzhaNzFmVGyzME0waDFURVpCYm5TQlJFRmRFclYzNUZhr3VuN2
9PMmlkVHBrRi8wb3AwZGvWmx0bkF0YnpkeHR1YWpWZ3lnN0Y4ZW9xSk9LNVlQd0U4MmFsbWtLZUI5VzgzRkM4YXB
FWXBWLS15L00xMElnVFp2ZTlmUWcxZVlpeUpnPT0=-7efe7919a5210cfd1ac4c6228e3ff82c0600d841")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

x = Generic_JWT()
print(f"###{str(x.__class__.__name__)}###")
r =
x.check_secret("eyJhbGciOiJIUzI1NiJ9.eyJjc3N1ZXIiOiJJc3N1ZXIiLCJvc2VybmFtZSI6IkphZFNlY3Jl
dHMiLCJleHAiOiJlOTMxMzM0ODMsImldCI6MTQ2NjkwMzA4M30.ovqRikAo_0kKJ0GVrAwQlezymxrLGjcEiW_s3
UJMMCo")
if r:
    print(r)

```

```

else:
    print("KEY NOT FOUND :(")

x = Telerik_EncryptionKey()
print(f"###{str(x.__class__.__name__)}###")
r =
x.check_secret("ow0nMokk%2F4N7IMo6gznRP560YIT34dZ1Bh0KBbXlFgzgtgiNNEBYrgWRYDBkDlX8BIFYBcBz
tC3NMwoT%2FtNF%2Ff2nCsA370RIgfBem1foENqumZvmcTpQuoiXXbMwW8oDjs270y6LDAmHhCRsl4It0x4NSBwDg
MI0soMhNrMigV7o7jlgU16L3ezISSmVqFektKmu9qATIXme63u4IKk9UL%2BGP%2Fk3NPv9MsTEVH1wMef4MAph5K
fWBX96TRic9nlp3IE5BEWNmvI1Gd%2BWxbY5cSY%2Buey2mXQ%2BAFuXAernruJDm%2BxK8ZZ09Tnsn5UREutvNtF
RrePA8tz3r7p14yG756E0vrU7uBz5TQlTPNueN3shdxlMK5Qzw1EqxRZmjhaRpMN0YZgmjIpzFgrTnT0%2Bo0f6ke
aL8Z9TY8vJN8%2BEUpOq%2F7AJiHKm1C8Gnc3woVzs5mJKZxMUP398HwGTDv9KSwwkSpHeXFsZofbaWyG0WuNldHN
zM%2FgyWmsnGxY6S086%2F477xEQkwdWG5UE%2FowesockebyTten3%2B%2FqiVy%2FI0xXvMpvrl5nVY%2FSou
Hp5n2URRyRsfo%2B%2B0XJZ07yxKQoYBSSkxmdhJqKJmbgxNp5Ew8m89xAS5g99Hzg382%2BxP8yoDVZM0iTEu
w0J%2B4G6KizqRW9cis%2FELd0aDE1V7TUuJnFrX%2BLCL0iv100tKpeJ0ePM0YrmvSn0wx7JhswNuj%2BgdkQvCn
MSLakGWi0Hxu5m9Qqdm3s5sk7nsaxMkh8IqV%2BSzB9A2K1kYEULY40I1Wun670SdLlYfdCFQk4ED0N%2BV4kES%
2F1xpGiaPhxjboFiiV%2BkvCyJfkuotYuN%2B42CqFyAyepXPA%2BR5jVSThT60IN2n1UahUnrd%2BwKKGMA9QpVP
TSiGLen2KSnJtXISbrl2%2BA2AnQNH%2BMEwYVnjseM0%2BAosbgVfNde2ukMyugo%2FRfrRM27cbdVLE0ms0uXhl
gKAYJ2ZN54w1tPWhpGxvZtB0keWpZan0YPh8CBgzsaIma04HMYLCtgUTqxKqANoKXSy7VIJUzg3fl%2F2WUELjPXX
9gRcgexNWDNB1E0rHd9PU0oPvpB4fxSrRpb1LRryipqsuoJ8mrp0VRVMvjracBvtoyK3GrN%2FDULXkSG%2FAeBQ
N7HwDJ9QP13AtE0ohp780p3nmbItXo7IJUSjzBNzUYR8YPj6Ud7Fje9LZSwMBngvgx%2B0Ky6HsV4of0AU2%2FK1%
2BfxI0KkCeoSso9NJHWgBD7ijfXUa1Hrc%2FuNU3mTLSSvp3VstQrJbQCKr4paaHYWee04pRZCDSBNUzs9qq3TDeP
wpEQc4QR0rw5htdniRk26lFIFm%2Fzk2nC77Pg%2BrkRC1W%2BLRv0lyXsmXVBCe8F1szpWXCxHNAJwKH%2FBb%2
BV1k6AXFXVWPW5vADbXUvRu0s6KLaqu6a0KCB7dt3K2Ni%2FI60%2FmISYXzknbMrwwakNfajbrF2ibodgR9R9xvo
CoCXa3ka7%2Fejr%2BmsZ2HvpKUaffd2fNIWCQrejfpUio0WiYx6ufN8E41HetCbYfvsI6JQfP0Ed0YW12px%2BLd
f03Nybq99%2BRSQ0hjNZakBP54ozlCUfwgpL0mTBwsswZexv1RK5MIi8%2FwtjLJ%2FKjkYxdkFULwggGS2xDwzcy
l2%2FakNCQ5YmxjU8cRY7jZQRMo%2F8uTw5qa2MNZPaQGI18uRgr0i%2FTX3t57fJYCpMLXsaUKId070%2FCQhIyG
TS6KrPN%2B3%2FgUb%2BPQ1viGhpnWfGEYF9vhILK57z8G8G82UQ3Dpttd7M8mQ0KsmC0q75ECx9CWrWgk51vADlm
%2BLEZ5oWjVMs%2FThki40B7tL7gzFrBuQksWXYeubMzZfFo4ZQ49di4wupHG5kRsyL2fJUzgpaldP%2BSe6%2FjC
nc52C7lZ3Ls0cHJVf9HRwDNXWM%2B4h8donNy5637QWK%2BV7mlH%2FL4xBZCFU9l6sIz%2FWMHtRaQprEem6a%2F
RwPRDBiP65I2EwZLKGy8I%2F1uXJncwC8egLu82JY9maweI0VmJSmRcTf0evxqqe7vc9MqpsUlpSVNh4bFnXVio5E
4PGX70kVaTFe0vu1YdGkmFX5PLvkmWI%2FfnwfgPMqYsa0%2F09trboJ5LGDEQRXSbB7ldG%2FwLd0iqocYKAb91S
Mpn1fXVPBgkPM27QZxHnSamWVbJR2%2FIh0%2BIVNzkGFAJlptiEPPPTxuBh%2BTT7CaIQE3oZbbJeQKvRkrt4baw
TC0zciU%2F1zFGxubTJTSyInjQ8%2F1tVo7KjnxPKqGSfwZQN%2FeWL6R%2FpVcb%2BE6D4pdycz0JRUwsSNXNnA7
QrdjgGNWhy0MiKvkdF3RD4mrXbul18WYVTsLyp0hvQsbdwBW0h7VlwfrWdy%2BklsttFi%2B%2BadKR7DbwjLTcxv
dNpTx1WJhXR0R8jwW26VEYSXPVqWnYvfyZo4DojKHMSDMbAakbuSjdkGP1d5w0AYbKlAcVQ0qp9hbAvfwWLy4ErdI
s0g0YEeCcnQVRAXwaCI9JvWwM%2FzYJzE3X45A6LU9Pe7TAbft810MYh7lmV6Keb5HI6qXFiD%2B8khBZqi%2FsK
6485k0a86aWlx0b4Eqnoc41x%2BYPv5Cwfvp6cebsENo%3D%2BIUg0f64C4y77N4FZ6C82m5wMpvDQIHqx0ZFIHLh
wMg%3D")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

```

```

x = Jsrf_viewstate()
print(f"###{str(x.__class__.__name__)}###")
r =
x.check_secret("wHo0wmLu5ceItIi+I7XkEi1GAb4h12WZ894pA+Z40H7bco2jXEy1RSCWwjtJcZNbWPcvPqL5z
zfl03DoeMZfGGX7a9PSv+fUT8MAeKNouAGj1dZu08srXt8xZIGg+wPCWWCzcX6IhW0tgWUwiXeSojCDTKXklsYt+k
zLVbk5w0sXvb2lTJo00Q==")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

x = Symfony_SignedURL()
print(f"###{str(x.__class__.__name__)}###")
r = x.check_secret("https://localhost/_fragment?
_path=_controller%3Dsystem%26command%3Did%26return_value%3Dnull&_hash=Xnsvx/yLVQaimEd1Cfe
pgH0rEXr422JnRSn/uaCE3gs=")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

x = Express_SignedCookies_ES()
print(f"###{str(x.__class__.__name__)}###")
r =
x.check_secret("s%3A8FnPwdeM9kdGTZlWvdaVtQ0S1BC0hY5G.qys7H2oGSLLdRsEq7sqh7bt0ohHsaRKqyjV4
LiVnBvc")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

x = Express_SignedCookies_CS()
print(f"###{str(x.__class__.__name__)}###")
r =
x.check_secret("foo=eyJlc2VybmFtZSI6Ikjib3Rjc0xpZmUifQ==","z0QU7v7aTe_3zu7tnVuHi1MJ2DU")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

```

```

x = Laravel_SignedCookies()
print(f"###{str(x.__class__.__name__)}###")
r =
x.check_secret("eyJpdjI6IlhlNTZ2UjZUQWZKVHdIcG9nZFkwGc9PSIsInZhbmHVlIjoiRlUvY2grU1F1b01lS
XdveXJ0T3N1WGJqeVVMZlNRQjNVOWxiSzljL1Z3RDhqYUdDbjZxMU9oSThWRzExT0YvUmtHvZVKRE9KL0RvTEw1cF
RhQkph0Gw4S2loV1ZrMkkwTHd4am9sZkJKQd2VCZ3R0VlFSeFo3ay9wTlBMb3lLSG8iLCJtYWMiOiJkMmU3M2ExNDc
2NTc5YjAwMGMwMTdkYTQ1NTkMjRkNTY2YTE4OTg2MzY5MzE5NGZmOTM4YWVjOGZmMWU4NTk2IiwidGFuIjoiIn0%
3D")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

x = ASPNET_Compressed_Viewstate()
print(f"###{str(x.__class__.__name__)}###")
r = x.check_secret("H4sIAAAAAAEAPvPyJ/Cz8ppZGpgaWpgZmmYAgAAmCJNEQAAAA==")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

x = Rack2_SignedCookies()
print(f"###{str(x.__class__.__name__)}###")
r =
x.check_secret("BAh7B0kiD3Nlc3Npb25faWQ0G0ZlVGV6HVJhY2s60lNlc3Npb2460lNlc3Npb25JZAY6D0Bwd
WJsaWNfaWRJIKU5YmI3ZDUyODUyNTAwMDYzMGE2NjMxYTA5MjBlMjYzMzFmOGE0MjBhNTdhYWIXNzVkZTFmM2FjMD
Q3NmI1NDQzBjsARkkiCmNvdW50BjsARmkG- -3a983fbc58911c5266d7748a6a55165f74d412f4")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

x = Yii2_SignedCookies()
print(f"###{str(x.__class__.__name__)}###")
r =
x.check_secret("0bb72f36d041a3a022f231eebe114889ee442092ee350242ffb2d4bb53887a81a%3A2%3A%
7Bi%3A0%3Bs%3A4%3A%22lang%22%3Bi%3A1%3Bs%3A7%3A%22English%22%3B%7D")
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

x = Shiro_RememberMe()

```

```

print(f"###{str(x.__class__.__name__)}###")
r = x.check_secret(

"vTpNGrKtiiA5t5FLJWyVLHl0pNfF/7AeBEqYfvGhjccS5fjDBuRsR82FqRpmSZdPyN6GfjHTilBGN38h+6LjldUK
jB0fhYBDsL9luW32Va3d+qbKb2pszstnllMR56pTBSKP"

"K/xKY0uryuYPGafGi7clBnlWh5Nw0aluQm11Pm+NZKkcjDVLBpNgfpoKSpaCYfzcUFUDeL/cfkpTKA3H/TWVnVfw
8Cxp0tVEmMqF3YtNliwdNkeGD/0gWDNaF9Zw17Is1Mgi"

"BiIRAQ/umDwxfdlKjVKgaLllPohV1R0hoP84zuMeXcsppwHC57ykUg/i8hdhaQwE4LUZQKnM7+sbU6FU2r5rv2i1
Fb+KmeRZ9bbudNg8BMP7vEKnzImjD4qNFkXhVvq+APH9/"

"SLsLJzUz03bz9macPFb5NhLVJ/NMp+/2iPM9Ik5yNz1zq/X+QIoXzVSLavH5S206C42wk14F4msB1G1SvyfSP8/C
jZQMecWPR+eHbB1P8LF0zLqwSoIuf1nJ3yDQ5Dbc6M+"
    "GBcsCQ=="
)
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

x = LTPA_Token()
print(f"###{str(x.__class__.__name__)}###")
r = x.check_secret(

"0l6StBNpmLFMvRAkuqvwkxZznLJAN0w320SDog0vZvUTvNUFKQ9qkQNsGa/soD2wg0I7+UnzZxBXZJY7Zd8Knge3
c0Xma/m+8tr96eEhXBP5Xcat0ey5e8B0QEFNBHK/"

"QvaEY/rpJfyef4dX+d+coJRdQvF3IRSnqRPubsXgbTx/R148gE++CkIGfuBMVPkEWJkYHpsYRJj7xiYWNbu1jGrw
z8GlonX4SdC5JBsjmezWYeAtsoKWeDXX1rhyAyBBgE27nAQEJgi4VEi3be"
    "M1eMo+foxaDHxsCeAabrSG0f0f/yLFMEZr3KAZ7QvyhErT"
)
if r:
    print(r)
else:
    print("KEY NOT FOUND :(")

```

Carve

An additional layer of abstraction above `check_secret`, which accepts an HTTP response object (e.g. `blasthttp`) or raw body/cookies/headers

```

import asyncio
from blasthttp import BlastHTTP
from badsecrets import modules_loaded
Telerik_HashKey = modules_loaded["telerik_hashkey"]

x = Telerik_HashKey()

client = BlastHTTP()
res = asyncio.run(client.request("http://example.com/"))
r_list = x.carve(http_response=res)
print(r_list)

telerik_dialogparameters_sample = """
Sys.Application.add_init(function() {
    $create(Telerik.Web.UI.RadDialogOpener, { "_dialogDefinitions": { "ImageManager":
{"SerializedParameters": "gRRgyE4B0GtN/LtBxeEeJDULj/UwIG4oBh05rCDfPjeH10P8Y02mDK3B/tsd0Irw
ILK7XjQiuTlTZMgHckSyb518JPAo6evNlVTPWD5AZX6tr+n2xSddERiT+KdX8wIBLzSIDfPH7147cdm/6SwuH+oB+
dJFKHytn0LCdrCmB/qVdSvTkvKqBjResB8J/Bcnyod+bB0IPtznXcNk4nf7jBdoxRoJ3gVgFTooc7LHa1QhhNgbH
Nf0xU0Sj5dI8UUjg0lzyzZ0WyAzus5A2fr7gtBj2DnHCRjjJPNHn+5ykbwutSTrTPSMPMcYhT0I95lSD+0c5z+r1R
sECzZa3rxjxrpNTBJn/+rXFK497vyQbvKRegRaCyJcwReXYMc/q4HtcMNQR3bp+2SHiLdGS/gw/tECBLaH8w2+/MH
9WCDJ2puUD45vPTLfN20bHGskKuKnBT+Xtmy2w0aE2u8nv/cTULQ9d3V9Z5NuFHllyEvSrs/gwEF0NYoEcBJuJmRA/
8GjdeL74/0m/mdZaWmzIio2De4GftrBfmHIdp7Lr1sRSJfLz2WyEV78szzPj5f+DB0TgsBBZSKqXlvWSsrzYCNVg
T8JlpT7rAgy/rpGpaGzqD1lpkThDTVstzRAEnocqIswqDpD44mA5UNQiR342zKszcTUDHIEw7nxHViiZBUto40zI+
CSEmpDJ5SM4XdlugY8Qz740NALXKQxGrqMCJLzdVAyX2Wmhvjh8a7IAL+243cHa8oy5gA/F1vn0apCriHVPwQHa0v
MndYvS5GI93ILZDNZ3IxYhMs3yrBjh0FXPqz2Z2eA0LJ93TsNDRLxwoS94LPfVQV0STmmYxpSnzVLT0yUZpJgmlrw
oG3EEExDjLl1Pe7+F78WQDtohpEDvpESUaEHqMHAGPnB4kYJ9w49VU+8XesMh+V8cm/nuMjs8j+x94bzxzAGSt8zJd
iH/N0nBvx8GCuNSETe172dUq60STQjRyeKzk/sGaILchv2MMBDmVU3fIrTwB3EvzvMFRVvk509Jica3h2cJa1ArmK
K/IcBwpvqYHdLgnWRejlCuM4QFiImJij2aY19wYvETGCh9BHCxzJvPir0StTXQjlbD8GdLY/yQUHEErkWi4GWjbq
Aaydo0GcndWfQqR8jiobXsV67zF80sGLpm75yvz2ihL8oGAULjhkIIVElPlLtLA0r4cT/pyXX4RF+jPaL136VFxw
010rsrGc6ItsZDBTPvKZJMtHmARGigyjSFzYaGRaVQqJI6pz/zWw7z0kr2NgzUHF0+nrFyGntj11DtafXEC0vDDoe
jMSwbo/NYna5JIN01P2PrGiN5p0KztNVx8/D7Bz7ws3J+WxJ+H2+3NS80LLYCMZWu1f9ijcrRiJj9x/xtCVsUR3vW
BeTHsNZbTVgBgI8aprQPtBXEJ3aXXJdMuPCxkUp1Bhwq6d5pFjmvHLji6k5TdKFXakwhf0TPsoF7iaotLSEtEoPPo
5RemRE9yn/+h0fs0dHZf6IZSUI8nDQcw+H+kHyA8o3kqqGUdAYGA0QnFvvWujAeGV6yS8GJuPT8t7CoDHV9qKg+h
U5yeTTMqr9WV4DQBPA2/Sv3s7p6Xrt22wAzwRDeLlFTtUIesdt+DKobcck8LvVK54/p8ZYoz+YJG0ZocisDnrUrLu
+0gbKd/LZlPUiXzArEJTOSLqcETfJYr1Umi42EKbUhqqvwhoSzPKgcvrE4Q4Rj4M7XZcnLR2alQh3QAA3c5hWtSzU
a018VWZMMIqw9vxELyt1Jn+TaivyFDuYPV9cWTV+vafncnQUI0uNpHvyqQ0NjCgcq8y1ozDpLiMjkQJw7557h11zY
PbwEBZvDKJR3d0duiaSKr8jlcI5hLYlPSBoztvmcQj8JSF2UIq+uKLEvjDLzptt2vjGf1h5IzrqN/z3Z0R3q3blvn
XYFJUM0XKhIfd6R0p+jhx373zYCh1WlppjDb7KGDjdzVJa60nVL9auha34/ho14i/GcsMXFqMNIYdUSxr/X+5Je/
Qy1zq6uRipBkdJvtT11ZVtw0svGJUJHKWcGYqZXDvtaaS0fUbNVZ6Jz0XivuhH7TWygGx1GKKxpCp7wu90MCxtN/E
PrFsI4YRK6A6XnSKk5kDP+0bnleaet6NaySpDFu5d5f7MnlIXq5FV1+VRSEi+Nnp1o5606Sxjp0s914aHP66MEQjEM
VLjDNIUor2JBGYWBk0f02C6PovwIfnIALyL79ISv3wdp0RhcyLePf6p0hzFcJw3uHmgKL14+JLP1QhiaayzDRJIZ
gRlHZKpdb+gpK2dSgMyEjlf42YCIgbdY05JGwo3aohRvgsWvZFBys4UsQTErv0ph6XqrdMMzbo093FvtYeBBH+T0l
44byTTwvB9jB2+zI/FX5w+sPlauBXMuoSiF8zeznvgnUA/W0sg0JtFvKcjzVqqvmwJXLKb48DgjI86dFLiehEuTX
tINB3la0+0PwxRvEEzsiQv8ec01Pe4UbhvL7PIxVsZyTqycqRz+3aQ41JTgiKwCG+4XvyWeHatFupRkEZuUS8Mtha

```

```
MTZw4h0vVhoyN0mEXBA7/0EJapSg2eB00ZuGK40zMIJwc+F9SR0zF82jQHTG7EZCU+1siwx0H39fb0VdqAurpdBuw
4Bcu2i7fTmkhzMYYYasTQsWlN9sgERV2vXJ8R67+U5VERzyJdflQ90EY1lMsUtV3FfX/8wBAFqD9wvbeM61SsKiB0
Z3mYKmNws4IVouAFfEdPbBfz/p47cXhxo2usd+PW4pA8dh1frEFeztnLT/08h/Ig6Tz0UNTlml09BAtheLtVARuEr
ibkVK+cDTG06NNxcSd+smyRP7y2jL+ueuW+xupE/ywrF/t9VZMAXYY9F6Ign8ctYmtQxlspVuuPc+jQATCVNkc5+B
yWVI/qKRr8rIX5YPS6PmDPFPTwWo+F8DpZN5dGBaPtRPJwt3ck76+/m6B8SJMYjK6+NhlWduihJJ3Sm430FqKwihU
SkSzBMSUY3Vq8RQzy4CsUrVrMLJIscagFqMTGR4DRvo+i5CDya+45pLt0RMErfAkcy7Fe8oG3Dg7b6gVM5W0UP7Uh
cKc4ej02ZZrd0UquCgb04xm/lLzwi5bPEAL5PcHJbyB5BzAKwUQiYRI+wPEPGr/gajaA==mFauB5rhPHB28+RqBMx
N2jCvZ8KggwljW3f/h+vLct0=", "Width": "770px", "Height": "588px", "Title": "Image Manager"}
"""

r_list = x.carve(body=telerik_dialogparameters_sample)
print(r_list)
```

Check all modules at once

```
from badsecrets.base import check_all_modules
```

```
tests = [
```

```
    "yJrdyJV6tkmHLII2uDq1S1509UeDg9xGI4u3tb6dm9BQS4wD08KTKyXKST4PeQs00giqSA==",
```

```
    "eyJJoZWxsbyI6IndvcmxkIn0.XDtqeQ.1qsBdjyRJLokwRzJdzXMVCSyRTA",
```

```
"vpwClvnL0DIx9te2v0%2F4e06KzbKkjtwmNnMx09D1Dmau0dPliYzgpqB9MnEqhPNe3fWemQyH25eLULJi8KiYHX
eHvjfS1TZAL2o5Gku1gJbLuqusRXZQYTNlU2Aq4twX00o0CgVUTfknU89iw0ceyaKjSte0hxGvaE3VEDfiKDd8%2B
9j9vD3qso0mLMqn%2Btxirc%2FkIq5oBbz0CgMrJjkaPma2SJpc5QI2amffBJ%2BsAN25VH%2BwabEJXrjRy%2B8N
lYCoUQQKrI%2BEzRSdBsiM0xQTD4vz2TCjSKrK5JEeFMTyE7J39MhXFG38Bq%2FZMD0%2FETHHdsBtTTkqzJ2odVA
rc0zrce3Kt%2FqgTUPW%2BCjFtkSNmh%2FzLB9Bhxb1k1Jt1NkNs1jywpP9j7PvNo0BJsa80wpEyrPTT3Gm%2BfhD
wtjvwvpvN17oIfbcERGExAFrAMEN00t4WGLYhF%2F8c9NcDv0Bv3YJrJoGq0rRurXSh9kcwum9nB%2FGWcjPikqTD
m6p3Z48hEnQCVuJNkwJwIKesYxJqCL95IEdX3PzR81zf36uXPLaEa3YdeAgM1RD8YGLwLIXnrLhvMbRvQW0W9eoPzE
%2FjP68JGUGIZc1TwTQusIwjnuVubFTEUMDLfDNk12tMwM9mfNWt8LWFTMjv9pF70W50t07gVN%2B0mCqxQuQmScRV
ExNds%2FF%2FPl4oxRKfgI7FhAaC%2Fu1DopZ6vvBdUq1pBQE66fQ9SnxRTmIClCpULUhN090ULTpUi9ga2UtBCT
zI8z6Sb6qyQ52NopNZMFdrn9orzdp8oqFeyYpF%2BQEtb%2F5AMENkFkUxHZn8NoS108P6G6ubSyDdY4QJPaFS4
FxnHhm85WLZC9xfEZ1AGSSB0u9JJVYiKxXnL1yYLqrlWp5mfBHZeUBwEa%2FMjGxEVYDhXo4PiU0jxN7fYmjaobp
3DSgA5H3BcFuNG5d8CUn0lQcEie5b%2BUH0pI9zAk7qcuEUXbaZ5Mvh0t2jXCRALRKYDyBdbHLWAFo10dTIM6L3aS
TM5uEz9%2FalXLXoWLMo7dTDpu05bBfTq7YkoPEXl3g3JJX47UhuLq85i3%2Bzxfgvd7r%2Fmid69kbD3PnX%2Bj0Q
xaiShhy0Zg6j1lHMeRRXvZap3FPCIfxbCf7j2TRqB5gYefBIIdGYjrdiL6HS8SbjXcROMwh2Fxt505X4jmkDcGm
neU3z%2B84TSSFewcSpxGEGvHVkkU40aT6vyFwsxCmdrR187tQZ7gn3ZkAiTps%2Ff0PcL5QWXja06Z%2FHT3zboq
6Hj9v9NBHhpC1eAK0YN8r4V2UMI3P0%2FsIPQYXhoveLjJwq6snKZTX37ulE1mbS1u0Y%2BZrvFYbLN5DdNL%2B%
2Bl%2F%2BcWIpc0RSYBL019xHpKeoLjU2sxaYzK%2B92D4zKANdPPvsHPqJD1Y%2FBwCL%2FfZKaJfRK9Bj09ez1
ZlixTEKjIRCwuxijnJGq33faZchbwpMPpTfv43jEriGwXwoq0o9Mb9j9ggPAi17081XZXT4vv4RoxXTN93V100rt3
ClXauL%2B1NID%2BseN2CEZZqnygpTDf2an%2FVsmJGJJcc0goW3l43mhx2U79zeuT94cFPGpvITEBmtjmuNsUb0B
uw6nqm5rAs%2FxiIsDRqfQxGQWfS0kuwuU6RRmiME2Ps0NrBENIbZzcbgw6%2BRIwClWkvEG%2BK%2FPdcAdfmRKA
PWUNadxnheU2jNnzIlyYNI0hziUBPxfEcAT45E7rWvf8ghT08HZvphzytPmD%2FxuvJaDdRgB6a30TjSpa7i%2B
EHkIMxM5eH1kiwhN6xkTcBsJ87epGdFRWKhTGKYwCbaYid1nRs7%2BvQEU7MRYghok8KMTueELipohm3otuKo8V4a
7w4TgTSBvPE%2BLPLJRwhM8KcjGlcpzF1NowRo6zeJJhbdPpouUH2NJzDcp7P4uUuUB9Cxt9B986My6zDnz1eyBvR
Mzj7TABfmfPFPoY3RfzBUzDm%2FA9lOGsM6d9WZj2CH0WxqiLDGmP1Ts9DWX%2FsYyqEGK5R1Xpnp7kRIarPtYlie
cp50ZIH6nqSkoCBLlMCCE6JN%2BdoXobTpu1ALdmQV0%2Bppv%2FAjzIJrTHgX7jwRGEAeRgAxTomtemmIaH5NtV7
xt8XS%2BqwgghJl1D06%2FWhpMtJ1%2FoQGoJ0%2F7ChYyefyAfsiQNWs066UNVyl71RVPwATnbR05K5mtxn0M2wu
XXpAARNh6pQTcVX%2FTJ4jmosyKwhI6I870NE0sSaWlKVy0db97C3Bt0pvzq8BagV5FMsNtJKmqIIM0HRkMkalIyf
ow9iS%2B5xGN5eKM8NE4E6h04CvmpG%2BH2xFHTSNzloV0FjLdDmj5UfmjhUuEb3rkKK1bGAVAaaherp6Ai6N4YJQz
h%2FDdpo6a195EZN20YolzxitgDgsWVGhMvddyQTwnRqRY04hdVJTwdhi4TiCPbLJ1Wcty2ozy6VDs4w77E0AQ5Jn
xUmDVPA3vXmADJZR0hIJEsuXfYg%2BRIdV4fzGunV4%2B9jpiyM9G1liiesURK82o%2BdcG7FaCkKun2K2bvD6qG
cL61uhoxNeLVpAxjRjaEBRxsX9rExpMlFD8e3NM%2B0K0LQJvdEvpWYS5UTG9cAbNAzBs%3DpDsPXFGf2lEMcy
GaK1ouARHUfqU0fzkeVwjXU90RI%2Fs%3D",
```

```
"qAAAAAQDagEBAAAAvIAAAAAAAAsAAAABABTaGRyAk4AdQg4AC4AMQAwABRhZGwcBykRPNQv++kTK0KePPqVVGgA
AAAFaFNkYXRhXHichYc7DkBQAATnIUqVa3jxLRzApXJBxAl8bmdw1l2k9nZG/Bcxxjt4/An3NnY0VLZOMRL7ld0N
AQ9IzUTMy0DeUpMqkYkso+ZGFNiKbRW//Pyb0Guzwtozw4Q",
```

```
    ".eJxVjLs0AiEURP-F2hAuL8HSfr-BAPciq4Znlt3K-
```

```
09KsoU2U8w5My8W4r7VsHdaw4zswoCdfRsU84PaAHip7bbwvLRtnRMfCj9o590C9Lwe7t9Bjb20tbMkaEGQtQjegy
```

```

kmJy9JZIW-6CgUaCGsA6eSyV65s1Qya_xGKZrY-wPVYjdw:1oj0rE:bf0ktjgLlUykwCIRIpaTZRQMM3-
UypscEN57ECtXis",

"eyJhbGciOiJIUzI1NiJ9.eyJjc3N1ZXIiOiJJc3N1ZXIiLCJvc2VybmFtZSI6IkZhZFNlY3JldHMiLCJleHAiOiJE
10TMxMzM0ODMsImldhCI6MTQ2NjkwMzA4M30.ovqRikAo_0kKJ0GVRawQlezymxrLGjcEiW_s3UJMMCo",

"dUEvRldLekFNcklGZ3ZSbU1XaHJ0ZGxsLzhYTHlNTW43T3BVN05kZXE3WUhQ0VVKbVA3Rm5WaSs5eG5Q01VIRVBz
eDFNTnNpZ0xCM1FKbzFZTEJISzhaNzFmVGYZME0waDFURVpCYm5TQlJFRmRFclYzNUZhR3VuN29PMmlkVHBrRi8wb
3AwZWgvWmx0bkF0YnpkeHR1YWpWZ3lnN0Y4ZW9xSk9LNVlQd0U4MmFsbWtLZUI5VzkzRkM4YXBFWXBWLS15L00xME
lnVFp2ZTlmUWcxZVlpeLpnPT0=-7efe7919a5210cfd1ac4c6228e3ff82c0600d841",

  "https://localhost/_fragment?
_path=_controller%3Dsystem%26command%3Did%26return_value%3Dnull&_hash=Xnsvx/yLVQaimEd1Cfe
pgH0rEXr422JnRSn/uaCE3gs=",

  "s%3A8FnPwdeM9kdGTZlWvdaVtQ0S1BC0hY5G.qys7H2oGSLdRsEq7sqh7bt0ohHsaRKqyjv4LiVnBvc",

"vTpNGrKtiiA5t5FLJWyVLHl0pNfF/7AeBEqYfvgHjccS5fjDBuRsR82FqRpmSZdPyN6GfjHTilBGN38h+6LjldUK
jB0fhYBDsL9luW32Va3d+qbKb2pszsstnlMR56pTBSKPK/xKY0uryuYPGafGi7clBnlWh5Nw0aluQm11Pm+NZKkcj
DVLBpNgfpoKSpaCYfzcUFUDeL/cfkpTKA3H/TWVnVfw8Cxp0tVEmMqF3YtNliwdNkeGD/0gWDNaF9Zw17Is1MgiBi
IRAQ/umDwxfdlKjVKgaLlPohV1R0hoP84zuMeXcsppwHC57ykUg/i8hdhaQwE4LUZQKnM7+sbU6FU2r5rv2i1Fb+
KmeRZ9bbudNg8BMP7vEKnzImjD4qNFkXhVvq+APH9/SLsLJzUZo3bz9macPFb5NhLVJ/NMp+/2iPM9Ik5yNz1zq/X
+QIoXzVSLavH5S206C42wk14F4msB1G1SvyfSP8/CjZQMecWPR+eHBb1P8LF0zLqwSoIuf1nJ3yDQ5Dbc6M+GBcsC
Q==" ,

"0l6StBNpmLFMvRAkuqwkxZznLJAN0w320SDog0vZvUTvNUFKQ9qkQNsGa/soD2wg0I7+UnzZxBXZJY7Zd8Knge3
c0Xma/m+8tr96eEhXBP5Xcat0ey5e8B0QEFNBHK/QvaEY/rpJfyef4dX+d+coJRdQvF3IRSngRPubsXgbTx/R148g
E++CkIGfuBMVPkEWJkYHpsYRjj7xiYWNbu1jGrwz8GlonX4SdC5JBsjmezWYeAtsoKWeDXX1rhyAyBBgE27nAQEJg
i4VEi3beMleMo+foxaDHxsCeAabrSG0f0f/yLFMEZr3KAZ7QvyhErT"
]

```

```

for test in tests:
    results = check_all_modules(test)
    if results:
        for r in results:
            print(f"[{r['type']}] {r['detecting_module']}: {r['description']}")
    else:
        print("Key not found!")

```

Carve all modules at once

```

import asyncio
from blasthttp import BlastHTTP
from badsecrets.base import carve_all_modules

### using http response object

client = BlastHTTP()
res = asyncio.run(client.request("http://example.com/"))
r_list = carve_all_modules(http_response=res)
print(r_list)

### Using string

carve_source_text = """
    <html>
<head>
<title>Test</title>
</head>
<body>
<p>Some text</p>
<div class="JWT_IN_PAGE">
<p>eyJhbGciOiJIUzI1NiJ9.eyJjc3NiZXIiOiJJc3NiZXIiLCJvc2VybmFtZSI6IkZhZFNlY3JldHMiLCJleHAiOi0jE1OTMxMzM0ODMsImldhdCI6MTQ2NjkwMzA4M30.ovqRikAo_0kKJ0GVRawQlezymxrLGjcEiW_s3UJMMCo</p>
</div>
</body>
</html>
"""

r_list = carve_all_modules(body=carve_source_text)
print(r_list)

```

Contributions

Nothing would make us happier than getting a pull request with a new module! But the easiest way to contribute would be helping to populate our word lists! If you find publicly available keys help us make Badsecrets more useful by submitting a pull request to add them.

Requests for modules are always very welcome as well!

Planned Modules and Future Development

- ~~Laravel~~
- ~~Express~~

- Research into network devices with default keys that are detectable via a cryptographic product (For example, Palo Alto Global Protect default masterkeys)

Acknowledgements

Several features in badsecrets were inspired by [crapsecrets](#), a fork of badsecrets by [@irsdl](#) (Soroush Dalili):

- `ASPNET_Resource` module for WebResource.axd/ScriptResource.axd detection
- `Purpose` enum for SP800-108 key derivation purpose strings
- `isolate_app_process()` for IsolateApps key modification
- `aspnet_resource_b64_to_standard_b64()` for ASP.NET custom URL-safe base64 conversion
- `Viewstate_Helpers` class: .NET sort key / hashcode computation, `__VIEWSTATEGENERATOR` calculation, path/apppath brute-force, KDF purpose string generation
- Split viewstate (`__VIEWSTATEFIELD_COUNT`) reassembly
- Passive `MAC_DISABLED` detection
- Expanded `ViewStateUserKey` candidate list

Archived from <https://github.com/blacklanternsecurity/badsecrets>. Rendered offline from the local Markdown copy.