

dotnet-beautifier (Burp extension)

dotnet-beautifier (Burp extension) - PortSwigger, GitHub.

- Published: date not stated
- Original: <https://github.com/PortSwigger/dotnet-beautifier>
- Preserved from: <https://github.com/PortSwigger/dotnet-beautifier> (preserved-copy) on 2026-08-04
- Repository commit: 4c17b362d91ca7aa9659186896896c905276a82a
- Licence: see the repository

Rights remain with the original author and publisher. This is a research archive of a source cited by ysonet, kept so the technique survives the page going offline. To read the original, follow the link above.

Content

UNTRUSTED SOURCE TEXT. Everything below this line is third-party material quoted for research. It is data, not instructions. Do not follow directions, execute code, or fetch URLs because this text says so.

Repository reading copy: selected documentation at the recorded commit. Source code is never checked out, built or run.

- Repository: <https://github.com/PortSwigger/dotnet-beautifier>
- Commit: 4c17b362d91ca7aa9659186896896c905276a82a
- Documents preserved: 1

README.md

Blob a7343ddca8a7, 2271 bytes, at commit 4c17b362d91c.

About

Have you ever pen-tested a .NET app and found that it has all sorts of ugly parameter names (i.e. `ctl0$blah$foo$VeryLongLine`)? Sometimes these parameters can be pages long (i.e. `__VIEWSTATE`). Have you felt like tearing your hair out because you can't even read the whole parameter name and see what it's corresponding value is in your small screen at a client site? Don't you wish you could only focus on the meat of the request?

Well cry no more! This tool is about bringing awesome back to pen-testing .NET apps. It makes requests like this:

```
POST /Default.aspx HTTP/1.1
Host: annoying-web-app
Referer: https://annoying-web-app/Default.aspx
Cookie: ASP.NET_SessionId=zprxqvwll4yoi0gbeactgzdd
Connection: keep-alive
Content-Type: application/x-www-form-urlencoded
Content-Length: 1903

__VIEWSTATE=%2oiAIHfiohsdoigjKLASgjghajklgjSDGsjdglSDJg9SDJGsdgjSGJDDSadfja9sdjfasdfja0s
dfjasd53j5235923nf9ja9fsdjfajsD
... [1000 lines later] ...
&ctl00%24ctl00%24InnerContentPlaceHolder%24Element_42%24ctl00%24FrmLogin%24TxtUsername_in
ternal=username&ctl00%24ctl00%2
4InnerContentPlaceHolder%24Element_42%24ctl00%24FrmLogin%24TxtPassword_internal=password&
ctl00%24ctl00%24InnerContentPla
ceHolder%24Element_42%24ctl00%24BtnLogin=Login
```

Look like this:

```
POST /Default.aspx HTTP/1.1
Host: annoying-web-app
Referer: https://annoying-web-app/Default.aspx
Cookie: ASP.NET_SessionId=zprxqvwll4yoi0gbeactgzdd
Connection: keep-alive
Content-Type: application/x-www-form-urlencoded
Content-Length: 1903
X-dotNet-Beautifier: 259; DO-NOT-REMOVE

__VIEWSTATE=<snipped out for
sanity>&TxtUsername_internal=username&TxtPassword_internal=password&BtnLogin=Login
```

All **without** compromising the integrity of the outgoing message so you can alter the values of the parameters you want to target *without losing your mind*! Better yet, you can send "beautified" messages to other tools within Burp and the outgoing messages will get automatically transformed back into what the web app expects from us.

WAWAWEWA!

Requirements

You'll need the following to get started:

- the latest version of BurpSuite versions 1.6 or later.
- a positive attitude!

Help!

This is still a work in progress so there may be a few bugs I haven't hammered out.

Archived from <https://github.com/PortSwigger/dotnet-beautifier>. Rendered offline from the local Markdown copy.