Lecture 07

Multiple Market Failures and Second-Best Policies

Ivan Rudik AEM 4510

Roadmap

- 1. What happens when we have another distortion like market power?
- 2. How do second-best policies like output taxes or intensity standards work?

Market power and pollution

Market power

Lets consider two extreme cases to understand whether and how market power matters

- 1. Perfect competition
- 2. Monopoly


Market power

Lets consider two extreme cases to understand whether and how market power matters


- 1. Perfect competition
- 2. Monopoly

In both cases we assume that:

- 1. Marginal costs of production are constant MC
- 2. The marginal damage from a unit of output is constant giving us constant social marginal costs SMC = MC + MD




The effect of moving from $q_0 \rightarrow q^*$ using a tax equal to marginal damage (SMC - MC):



The effect of moving from $q_0 \rightarrow q^*$ using a tax equal to marginal damage (SMC - MC):


Loss in CS: -(A+B)



The effect of moving from $q_0 o q^*$ using a tax equal to marginal damage (SMC - MC):

Loss in CS: -(A+B)

Avoided damages: B+C




The effect of moving from $q_0 \rightarrow q^*$ using a tax equal to marginal damage (SMC - MC):

Loss in CS: -(A+B)

Avoided damages: B+C

Tax revenue: A



The effect of moving from $q_0 \rightarrow q^*$ using a tax equal to marginal damage (SMC - MC):

Loss in CS: -(A+B)

Avoided damages: B+C

Tax revenue: A

Net gain: -(A+B) + (B+C) + A = C

Now consider a monopolist with the same marginal cost and marginal damage structure

Now consider a monopolist with the same marginal cost and marginal damage structure

What is the difference with a monopolist?

Now consider a monopolist with the same marginal cost and marginal damage structure

What is the difference with a monopolist?

The monopolist can set the price

Now consider a monopolist with the same marginal cost and marginal damage structure

What is the difference with a monopolist?

The monopolist can set the price

This means that the MR curve lies beneath the demand curve

Now consider a monopolist with the same marginal cost and marginal damage structure

What is the difference with a monopolist?

The monopolist can set the price

This means that the MR curve lies beneath the demand curve

Why?

Now consider a monopolist with the same marginal cost and marginal damage structure


What is the difference with a monopolist?

The monopolist can set the price

This means that the MR curve lies beneath the demand curve

Why?


The monopolist accounts for how additional output lowers the market price on inframarginal units



The socially efficient allocation is where social marginal cost is equal to the social marginal benefit

This is where SMC crosses the demand curve: (q^*, p^*)


What is the welfare outcome under the unregulated monopolist outcome?



In the absence of regulation, the monopolist maximizes profit where MR = MC: (q^m, p^m)

This results in deadweight loss equal to the **red** area


Now what happens if we set a Pigouvian tax equal to marginal damage?



The Pigouvian tax restricts output even more, adding deadweight loss equal to the blue area on top of the deadweight loss in the red area


The tax actually made us worse off by the blue area!

Why?



We now have two distortions:


- 1. Market power
- 2. Pollution externality



We now have two distortions:

- 1. Market power
- 2. Pollution externality

With market power, the unregulated equilibrium quantity is too low




We now have two distortions:


- 1. Market power
- 2. Pollution externality

With market power, the unregulated equilibrium quantity is too low

With a pollution externality, the unregulated equilibrium quantity is too high




They have opposing forces on quantities, so the market failures offset each other (partially)




They have opposing forces on quantities, so the market failures offset each other (partially)

This means that if we fully correct the pollution externality, we no longer get the off-setting benefit and have the full welfare cost of market power




What is the actual optimal thing to do here?



What is the actual optimal thing to do here?

subsidize output at rate s so

MC-s crosses MR at q^*



What is the actual optimal thing to do here?

subsidize output at rate s so MC-s crosses MR at q^*

In this example, the market power externality dominates the pollution externality: we need to increase output

What did we learn?

What did we learn?

With multiple market failures we don't necessarily want to fully correct for a single market failure

What did we learn?

With multiple market failures we don't necessarily want to fully correct for a single market failure

In this example we actually wanted to do the **opposite** of what you likely thought

What did we learn?

With multiple market failures we don't necessarily want to fully correct for a single market failure

In this example we actually wanted to do the **opposite** of what you likely thought

You can always draw this example in a different way where you should tax output

What did we learn?

With multiple market failures we don't necessarily want to fully correct for a single market failure

In this example we actually wanted to do the **opposite** of what you likely thought

You can always draw this example in a different way where you should tax output

You just need marginal damages to be sufficiently large relative to the market power effect on quantity

22/63

So this was a special case: we assumed the marginal damage from production was constant

So this was a special case: we assumed the marginal damage from production was constant

If we generalize this so that the emission and output decisions are separate, we still have the two opposing market failures¹

¹ The key thing here is that emissions are no longer a single function of output like E = f(q). This means we can no longer write MD as a function of output q.

So this was a special case: we assumed the marginal damage from production was constant

If we generalize this so that the emission and output decisions are separate, we still have the two opposing market failures ¹

What changes is we can no longer fix them both with just a pollution tax/subsidy

¹ The key thing here is that emissions are no longer a single function of output like E = f(q). This means we can no longer write MD as a function of output q.

Typically we must follow the **Tinbergen rule**: you need as many policy instruments as you have market failures to achieve the efficient outcome

Monopoly: more generally

Typically we must follow the **Tinbergen rule**: you need as many policy instruments as you have market failures to achieve the efficient outcome

What does that mean here?

Monopoly: more generally

Typically we must follow the **Tinbergen rule**: you need as many policy instruments as you have market failures to achieve the efficient outcome

What does that mean here?

We need:

1. Pollution tax

Monopoly: more generally

Typically we must follow the **Tinbergen rule**: you need as many policy instruments as you have market failures to achieve the efficient outcome

What does that mean here?

We need:

- 1. Pollution tax
- 2. Output subsidy

The tax incentivizes abatement, the subsidy incentivizes production

Sometimes emission taxes and abatement subsidies are difficult to administer because monitoring is hard

Sometimes emission taxes and abatement subsidies are difficult to administer because monitoring is hard

What can we do instead?

Sometimes emission taxes and abatement subsidies are difficult to administer because monitoring is hard

What can we do instead?

We can tax the output of the production process

Sometimes emission taxes and abatement subsidies are difficult to administer because monitoring is hard

What can we do instead?

We can tax the output of the production process

e.g. tax on electricity, cement

Sometimes emission taxes and abatement subsidies are difficult to administer because monitoring is hard

What can we do instead?

We can tax the output of the production process

e.g. tax on electricity, cement

Will this be efficient?

Sometimes emission taxes and abatement subsidies are difficult to administer because monitoring is hard


What can we do instead?

We can tax the output of the production process

e.g. tax on electricity, cement

Will this be efficient?

If so, what assumptions do we need about the production process?




Assume emissions are proportional to output

And MD is constant

The firm chooses to produce/emit at q^u in the unregulated equilibrium

If we tax output equal to MD we can achieve the socially optimal allocation q^{*}



An output tax can be efficient, if we assume that emissions are proportional to output

Now let's break the tight link between output and emissions by writing down a slightly more complicated model where the firm chooses emissions and output separately

Here's our model:

Cobb-Douglas production using labor and emissions as inputs:

$$Q = L^{lpha} E^{1-lpha}$$

- The firm pays wages w, rental rate r to emissions (capital)
- The firm receives a price p per unit of output
- ullet Emissions cause marginal damage d

Here's our model:

Cobb-Douglas production using labor and emissions as inputs:

$$Q=L^{lpha}E^{1-lpha}$$

- The firm pays wages w, rental rate r to emissions (capital)
- The firm receives a price p per unit of output
- Emissions cause marginal damage d

The firm can increase output without more emissions by increasing ${\cal L}$

Here's our model:

Cobb-Douglas production using labor and emissions as inputs:

$$Q=L^{lpha}E^{1-lpha}$$

- The firm pays wages w, rental rate r to emissions (capital)
- The firm receives a price p per unit of output
- ullet Emissions cause marginal damage d

The firm can increase output without more emissions by increasing ${\cal L}$

What does an output tax τ_o do versus a regular emission tax τ_e ?

The regulator's problem is:

$$\max_{L,E} p\, L^{lpha} E^{1-lpha} - wL - rE - dE$$

The regulator's problem is:

$$\max_{L,E} p\, L^{lpha} E^{1-lpha} - wL - rE - dE$$

The first-order conditions for a socially efficient allocation of L and E are:

$$\underbrace{\alpha p L^{lpha-1} E^{1-lpha}}_{ ext{MR}} = \underbrace{w}_{ ext{MC}} \qquad \underbrace{(1-lpha) p L^{lpha} E^{-lpha}}_{ ext{MR}} = \underbrace{r+d}_{ ext{MC}}$$

The regulator's problem is:

$$\max_{L,E} p\, L^{lpha} E^{1-lpha} - wL - rE - dE$$

The first-order conditions for a socially efficient allocation of L and E are:

$$\underbrace{\alpha p L^{lpha-1} E^{1-lpha}}_{ ext{MR}} = \underbrace{w}_{ ext{MC}} \qquad \underbrace{(1-lpha) p L^{lpha} E^{-lpha}}_{ ext{MR}} = \underbrace{r+d}_{ ext{MC}}$$

The for a social optimum we want to equate the MR (left hand side) with the SMC (right hand side) for both inputs

The firm's problem for the output tax is:

$$\max_{L,E}(p- au_o)L^{lpha}E^{1-lpha}-wL-rE$$

The firm's problem for the output tax is:

$$\max_{L,E}(p- au_o)L^{lpha}E^{1-lpha}-wL-rE$$

The firm's profit-maximizing choices are given by the first-order conditions:

$$lpha(p- au_o)L^{lpha-1}E^{1-lpha}=w \qquad (1-lpha)(p- au_o)L^lpha E^{-lpha}=r$$

The firm's problem for the output tax is:

$$\max_{L,E}(p- au_o)L^{lpha}E^{1-lpha}-wL-rE$$

The firm's profit-maximizing choices are given by the first-order conditions:

$$lpha(p- au_o)L^{lpha-1}E^{1-lpha}=w \qquad (1-lpha)(p- au_o)L^lpha E^{-lpha}=r$$

The firm equates the MR and MC of each input

The firm's problem for the output tax is:

$$\max_{L,E}(p- au_o)L^{lpha}E^{1-lpha}-wL-rE$$

The firm's profit-maximizing choices are given by the first-order conditions:

$$lpha(p- au_o)L^{lpha-1}E^{1-lpha}=w \qquad (1-lpha)(p- au_o)L^lpha E^{-lpha}=r$$

The firm equates the MR and MC of each input

The output tax penalizes the use of clean labor despite it not causing any externalities at a marginal rate of: $\tau_o L^{\alpha-1} E^{1-\alpha}$, this is **not efficient**

How does this compare to a pure emission tax?

How does this compare to a pure emission tax?

The firm's problem when facing an emission tax is:

$$\max_{L,E} pL^{lpha}E^{1-lpha} - wL - (r+ au_e)E$$

How does this compare to a pure emission tax?

The firm's problem when facing an emission tax is:

$$\max_{L,E} pL^{lpha}E^{1-lpha} - wL - (r+ au_e)E$$

The firm's profit-maximizing choices are given by the first-order conditions:

$$lpha(p)L^{lpha-1}E^{1-lpha}=w \qquad (1-lpha)pL^{lpha}E^{-lpha}=r+ au_e$$

How does this compare to a pure emission tax?

The firm's problem when facing an emission tax is:

$$\max_{L,E} pL^{lpha}E^{1-lpha} - wL - (r+ au_e)E$$

The firm's profit-maximizing choices are given by the first-order conditions:

$$lpha(p)L^{lpha-1}E^{1-lpha}=w \qquad (1-lpha)pL^{lpha}E^{-lpha}=r+ au_e$$

A tax of $\tau_e = d$ can achieve the efficient allocation!

Output taxes takeaways

If emissions are perfectly determined by output, we can use output taxes to achieve the efficient outcome

Output taxes takeaways

If emissions are perfectly determined by output, we can use output taxes to achieve the efficient outcome

If emissions can be chosen separately from outcome by the firm, this is no longer true

Output taxes takeaways

If emissions are perfectly determined by output, we can use output taxes to achieve the efficient outcome

If emissions can be chosen separately from outcome by the firm, this is no longer true

In this case an output tax incorrectly taxes our clean inputs

One of the most commonly used regulations for environmental problems is the **intensity standard**

One of the most commonly used regulations for environmental problems is the intensity standard

Intensity standards regulate the intensity of something

One of the most commonly used regulations for environmental problems is the intensity standard

Intensity standards regulate the intensity of something

E.g.

One of the most commonly used regulations for environmental problems is the intensity standard

Intensity standards regulate the intensity of something

E.g.

Intensity of emissions in output

One of the most commonly used regulations for environmental problems is the intensity standard

Intensity standards regulate the intensity of something

E.g.

Intensity of emissions in output

Intensity of clean electricity sources in the total electricity portfolio

One of the most commonly used regulations for environmental problems is the intensity standard

Intensity standards regulate the intensity of something

E.g.

Intensity of emissions in output

Intensity of clean electricity sources in the total electricity portfolio

Intensity of ethanol in the fuel supply

Intensity standards: RPS

What is a Renewables Portfolio Standard (RPS)?

aka Renewable Energy/Electricity Standard (RES)

Renewables Portfolio Standard

A requirement on retail electric suppliers...

To supply a minimum percentage or amount of their retail load... With eligible sources of renewable energy

Typically	Backed with penalties of some form
Often	Accompanied by a tradable renewable energy certificate (REC) program to facilitate compliance
Never	Designed the same in any two states


This report covers U.S. state RPS policies. It does not cover:

- Voluntary renewable electricity goals
- Broader clean energy requirements without a renewables-specific component (briefly discussed in a side-bar)
- RPS policies outside of the United States or in U.S. territories


Intensity standards: RPS

RPS Policies Exist in 29 States and DC

Apply to 56% of Total U.S. Retail Electricity Sales




Intensity standards: RPS



Intensity standards: RPS

RPSs combine intensity standards and tradable credit markets (Holt, 2014)



Intensity standards: gas flaring

Flaring of natural gas at oil wells in North Dakota is regulated with an intensity standard

North Dakota Industrial Commission Order 24665 Policy/Guidance Version 041718

Policy Goals:

- 1) reduce the flared volume of gas
- 2) reduce the number of wells flaring
- 3) reduce the duration of flaring from wells

38/63

Intensity standards: gas flaring

Mandates a minimum fraction of gas captured (max fraction of gas flared)

The Commission establishes the following gas capture goals:

74% October 1, 2014 through December 31, 2014

77% January 1, 2015 through March 31, 2016

80% April 1, 2016 through October 31, 2016

85% November 1, 2016 through October 31, 2018


88% November 1, 2018 through October 31, 2020

91% beginning November 1, 2020

The gas capture percentage is calculated by summing monthly gas sold plus monthly gas used on lease plus monthly gas processed in a Commission approved beneficial manner, divided by the total monthly volume of associated gas produced.

Intensity standards: gas flaring

The regulation pushed flaring rates down



Consider a case where we have a good with two types:

- a high type H that results in a high level of emissions
- a low type L that results in a low level of emissions

Consider a case where we have a good with two types:

- a high type H that results in a high level of emissions
- a low type L that results in a low level of emissions

The emission rate per unit of output for each is β_H and β_L

Consider a case where we have a good with two types:

- a high type H that results in a high level of emissions
- a low type L that results in a low level of emissions

The emission rate per unit of output for each is β_H and β_L

The marginal damage from emissions is d

Consider a case where we have a good with two types:

- a high type H that results in a high level of emissions
- a low type L that results in a low level of emissions

The emission rate per unit of output for each is β_H and β_L

The marginal damage from emissions is d

The cost function to produce each type of output is $C_H(Q_H)$ and $C_L(Q_L)$

Consider a case where we have a good with two types:

- a high type H that results in a high level of emissions
- a low type L that results in a low level of emissions

The emission rate per unit of output for each is β_H and β_L

The marginal damage from emissions is d

The cost function to produce each type of output is $C_H(Q_H)$ and $C_L(Q_L)$

The social benefit of consuming the goods is given by a social utility function $U(Q_H,Q_L)$

That's our set up!

That's our set up!

The social planner's problem is:

$$\max_{Q_H,Q_L} U(Q_H,Q_L) - C_H(Q_H) - C_L(Q_L) - au(eta_H Q_H + eta_L Q_L)$$

That's our set up!

The social planner's problem is:

$$\max_{Q_H,Q_L} U(Q_H,Q_L) - C_H(Q_H) - C_L(Q_L) - au(eta_H Q_H + eta_L Q_L)$$

Maximize the social utility of the good, minus the private and external costs

That's our set up!

The social planner's problem is:

$$\max_{Q_H,Q_L} U(Q_H,Q_L) - C_H(Q_H) - C_L(Q_L) - au(eta_H Q_H + eta_L Q_L)$$

Maximize the social utility of the good, minus the private and external costs

The first-order conditions tell us how social welfare is maximized:

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i} = rac{\partial C_i(Q_i)}{\partial Q_i} + aueta_i \;\; i = L,H$$

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i} = MC_i + aueta_i \;\; i = L,H$$

where we let $MC_i = rac{\partial C_i(Q_i)}{\partial Q_i}$

What is this condition saying?

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i} = MC_i + aueta_i \;\; i=L,H$$

where we let $MC_i = rac{\partial C_i(Q_i)}{\partial Q_i}$

What is this condition saying?

The marginal benefit of producing the good must equal the private marginal cost of production, plus the marginal damages

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i} = MC_i + aueta_i \;\; i=L,H$$

where we let $MC_i = rac{\partial C_i(Q_i)}{\partial Q_i}$

What is this condition saying?

The marginal benefit of producing the good must equal the private marginal cost of production, plus the marginal damages

Now what if we try to address the pollution externality with an intensity standard: a cap on the emissions per unit of output?

An emission standard might look something like this:

$$rac{eta_H Q_H + eta_L Q_L}{Q_H + Q_L} = \sigma$$

An emission standard might look something like this:

$$rac{eta_H Q_H + eta_L Q_L}{Q_H + Q_L} = \sigma$$

The left hand side is emissions (top) per unit of total output (bottom)

An emission standard might look something like this:

$$rac{eta_H Q_H + eta_L Q_L}{Q_H + Q_L} = \sigma$$

The left hand side is emissions (top) per unit of total output (bottom)

The right hand side is the standard: σ is the required emissions intensity

An emission standard might look something like this:

$$rac{eta_H Q_H + eta_L Q_L}{Q_H + Q_L} = \sigma$$

The left hand side is emissions (top) per unit of total output (bottom)

The right hand side is the standard: σ is the required emissions intensity

For the standard to make any sense it must be: $\beta_L \leq \sigma \leq \beta_H$,

An emission standard might look something like this:

$$rac{eta_H Q_H + eta_L Q_L}{Q_H + Q_L} = \sigma$$

The left hand side is emissions (top) per unit of total output (bottom)

The right hand side is the standard: σ is the required emissions intensity

For the standard to make any sense it must be: $\beta_L \leq \sigma \leq \beta_H$, otherwise it doesn't do anything $\sigma > \beta_H$ or its unattainable $\sigma < \beta_L$

Now how does the firm respond to an intensity standard?

Now how does the firm respond to an intensity standard?

Suppose there are prices p_H and p_L for each type of the good

Now how does the firm respond to an intensity standard?

Suppose there are prices p_H and p_L for each type of the good

The firm's problem is:

$$\max_{Q_H,Q_L} \pi(Q_H,Q_L) = p_H Q_H + p_L Q_L - C_H(Q_H) - C_L(Q_L)$$
 subject to: $rac{eta_H Q_H + eta_L Q_L}{Q_H + Q_L} = \sigma$

Notice that we can solve the intensity standard constraint for Q_H :

$$Q_H = rac{\sigma - eta_L}{eta_H - \sigma} Q_L$$

Notice that we can solve the intensity standard constraint for Q_H :

$$Q_H = rac{\sigma - eta_L}{eta_H - \sigma} Q_L$$

We can plug it into the firm's profit function to get rid of one of the output variables:

$$\max_{Q_L} p_H rac{\sigma - eta_L}{eta_H - \sigma} Q_L + p_L Q_L - C_H \left(rac{\sigma - eta_L}{eta_H - \sigma} Q_L
ight) - C_L(Q_L)$$

Notice that we can solve the intensity standard constraint for Q_H :

$$Q_H = rac{\sigma - eta_L}{eta_H - \sigma} Q_L$$

We can plug it into the firm's profit function to get rid of one of the output variables:

$$\max_{Q_L} p_H rac{\sigma - eta_L}{eta_H - \sigma} Q_L + p_L Q_L - C_H \left(rac{\sigma - eta_L}{eta_H - \sigma} Q_L
ight) - C_L(Q_L)$$

Next, the first-order condition for a maximum

The first-order condition is:

$$p_H rac{\sigma - eta_L}{eta_H - \sigma} + p_L = rac{\sigma - eta_L}{eta_H - \sigma} M C_H + M C_L$$

which is equivalent to:

$$rac{p_L - MC_L}{eta_L - \sigma} = rac{p_H - MC_H}{eta_H - \sigma}$$

The first-order condition is:

$$p_H rac{\sigma - eta_L}{eta_H - \sigma} + p_L = rac{\sigma - eta_L}{eta_H - \sigma} M C_H + M C_L$$

which is equivalent to:

$$rac{p_L - MC_L}{eta_L - \sigma} = rac{p_H - MC_H}{eta_H - \sigma}$$

To get to the final part of the intuition let:

$$\lambda \equiv (p_i - MC_i)/(eta_i - \sigma)$$

$$\lambda \equiv (p_i - MC_i)/(eta_i - \sigma)$$

This lets us write the Q_L FOC as:

$$p_L = MC_L(Q_L) + \lambda(eta_L - \sigma)$$

and it turns out if we instead framed the problem instead of Q_H we'd get the same FOC:

$$p_H = M C_H(Q_H) + \lambda (eta_H - \sigma)$$

$$\lambda \equiv (p_i - MC_i)/(eta_i - \sigma)$$

This lets us write the Q_L FOC as:

$$p_L = MC_L(Q_L) + \lambda(eta_L - \sigma)$$

and it turns out if we instead framed the problem instead of Q_H we'd get the same FOC:

$$p_H = M C_H(Q_H) + \lambda (eta_H - \sigma)$$

What are these FOCs telling us about the firm's problem:

$$p_i = MC_i(Q_i) + \lambda(eta_i - \sigma) \;\; i = L, H$$

The firm equates marginal revenue p_i and total marginal cost for each type i

The firm equates marginal revenue p_i and total marginal cost for each type i

The marginal cost is composed of two pieces:

- 1. The actual marginal cost of production MC_i
- 2. The implicit marginal cost imposed by the regulation: $\lambda(\beta_i \sigma)$

The firm equates marginal revenue p_i and total marginal cost for each type i

The marginal cost is composed of two pieces:

- 1. The actual marginal cost of production MC_i
- 2. The implicit marginal cost imposed by the regulation: $\lambda(\beta_i \sigma)$

The regulation forces the firm to choose an allocation that is away from its unconstrained optimum, 2. is what picks up this economic force

The firm equates marginal revenue p_i and total marginal cost for each type i

The marginal cost is composed of two pieces:

- 1. The actual marginal cost of production MC_i
- 2. The implicit marginal cost imposed by the regulation: $\lambda(\beta_i \sigma)$

The regulation forces the firm to choose an allocation that is away from its unconstrained optimum, 2. is what picks up this economic force

What is the sign of $\lambda(\beta_i - \sigma)$?

What is the sign of $\lambda(\beta_i - \sigma)$?

What is the sign of $\lambda(\beta_i - \sigma)$?

What is the sign of $\lambda(\beta_i - \sigma)$?

$$\lambda(eta_i-\sigma)\geq 0$$
 for $i=H,\lambda(eta_i-\sigma)\leq 0$ for $i=L$

What is the sign of $\lambda(\beta_i - \sigma)$?

$$\lambda(eta_i-\sigma)\geq 0$$
 for $i=H,\lambda(eta_i-\sigma)\leq 0$ for $i=L$

The regulation is acting like an implicit marginal tax on the high emission good, and an implicit subsidy on the low emission good!

What is the sign of $\lambda(\beta_i - \sigma)$?

$$\lambda(eta_i-\sigma)\geq 0$$
 for $i=H,\lambda(eta_i-\sigma)\leq 0$ for $i=L$

The regulation is acting like an implicit marginal tax on the high emission good, and an implicit subsidy on the low emission good!

The intensity standard aims to shift production from high emission intensity to low emission intensity goods

What is the sign of $\lambda(\beta_i - \sigma)$?

$$\lambda(eta_i-\sigma)\geq 0$$
 for $i=H,\lambda(eta_i-\sigma)\leq 0$ for $i=L$

The regulation is acting like an implicit marginal tax on the high emission good, and an implicit subsidy on the low emission good!

The intensity standard aims to shift production from high emission intensity to low emission intensity goods

Is the intensity standard efficient?

Social welfare is maximized when:

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i} = MC_i + aueta_i \;\; i = L,H$$

Social welfare is maximized when:

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i} = MC_i + aueta_i \;\; i = L,H$$

The firm maximizes profit under the intensity standard at:

$$p_i = MC_i(Q_i) + \lambda(eta_i - \sigma) \;\; i = L, H$$

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i}=p_i$$
 from household utility maximization 1

¹Prices reflect the marginal value of consumption.

Social efficiency:

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i} = MC_i + aueta_i \;\; i = L,H$$

Firm choice:

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i} = MC_i(Q_i) + \lambda(eta_i - \sigma) \;\; i = L,H$$

Social efficiency:

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i} = MC_i + aueta_i \;\; i = L,H$$

Firm choice:

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i} = MC_i(Q_i) + \lambda(eta_i - \sigma) \;\; i = L,H$$

These conditions show us that an intensity standard is not efficient

Social efficiency:

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i} = MC_i + aueta_i \;\; i = L,H$$

Firm choice:

$$rac{\partial U(Q_H,Q_L)}{\partial Q_i} = MC_i(Q_i) + \lambda(eta_i - \sigma) \;\; i = L,H$$

These conditions show us that an intensity standard is not efficient

Why?

At a social optimum, we want to $\ensuremath{\mathsf{tax}}$ both L and H goods because they are both polluting

At a social optimum, we want to \max both L and H goods because they are both polluting

But the intensity standard subsidizes L

At a social optimum, we want to $\ensuremath{\mathsf{tax}}$ both L and H goods because they are both polluting

But the intensity standard subsidizes L

The intensity standard cannot reach the efficient allocation because it is subsidizing a good that produces a negative externality ¹

¹Technically it can in the specific case when the L type good does not emit any pollution, $\beta_L=0$, but in general this won't be true.

At a social optimum, we want to $\ensuremath{\mathsf{tax}}$ both L and H goods because they are both polluting

But the intensity standard subsidizes L

The intensity standard cannot reach the efficient allocation because it is subsidizing a good that produces a negative externality ¹

We call policies that can't achieve the social optimum second-best

¹Technically it can in the specific case when the L type good does not emit any pollution, $\beta_L = 0$, but in general this won't be true.

Intensity standards: graphical

Now lets look at intensity standards graphically

A few things you'll need to know:

- 1. Iso-profit curves: ovals that tell us the combinations of Q_H, Q_L that achieve the same profit
- 2. Iso-welfare curves: ovals that tell us the combinations of Q_H, Q_L that achieve the same social welfare

Intensity standards: graphical

These are like indifference curves for consumers, but are ovals instead of convex curves

Why ovals?

Intensity standards: graphical


These are like indifference curves for consumers, but are ovals instead of convex curves

Why ovals?

Producing too much can decrease profit and/or welfare so eventually profit starts falling

With consumption, more is always better so increasing consumption always moves onto higher ICs

Intensity standards: what happens?



GURE 1. ISO-PRIVATE-SURPLUS CURVES WITH LCFS CONSTRAINT AND EFFICIENT CARBON
TRADING CONSTRAINT


The circles are iso-private welfare (iso-profit) curves

A is where profit is maximized for the firm

The line $Q_L=rac{eta_H-\sigma}{\sigma-eta_L}Q_H$ tells us which combos of Q_L,Q_H satisfy the intensity standard

Holland, Hughes, and Knittel (2010)

Intensity standards: what happens?




GURE 1. ISO-PRIVATE-SURPLUS CURVES WITH LCFS CONSTRAINT AND EFFICIENT CARBON
TRADING CONSTRAINT

The intensity standard forces the firm to produce on the line


The highest iso-profit curve it can achieve is at point C

This is more Q_L and less Q_H than is optimal, consistent with the subsidy/tax combination implicit in the policy



Intensity standards can actually backfire and increase emissions


How?



 $eta_H Q_H + eta_L Q_L = K$ is the line showing all combinations of Q_L, Q_H that generate K units of emissions

K crosses through point A which is the unregulated profit-maximizing choice by the firm

Anything to the top right of the line is more emissions




The regulation induces the firm to move to point ${\cal C}$

This is slightly less Q_H , but a lot more Q_L

The increase in emissions from Q_L is more than the decrease from the lowering of Q_H

Overall emissions went up!



This perverse outcome was possible because production of the L type was very elastic while the H type was inelastic

Intensity standards: second-best




FIGURE 3. ILLUSTRATION OF THE BEST LCFS AT C WITH LOCUS OF LCFS EQUILIBRIA,

ISO-PRIVATE-SURPLUS CURVES, AND ISO-WELFARE CURVES

What is the best intensity standard?

The dashed ovals are the iso-profit curves

The solid ovals are the iso-welfare curves

Welfare is maximized at point B

Profit is maximized at point A

Intensity standards: second-best




FIGURE 3. ILLUSTRATION OF THE BEST LCFS AT C WITH LOCUS OF LCFS EQUILIBRIA,

ISO-PRIVATE-SURPLUS CURVES, AND ISO-WELFARE CURVES

The solid line shows the firm's choices of Q_L, Q_H as we increase the intensity standard σ

Increasing σ pivots the intensity standard counter-clockwise:

$$Q_L = rac{eta_H - \sigma}{\sigma - eta_L} Q_H$$

The optimal intensity standard is the one that lets us get on the highest iso-welfare curve, which is at point

7 63/63