

Free trial status: \$300.00 credit and 91 days remaining. Activate your full account to get unlimited access to all of Google Cloud—use any remaining credits, then pay only for what you use.

Dismiss

Activate

Google Cloud

My Project

Search (/) for resources, docs, products, and more

Search

4

APIs & Services

←

Edit API key

Rotate key

Create a copy

Delete

Enabled APIs ...

Library

Credentials

OAuth consent...

Page usage ag...

Name \*

Sheets API Codelab

Use a unique name to identify your API key

Key restrictions

Add restrictions to reduce security risk and prevent unauthorized use. [Learn more](#)

Application restrictions

None

Websites

IP addresses

Android apps

iOS apps

Website restrictions

Restrict key usage requests to the specified websites.

If left blank, your API key will accept requests from any website.

Add

Filter

Enter property name or value

Status	Website	Edit
<input type="checkbox"/>	http://localhost:3000	

API restrictions

Don't restrict key

This key can call any API

Restrict key

Note: It may take up to 5 minutes for settings to take effect

Additional information

Show key

Creation date

August 24, 2016 at 12:08:26 AM GMT-5

How do I restrict my API key to specific websites?

Use an HTTP referrer to restrict the URLs that can use an API key. [Learn more](#)

Here are some examples of URLs that you can allow to set up a referrer:

- Any URL in a single domain with no subdomains: <https://example.com>
- Any URL in a single subdomain: <https://sub.example.com>
- Any subdomain in a single domain, using a wildcard asterisk (\*): [https://\\*.example.com](https://*.example.com)
- A domain and all its subdomains, using a wildcard asterisk (\*):
  - <https://example.com>
  - [https://\\*.example.com](https://*.example.com)
- A URL with a non-standard port: <http://www.example.com:8000>

Note: query parameters and fragments are not currently supported; they will be ignored if you include them in an HTTP referrer.