

# NAPREDNI WP ROCKET Ahaa trenutci

IVAN RUŽEVIĆ
IVAN.RUZEVIC@INFINUM.CO

# Primjer

Frižider

### Zašto cachirati?

Server


Brzina

Google pozicija

UX

Brza aplikacija = Sretan Korisnik = Sretan Klijent

#### You and your web browser



WordPress database

WordPress host

### Vrste cacha

Client-Side

Server-size

Page caching

Mobile caching

User caching

Database query caching

Object-based caching

Opcode caching


### WORDPRESS CACHE

### Kako radi?

# wp-setting.php

enable\_loading\_advanced\_cache\_dropin

### Proces



## WordPress cache plugins

W3 Total Cache

WP Rocket

WP Super Cache

WP Fastest Cache

Comet Cache

Cache Enabler

Hyper Cache

# Treba li mi plugin?

Tehnički ne, ali da!

### WP ROCKET

### Zašto da?

Jednostavan setup

Cache preloading

Optimizacija baze podataka

Lazyloading

Caching Rest Api ruta

Najbrži

Odličan support


Super debug log (WP\_ROCKET\_DEBUG)

### Zašto ne?

Nije besplatan

Advance stvari treba razumjeti





### AHAA TRENUTCI

# Setup

Decoupled WordPress

Frontend App on JS

REST API jako spor

Plugin koji cachira rest rute

Ne razumijevanje cache procesa



### Rocket konfiguracija

- wp-content
  - ▶ cache
  - ▶ mu-plugins
  - plugins
  - ▶ themes
  - upgrade
  - uploads
  - wp-rocket-config
  - .htaccess
  - dev-api.go.com.php
- advanced-cache.php

# Rješenje 1

Rocket konfiguracija

Resave admin konfiguraciju

lli

Reaktivirati plugin

Rest rute ne rade out of the box

# Rješenje 2

#### Treba dodati filter hook

```
add_filter( 'rocket_cache_reject_wp_rest_api', 'enable_rest_api_cache' );
add_filter( 'rocket_cache_reject_wc_rest_api', 'enable_rest_api_cache' );

/**
    * Enable Rest Api caching
    *
    * @since 1.0.0
    */
    public function enable_rest_api_cache() {
        return false;
    }
```

#### WP-ROCKET-CONFIG

```
$rocket_cache_reject_uri = '/(.+/)?feed/?|/(index\.php/)?wp\-json(/.*|$)';
```

```
$rocket_cache_reject_uri = '/( +/)?feed/?';
```

#### **CACHED FILES**

- wp-content
  - ✓ cache
  - busting
  - ▶ critical-css
  - ▶ min
  - - - - ✓ WC
        - ✓ v2

          - slug=entertainment-king

            - index-https.html
            - index-https.html\_gzip

#### 

- index-https.html
- index-https.html\_gzip

Cachiranje rest rute po ID-u

Radi samo za ID:

/wp-json/wp/v2/pages/1344

Nama treba slug:

/wp-json/wp/v2/pages?slug=home

# Rješenje 3

### Cachiranje rest rute po ID-u

#### WP-ROCKET-CONFIG

```
$rocket_cache_query_strings = array (
   0 => 'q',
);

$rocket_cache_query_strings = array (
   0 => 'slug',
   1 => 'q',
);
```

```
add_filter( 'rocket_cache_query_strings', 'query_string_list' );

/**
  * List all Query strings to cache.
  *
  * @param array $items Items from the admin.
  * @since 1.0.0
  */
public function query_string_list( $items ) {

  $items[] = 'slug';

  return $items;
}
```

Neke rute ne želimo cachirati

# Rješenje 4

#### Neke rute ne želimo cachirati

```
add_filter( 'rocket_cache_reject_uri', 'reject_url' );

/**
  * List all Pages not to cache
  *
  * @param array $items Items from the admin.
  * @since 1.0.0
  */
public function reject_url( $items ) {
    $items[] = '/wp-json/wc/v2/orders/(.*)';
    return $items;
}
```

#### WP-ROCKET-CONFIG

```
$rocket_cache_reject_uri = '/(.+/)?feed/?';
$rocket_cache_reject_uri = '/(.+/)?feed/?|/wp-json/wc/v2/orders/(.*)';
```

Izmjenim stranicu a ruta je i dalje cachirana

# Rješenje 5

### Izmjenim stranicu a ruta je i dalje cachirana

```
add_action( 'save_post', 'clear_query_cache', 10, 2 );
/**
* Force rest enpoints with query parameters to delete cache on post save.
* @param object $post Post object.
* @since 1.0.0
public function clear_query_cache( $post_id, $post ) {
 if ( ! function_exists( 'rocket_clean_files' ) ) {
   return false;
 $normal_url = $this->get_rest_route_url_by_type( $post->post_type, $post->post_name );
 $custom_url = str_replace( '?', '', $normal_url );
 $urls = [
   esc_url( $normal_url ),
   esc_url( $custom_url ),
                                                               NGINX CONFIG
 \rocket_clean_files( $urls );
                                                               try files $uri $uri//index.php?q=$uri&$args;
```

try\_files \$uri \$uri/ /index.php?\$args;

CORS – oh glavobolja

# Rješenje 6 – Apache

#### CORS – oh glavobolja

```
add_filter( 'after_rocket_htaccess_rules', 'add_cors_rools_apache' );
/**
* Add CORS headers in htaccess rools used only on Apache.
* @param string $rules Precreated rules.
* @return string
* @since 1.0.0
public function add_cors_rools_apache( $rules ) {
 $rules = '# CORS headers' . PHP_EOL;
 $rules .= '<IfModule mod_headers.c>' . PHP_EOL;
 $rules _= 'Header set Access-Control-Allow-Origin "' _ GO_FRONTEND_URL _ '"' _ PHP_EOL;
 $rules _= 'Header set Access-Control-Allow-Methods "POST, GET, OPTIONS, PUT, DELETE"' _ PHP_EOL;
 $rules _= 'Header set Access-Control-Allow-Credentials "true"' _ PHP_EOL;
 $rules .= '</IfModule>' . PHP_EOL . PHP_EOL;
  return $rules;
```

#### WP-CONFIG.PHP

```
// This must be inputed due to CORS issues.
define( 'GO_FRONTEND_URL', 'https://js-awesome.infinum.co');
```

# Rješenje 6 – Nginx

### CORS – oh glavobolja

#### WP-CONFIG.PHP

```
// This must be inputed due to CORS issues.
define( 'GO_FRONTEND_URL', 'https://js-awesome.infinum.co' );
 * Acc Cors headers to cached and non cached res api endpoint.
 * This is called in plugin on wp-rocket activation hook and
 * activates in advance-cache.php.
 * @since 1.0.0
function go_cors_headers() {
  if ( defined( 'GO_FRONTEND_URL' ) ) {
   $req = htmlspecialchars( $_SERVER['REQUEST_URI'] );
    if ( isset( $req ) ) {
      preg_match( '/wp-json/', $req, $result );
      if ( ! empty( $result ) ) {
        header( 'Access-Control-Allow-Origin: ' . rtrim( GO_FRONTEND_URL, '/' ) );
        header( 'Access-Control-Allow-Methods: POST, GET, OPTIONS, PUT, DELETE' );
        header( 'Access-Control-Allow-Credentials: true' );
```

#### PLUGIN / THEME

```
add_filter( 'rocket_advanced_cache_file', 'add_cors_rools_apache_nginx' );

/**
    * Add Cors headers in advance-cache.php config file on plugin activation
    * used only on Nginx.
    *
    * @param string $buffer Original file output.
    *
    * @since 1.0.0
    */
public function add_cors_rools_apache_nginx( $buffer ) {
    $position = strpos( $buffer, 'include' );
    $cors_function = "go_cors_headers();\n";

    $buffer = substr_replace( $buffer, $cors_function, $position, 0 );

    return $buffer;
}
```

Neispravan Content-Type

# Rješenje 7

Neispravan Content-Type

NO CACHE

**Content-Type** → application/json;

CACHE

**Content-Type** →text/html;

Nema rješenja



### Any questions?

IVAN.RUZEVIC@INFINUM.CO @ MUSTRA1

Visit infinum.co or find us on social networks:







