

# Make a CSS sandwich by using postCSS as a bread


IVAN RUŽEVIĆ

## POSTCSS IN A NUTSHELL

"PostCSS is a tool for transforming CSS with JS plugins. These plugins can support variables and mixins, transpile future CSS syntax, inline images, and more."

- @GITHUB

# LOOK, A COOL DIAGRAM!



## WHAT POSTCSS IS NOT

Not a Pre-processor

Not a Post-processor

Not "Future Syntax"

Not a Clean Up Tool

But it can be!

## WHAT POSTCSS IS

PostCSS is Not Any One Thing but think it as a bread to your sandwich.

## WHAT MAKES POSTCSS SPECIAL

Speed

Your plugins

Non dependent libraries

Seamless deployment

and many more...

## SPEED

#### **UP TO 3 TIMES FASTER**

- PostCSS: 36 ms
- Rework: 77 ms (2.1 times slower)
- · libsass: 136 ms (3.8 times slower)
- Less: 160 ms (4.4 times slower)
- Stylus: 167 ms (4.6 times slower)
- Stylecow: 208 ms (5.7 times slower)
- Ruby Sass: 1084 ms (30.1 times slower)

HTTPS://GITHUB.COM/POSTCSS/BENCHMARK

# PLUGINS

## WHAT ARE POSTCSS PLUGINS

Currently more than 200 active plugins


HTTP://POSTCSS.PARTS/

## MAKE YOUR OWN

## HOW TO SETUP

## HOW TO SETUP

- Add PostCSS loader to your favourite task runner.
- Create postcss.config.js
- Install plugins that you need via npm installer and add it to the postcss config file.
- Run task and see the magic happen



#### WEBPACK.CONFIG.JS

```
use: ExtractTextPlugin.extract({
  fallback: 'style-loader',
  use: [{
   loader: 'css-loader'
 }, {
   loader: 'postcss-loader'
 }, {
   loader: 'sass-loader'
 }],
```

#### PACKAGE.JSON

```
"name": "PostCSS",
"devDependencies": {
  "autoprefixer": "^6.7.2",
  "css-loader": "^0.26.1",
  "css-mqpacker": "^5.0.1",
  "cssnano": "^3.10.0",
  "extract-text-webpack-plugin": "^2.0.0-rc.3",
  "file-loader": "^0.9.0",
  "media-blender": "^2.1.0",
  "node-sass": "^4.5.0",
  "postcss-cssnext": "^2.9.0",
  "postcss-font-magician": "^1.6.0",
  "postcss-loader": "^1.2.2",
  "sass-loader": "^4.1.1",
  "style-loader": "^0.13.1",
  "webpack": "^2.2.1"
"browserslist": [
 "> 1%",
  "last 5 versions"
```

#### POSTCSS.CONFIG.JS

```
module.exports = {
  plugins: [
    require('autoprefixer'),
    require('postcss-font-magician')({
      protocol: 'https:',
      variants: {
          'Roboto Condensed': {
              '300': [],
              '400': [],
             '700': []
      foundries: ['google']
    }),
    require('css-mqpacker'),
    require('postcss-cssnext'),
    require('cssnano')
```

# EXAMPLES

# AUTOPREFIXER

```
require('autoprefixer')({
  browserslist: [
    "> 1%",
    "last 5 versions"
  ]
})
```

#### INPUT - SASS

```
.autoprefix {
  display: flex;
}
```

```
.autoprefix {
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
}
```

## POSTCSS-FONT-MAGICIAN

```
require('postcss-font-magician')({
  protocol: 'https:',
  variants: {
        'Roboto Condensed': {
            '300': []
        }
  },
  foundries: ['google']
}),
```

#### INPUT - SASS

```
.fontFamily {
  font-family: 'Roboto Condensed';
}
```

```
@font-face {
  font-family: "Roboto Condensed";
  font-style: normal;
  font-weight: 300;
  src:
  local("Roboto Condensed Light"),
  local(RobotoCondensed-Light),
  url(https://fonts.gstatic.com/s/robotocondensed/v13/
b9QBgL0iMZfDSpmcXcE8nCrW eugtb5 efFKynOEdiw.eot?#)
format("eot"),
  url(https://fonts.gstatic.com/s/robotocondensed/v13/
b9QBgL0iMZfDSpmcXcE8nNeiznanRB67rGZDYkMvKPc.woff)
format("woff2"),
  url(https://fonts.gstatic.com/s/robotocondensed/v13/
b9QBgL0iMZfDSpmcXcE8nNeiznanRB67rGZDYkMvKPc.woff)
format("woff");
.fontFamily {
  font-family: 'Roboto Condensed';
```

# CSS-MQPACKER

#### POSTCSS.CONFIG.JS

#### OUTPUT - CSS

```
require('css-mqpacker')
```

#### INPUT - SASS

```
@import '~media-blender';
.mqPacker {
  .box1 {
   width: 800px;
   @include media(small) {
     width: 500px;
  .box2 {
   width: 300px;
   @include media(tablet) {
     width: 100px;
    @include media(small) {
     width: 100px;
  .box3 {
   @include media(tablet) {
     width: 50px;
   @include media(small) {
     width: 30px;
```

```
.mqPacker .box1 {
 width: 800px;
.mqPacker .box2 {
 width: 300px;
@media (max-width: 543px) {
  .mqPacker .box1 {
   width: 500px;
  .mqPacker .box2 {
   width: 100px;
  .mqPacker .box3 {
   width: 30px;
@media (min-width: 768px) and (max-width: 991px) {
  .mqPacker .box2 {
   width: 100px;
  .mqPacker .box3 {
    width: 50px;
```

# POSTCSS-CSSNEXT

#### POSTCSS.CONFIG.JS

```
OUTPUT - CSS
```

```
require('postcss-cssnext')
```

#### INPUT - SASS

```
:root {
 --fontSize: 1rem;
 --color: 180;
 --borderColor: 0;
 --bgColor: #F4F4F4;
.nextCss {
 padding:calc((var(--fontSize)/2)+10px);
 color: gray(var(--color));
 border: 1px solid gray(var(--borderColor),30%);
 filter: sepia(0.8);
 display: block;
 width: 300px;
 height: 100px;
 font-size: 30px;
 text-align: center;
 line-height: 100px;
 background-color: var(--bgColor);
 font-weight: bold;
```

```
.nextCss {
  padding: calc(0.5rem + 10px);
 color: rgb(180, 180, 180);
  border: 1px solid rgba(0, 0, 0, 0.3);
  filter: url('data:image/
svg+xml;charset=utf-8,<svg xmlns="http://</pre>
www.w3.org/2000/svg"><filter
id="filter"><feColorMatrix type="matrix" color-</pre>
interpolation-filters="sRGB" values="0.5144"
0.615200000000001 0.1512 0 0 0.2792 0.7488
0.1344000000000002 0 0 0.217600000000002
0.4272 0.3047999999999999 0 0 0 0 0 1 0" /></
filter></svg>#filter');
  -webkit-filter: sepia(0.8);
          filter: sepia(0.8);
 display: block;
 width: 300px;
  height: 100px;
  font-size: 30px;
  text-align: center;
  line-height: 100px;
  background-color: #F4F4F4;
  font-weight: bold;
```

# CSSNANO

#### POSTCSS.CONFIG.JS

require('cssnano')

#### OUTPUT - CSS

```
@font-face{font-family:Roboto Condensed;font-style:normal;font-weight:300;src:local("Roboto Condensed
Light"), local(RobotoCondensed-Light), url(https://fonts.gstatic.com/s/robotocondensed/v13/
b9QBgL0iMZfDSpmcXcE8nCrW eugtb5 efFKynOEdiw.eot#) format("eot"),url(https://fonts.gstatic.com/s/
robotocondensed/v13/b9QBgL0iMZfDSpmcXcE8nNeiznanRB67rGZDYkMvKPc.woff) format("woff2"),url(https://
fonts.gstatic.com/s/robotocondensed/v13/b9QBgL0iMZfDSpmcXcE8nNeiznanRB67rGZDYkMvKPc.woff)
format("woff")}@font-face{font-family:Roboto Condensed;font-style:normal;font-weight:
400; src:local("Roboto Condensed"), local(RobotoCondensed-Regular), url(https://fonts.gstatic.com/s/
robotocondensed/v13/Zd2E9abXLFGSr9G3YK2MsG8ITcfo9NwJpvZiO7 FxEg.eot#) format("eot"),url(https://
fonts.gstatic.com/s/robotocondensed/v13/Zd2E9abXLFGSr9G3YK2MsFzqCfRpIA3W6ypxnPISCPA.woff)
format("woff2"), url(https://fonts.gstatic.com/s/robotocondensed/v13/
Zd2E9abXLFGSr9G3YK2MsFzqCfRpIA3W6ypxnPISCPA.woff) format("woff")}@font-face{font-family:Roboto
Condensed; font-style:normal; font-weight: 700; src:local("Roboto Condensed Bold"), local(RobotoCondensed-
Bold),url(https://fonts.gstatic.com/s/robotocondensed/v13/
b9QBgL0iMZfDSpmcXcE8nJTpJ4f0LLwmHp8vl0kIMg4.eot#) format("eot"),url(https://fonts.gstatic.com/s/
robotocondensed/v13/b9QBgL0iMZfDSpmcXcE8nCSLrGe-fkSRw2DeVgOoWcQ.woff) format("woff2"),url(https://
fonts.gstatic.com/s/robotocondensed/v13/b9QBgL0iMZfDSpmcXcE8nCSLrGe-fkSRw2DeVgOoWcQ.woff)
format("woff")}.autoprefix{display:-webkit-box;display:-ms-flexbox;display:flex}.fontFamily,body{font-
300px}.nextCss{padding:calc(0.5rem + 10px);color:#b4b4b4;border:1px solid
```

# CONCLUSION

## JUST START USING IT

If there's one thing you really need to know about PostCSS, it's that you should learn what it is and how to use it ASAP.



# Any questions?

IVAN.RUZEVIC@INFINUM.CO
@ IRUZEVIC

Visit infinum.co or find us on social networks:







