Logueo

Execution Environment

Host name	iperez - EC2AMAZ-DJL71OR.firstmajestic.local
OS	Windows Server 2016 64bit
Katalon version	7.0.4.1
Browser	Chrome 86.0.4240.198

Summary

ID	Test Suites/Logins/Logueo		
Description			
Total	7		
Passed	6	Failed	1
Error	0	Incomplete	0
Start	2020-12-07 22:04:57	End	2020-12-07 22:07:52
Elapsed	2m - 54.928s		

#	ID	Description	Status
1	Test Cases/Login/La Parrilla		PASSED
2	Test Cases/Login/La Encantada		PASSED
3	Test Cases/Login/Santa Elena		PASSED
4	Test Cases/Login/La Guitarra		PASSED
5	Test Cases/Login/Del Toro		PASSED
6	Test Cases/Login/San Dimas		PASSED
7	Test Cases/Login/San Martin		FAILED

La Parrilla

Information

ID	Test Cases/Login/La Parrilla
Description	
Tag	

Start	2020-12-07 22:04:57	End	2020-12-07 22:05:30
Elapsed	32.191s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url)	10.166s	PASSED
	Browser is opened with url: 'https://mb-testing.firstmajestic.com'		
2	maximizeWindow()	1.426s	PASSED
	Current window maximized		
3	click(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"))	1.440s	PASSED
	Object: 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097' is clicked on		
4	selectOptionByLabel(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"), "La Parrilla", false)	1.116s	PASSED
	All options with label 'La Parrilla' are selected in object 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097'		
5	click(findTestObject("Login/La parrilla login/button_Iniciar Sesin"))	1.455s	PASSED
	Object: 'Object Repository/Login/La parrilla login/button_Iniciar Sesin' is clicked on		
6	click(findTestObject("Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6"))	4.581s	PASSED
	Object: 'Object Repository/Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6' is clicked on		

La Parrilla

#	Description	Elapsed	Status
7	refresh() Refresh successfully	1.011s	PASSED
8	setText(findTestObject("Login/La parrilla login/input_Sign in_loginfmt"), "iperez@firstmajestic.com") Text 'iperez@firstmajestic.com' is set on object 'Object Repository/Login/La parrilla login/input_Sign in_loginfmt'	1.481s	PASSED
9	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	0.570s	PASSED
10	setEncryptedText(findTestObject("Login/La parrilla login/input_Enter password_passwd"), "ykGCkDCd7AS2UCfUpOmvYw==") Text ****** has been set on object 'Object Repository/Login/La parrilla login/input_Enter password_passwd'	1.667s	PASSED
11	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	1.473s	PASSED
12	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	5.371s	PASSED
13	delay(7) NOT_RUN: delay(7)	0.022s	NOT_RUN
14	verifyTextPresent("Irving", false) NOT_RUN: verifyTextPresent("Irving", false)	0.006s	NOT_RUN

La Encantada

Information

ID	Test Cases/Login/La Encantada
Description	
Tag	

Start	2020-12-07 22:05:30	End	2020-12-07 22:05:56
Elapsed	26.782s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url)	9.338s	PASSED
	Browser is opened with url: 'https://mb-testing.firstmajestic.com'		
2	maximizeWindow()	1.385s	PASSED
	Current window maximized		
3	click(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"))	0.781s	PASSED
	Object: 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097' is clicked on		
4	selectOptionByLabel(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"), "La Encantada", false)	0.667s	PASSED
	All options with label 'La Encantada' are selected in object 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097'		
5	click(findTestObject("Login/La parrilla login/button_Iniciar Sesin"))	0.494s	PASSED
	Object: 'Object Repository/Login/La parrilla login/button_Iniciar Sesin' is clicked on		
6	click(findTestObject("Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6"))	2.718s	PASSED
	Object: 'Object Repository/Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6' is clicked on		

La Encantada

#	Description	Elapsed	Status
7	setText(findTestObject("Login/La parrilla login/input_Sign in_loginfmt"), "iperez@firstmajestic.com") Text 'iperez@firstmajestic.com' is set on object 'Object Repository/Login/La parrilla login/input_Sign in_loginfmt'	2.153s	PASSED
8	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	0.473s	PASSED
9	setEncryptedText(findTestObject("Login/La parrilla login/input_Enter password_passwd"), "ykGCkDCd7AS2UCfUpOmvYw==") Text ****** has been set on object 'Object Repository/Login/La parrilla login/input_Enter password_passwd'	1.819s	PASSED
10	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	1.755s	PASSED
11	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	4.753s	PASSED
12	delay(8) NOT_RUN: delay(8)	0.001s	NOT_RUN

Santa Elena

Information

ID	Test Cases/Login/Santa Elena		
Description			
Tag			
Start	2020-12-07 22:05:56	End	2020-12-07 22:06:23
Elapsed	26.467s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url)	6.651s	PASSED
	Browser is opened with url: 'https://mb-testing.firstmajestic.com'		
2	maximizeWindow()	1.275s	PASSED
	Current window maximized		
3	click(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"))	0.671s	PASSED
	Object: 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097' is clicked on		
4	selectOptionByLabel(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"), "Santa Elena", false)	0.833s	PASSED
	All options with label 'Santa Elena' are selected in object 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097'		
5	click(findTestObject("Login/La parrilla login/button_Iniciar Sesin"))	0.469s	PASSED
	Object: 'Object Repository/Login/La parrilla login/button_Iniciar Sesin' is clicked on		
6	click(findTestObject("Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6"))	4.213s	PASSED
	Object: 'Object Repository/Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6' is clicked on		

Santa Elena

#	Description	Elapsed	Status
7	setText(findTestObject("Login/La parrilla login/input_Sign in_loginfmt"), "iperez@firstmajestic.com") Text 'iperez@firstmajestic.com' is set on object 'Object Repository/Login/La parrilla login/input_Sign in_loginfmt'	2.241s	PASSED
8	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	0.691s	PASSED
9	setEncryptedText(findTestObject("Login/La parrilla login/input_Enter password_passwd"), "ykGCkDCd7AS2UCfUpOmvYw==") Text ****** has been set on object 'Object Repository/Login/La parrilla login/input_Enter password_passwd'	1.859s	PASSED
10	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	1.407s	PASSED
11	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	5.595s	PASSED
12	delay(8) NOT_RUN: delay(8)	0.000s	NOT_RUN

La Guitarra

Information

ID	Test Cases/Login/La Guitarra		
Description			
Tag			
Start	2020-12-07 22:06:23	End	2020-12-07 22:06:48
Elapsed	24.923s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url)	6.812s	PASSED
	Browser is opened with url: 'https://mb-testing.firstmajestic.com'		
2	maximizeWindow()	1.209s	PASSED
	Current window maximized		
3	click(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"))	0.553s	PASSED
	Object: 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097' is clicked on		
4	selectOptionByLabel(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"), "La Guitarra", false)	0.857s	PASSED
	All options with label 'La Guitarra' are selected in object 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097'		
5	click(findTestObject("Login/La parrilla login/button_Iniciar Sesin"))	0.562s	PASSED
	Object: 'Object Repository/Login/La parrilla login/button_Iniciar Sesin' is clicked on		
6	click(findTestObject("Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6"))	3.957s	PASSED
	Object: 'Object Repository/Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6' is clicked on		

La Guitarra

#	Description	Elapsed	Status
7	setText(findTestObject("Login/La parrilla login/input_Sign in_loginfmt"), "iperez@firstmajestic.com") Text 'iperez@firstmajestic.com' is set on object 'Object Repository/Login/La parrilla login/input_Sign in_loginfmt'	1.703s	PASSED
8	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	0.825s	PASSED
9	setEncryptedText(findTestObject("Login/La parrilla login/input_Enter password_passwd"), "ykGCkDCd7AS2UCfUpOmvYw==") Text ****** has been set on object 'Object Repository/Login/La parrilla login/input_Enter password_passwd'	1.693s	PASSED
10	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	1.461s	PASSED
11	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	4.951s	PASSED
12	delay(8) NOT_RUN: delay(8)	0.002s	NOT_RUN

Del Toro

Information

ID	Test Cases/Login/Del Toro		
Description			
Tag			
Start	2020-12-07 22:06:48	End	2020-12-07 22:07:13
Elapsed	25.334s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url)	6.871s	PASSED
	Browser is opened with url: 'https://mb-testing.firstmajestic.com'		
2	maximizeWindow()	1.344s	PASSED
	Current window maximized		
3	click(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"))	0.693s	PASSED
	Object: 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097' is clicked on		
4	selectOptionByLabel(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"), "Del Toro", false)	0.762s	PASSED
	All options with label 'Del Toro' are selected in object 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097'		
5	click(findTestObject("Login/La parrilla login/button_Iniciar Sesin"))	0.641s	PASSED
	Object: 'Object Repository/Login/La parrilla login/button_Iniciar Sesin' is clicked on		
6	click(findTestObject("Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6"))	4.201s	PASSED
	Object: 'Object Repository/Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6' is clicked on		

Del Toro

#	Description	Elapsed	Status
7	setText(findTestObject("Login/La parrilla login/input_Sign in_loginfmt"), "iperez@firstmajestic.com") Text 'iperez@firstmajestic.com' is set on object 'Object Repository/Login/La parrilla login/input_Sign in_loginfmt'	2.097s	PASSED
8	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	0.441s	PASSED
9	setEncryptedText(findTestObject("Login/La parrilla login/input_Enter password_passwd"), "ykGCkDCd7AS2UCfUpOmvYw==") Text ****** has been set on object 'Object Repository/Login/La parrilla login/input_Enter password_passwd'	1.881s	PASSED
10	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	1.207s	PASSED
11	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	4.836s	PASSED
12	delay(8) NOT_RUN: delay(8)	0.000s	NOT_RUN

San Dimas

Information

ID	Test Cases/Login/San Dimas
Description	
Tag	

Start	2020-12-07 22:07:13	End	2020-12-07 22:07:48
Elapsed	34.446s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url)	7.118s	PASSED
	Browser is opened with url: 'https://mb-testing.firstmajestic.com'		
2	maximizeWindow()	1.207s	PASSED
	Current window maximized		
3	click(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"))	0.609s	PASSED
	Object: 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097' is clicked on		
4	selectOptionByLabel(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"), "San Dimas", false)	1.045s	PASSED
	All options with label 'San Dimas' are selected in object 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097'		
5	click(findTestObject("Login/La parrilla login/button_Iniciar Sesin"))	0.583s	PASSED
	Object: 'Object Repository/Login/La parrilla login/button_Iniciar Sesin' is clicked on		
6	click(findTestObject("Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6"))	4.014s	PASSED
	Object: 'Object Repository/Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6' is clicked on		

#	Description	Elapsed	Status
7	setText(findTestObject("Login/La parrilla login/input_Sign in_loginfmt"), "iperez@firstmajestic.com") Text 'iperez@firstmajestic.com' is set on object 'Object Repository/Login/La parrilla login/input_Sign in_loginfmt'	1.310s	PASSED
8	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	0.499s	PASSED
9	setEncryptedText(findTestObject("Login/La parrilla login/input_Enter password_passwd"), "ykGCkDCd7AS2UCfUpOmvYw==") Text ****** has been set on object 'Object Repository/Login/La parrilla login/input_Enter password_passwd'	1.495s	PASSED
10	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	1.388s	PASSED
11	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9")) Object: 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' is clicked on	5.668s	PASSED
12	delay(8) Delayed 8 second(s)	8.040s	PASSED
13	verifyTextPresent("Irving", false) Text 'Irving' is present on page	0.406s	PASSED
14	closeBrowser() Browser is closed	0.736s	PASSED

San Martin

Information

ID	Test Cases/Login/San Martin		
Description			
Tag			
Start	2020-12-07 22:07:48	End	2020-12-07 22:07:52
Elapsed	4.161s		
Status	FAILED		

Details

#	Description	Elapsed	Status

San Martin

#	Description	Elapsed	Status
1	openBrowser(url)	2.381s	FAILED

<style forecolor='#0099FF'>Unable to open browser with url: 'https://mb-testing.firstmajestic.
com' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open
browser with url: 'https://mb-testing.firstmajestic.com'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
        at San Martin.run(San Martin:19)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1607400292774.run(TempTestSuite1607400292774.groovy:36)
Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome failed to
start: exited normally.
  (unknown error: DevToolsActivePort file doesn't exist)
  (The process started from chrome location C:\Program Files (x86)
\Google\Chrome\Application\chrome.exe is no longer running, so ChromeDriver is assuming
that Chrome has crashed.)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server
2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
remote stacktrace: Backtrace:
        Ordinal0 [0x004EC013+3194899]
        Ordinal0 [0x003D6021+2056225]
        Ordinal0 [0x0026F608+587272]

#	Description	Elapsed	Status

Ordinal0 [0x001EE5D2+58834]
Ordinal0 [0x001EC64A+50762]
Ordinal0 [0x00211EE9+204521]
Ordinal0 [0x00211D0D+204045]
Ordinal0 [0x0020FC1B+195611]
Ordinal0 [0x001F3B7F+80767]
Ordinal0 [0x001F4B4E+84814]
Ordinal0 [0x001F4AD9+84697]
Ordinal0 [0x003ECE64+2149988]
GetHandleVerifier [0x0065BE95+1400773]
GetHandleVerifier [0x0065BB61+1399953]
GetHandleVerifier [0x006631FA+1430314]
GetHandleVerifier [0x0065C69F+1402831]
Ordinal0 [0x003E3D61+2112865]
Ordinal0 [0x003EE5CB+2155979]
Ordinal0 [0x003EE6F5+2156277]
Ordinal0 [0x003FF26E+2224750]
BaseThreadInitThunk [0x751362C4+36]
RtlSubscribeWnfStateChangeNotification [0x776C0779+1081]
RtlSubscribeWnfStateChangeNotification [0x776C0744+1028]

at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0
(ProtocolHandshake.java:126)
at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:
13)
at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver
(DriverFactory.java:347)
at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:308)
at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:206)
at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

#	Description	Elapsed	Status

(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:60)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
          at Script1603219442870.run(Script1603219442870.groovy:19)
          ... 13 more
)</style>

San Martin

#	Description	Elapsed	Status
2	maximizeWindow()	0.046s	FAILED

Unable to maximize current window (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to maximize current window
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword. maximizeWindow(MaximizeWindowKeyword.groovy:74)
    at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.execute (MaximizeWindowKeyword.groovy:69)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.maximizeWindow (WebUiBuiltInKeywords.groovy:279)
    at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$maximizeWindow$0.call(Unknown Source)
    at San Martin.run(San Martin:21)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
    at TempTestSuite1607400292774.run(TempTestSuite1607400292774.groovy:36)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: RemoteWebDriver
    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)
    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.

#	Description	Elapsed	Status
	java:609) at org.openqa.selenium.remote. RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize (RemoteWebDriver.java:837) at com.kms.katalon.core.webui.keyword.builtin. MaximizeWindowKeyword$_maximizeWindow_closure1.doCall(MaximizeWindowKeyword. groovy:85) at com.kms.katalon.core.webui.keyword.builtin. MaximizeWindowKeyword$_maximizeWindow_closure1.call(MaximizeWindowKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword. maximizeWindow(MaximizeWindowKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.execute (MaximizeWindowKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.maximizeWindow (WebUiBuiltInKeywords.groovy:279) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$maximizeWindow$0.call(Unknown Source) at Script1603219442870.run(Script1603219442870.groovy:21) ... 13 more)		

San Martin

#	Description	Elapsed	Status
3	click(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"))	0.118s	FAILED

Unable to click on object 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:79)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
        at San Martin.run(San Martin:23)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1607400292774.run(TempTestSuite1607400292774.groovy:36)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: RemoteWebDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)

#	Description	Elapsed	Status

at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
       at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
       at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
       at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
       at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
       at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:762)
       at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
       at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
       at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
       at Script1603219442870.run(Script1603219442870.groovy:23)
       ... 13 more
)

San Martin

#	Description	Elapsed	Status
4	selectOptionByLabel(findTestObject("Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097"), "San Martin", false)	0.185s	FAILED

Unable to select option by label 'San Martin' of object 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097' (Root cause: com.kms.katalon. core.exception.StepFailedException: Unable to select option by label 'San Martin' of object 'Object Repository/Login/La parrilla login/select_Seleccionar UnidadLa ParrillaLa Enca_3f6097'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByLabelKeyword. selectOptionByLabel(SelectOptionByLabelKeyword.groovy:98)
        at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByLabelKeyword. execute(SelectOptionByLabelKeyword.groovy:71)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. selectOptionByLabel(WebUiBuiltInKeywords.groovy:1200)
        at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$selectOptionByLabel$2.call(Unknown Source)
        at San Martin.run(San Martin:25)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1607400292774.run(TempTestSuite1607400292774.groovy:36)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: RemoteWebDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.

#	Description	Elapsed	Status

	java:552)
	      at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)
	      at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:353)
	      at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath(RemoteWebDriver.java:432)
	      at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
	      at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:311)
	      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements(WebUiCommonHelper.java:762)
	      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement(WebUiCommonHelper.java:1109)
	      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)
	      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)
	      at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByLabelKeyword$_selectOptionByLabel_closure1.doCall(SelectOptionByLabelKeyword.groovy:86)
	      at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByLabelKeyword$_selectOptionByLabel_closure1.call(SelectOptionByLabelKeyword.groovy)
	      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)
	      at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByLabelKeyword.selectOptionByLabel(SelectOptionByLabelKeyword.groovy:98)
	      at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByLabelKeyword.execute(SelectOptionByLabelKeyword.groovy:71)
	      at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:60)
	      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.selectOptionByLabel(WebUiBuiltInKeywords.groovy:1200)
	      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$selectOptionByLabel$2.call(Unknown Source)
	      at Script1603219442870.run(Script1603219442870.groovy:25)
	      ... 13 more
	)		

San Martin

#	Description	Elapsed	Status
5	click(findTestObject("Login/La parrilla login/button_Iniciar Sesin"))	0.248s	FAILED

Unable to click on object 'Object Repository/Login/La parrilla login/button_Iniciar Sesin'
(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on
object 'Object Repository/Login/La parrilla login/button_Iniciar Sesin'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
        at San Martin.run(San Martin:28)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1607400292774.run(TempTestSuite1607400292774.groovy:36)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using
WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server
2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: RemoteWebDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)

#	Description	Elapsed	Status

at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
       at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
       at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
       at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
       at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:762)
       at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
       at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
       at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
       at Script1603219442870.run(Script1603219442870.groovy:28)
       ... 13 more
)

San Martin

#	Description	Elapsed	Status
6	click(findTestObject("Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6"))	0.047s	FAILED
	Unable to click on object 'Object Repository/Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object Repository/Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6'		

Unable to click on object 'Object Repository/Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object Repository/Login/La parrilla login/input_Sign in with your corporate ID_btn bt_b79ff6'
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:79)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
       at San Martin.run(San Martin:30)
       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
       at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
       at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
       at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
       at TempTestSuite1607400292774.run(TempTestSuite1607400292774.groovy:36)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: RemoteWebDriver
       at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)
       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)

#	Description	Elapsed	Status

	at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)
	    at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:762)
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1109)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)
	    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:52)
	    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
	    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:79)
	    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)
	    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)
	    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
	    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
	    at Script1603219442870.run(Script1603219442870.groovy:30)
	    ... 13 more
	)		

#	Description	Elapsed	Status
7	setText(findTestObject("Login/La parrilla login/input_Sign in_loginfmt"), "iperez@firstmajestic.com")	0.075s	FAILED

Unable to set text 'iperez@firstmajestic.com' of object 'Object Repository/Login/La parrilla login/input_Sign in_loginfmt' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to set text 'iperez@firstmajestic.com' of object 'Object Repository/Login/La parrilla login/input_Sign in_loginfmt'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$4.call (Unknown Source)
        at San Martin.run(San Martin:32)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1607400292774.run(TempTestSuite1607400292774.groovy:36)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: RemoteWebDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)

#	Description	Elapsed	Status

at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
      at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
      at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
      at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
      at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:762)
      at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
      at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
      at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:950)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$4.call
(Unknown Source)
      at Script1603219442870.run(Script1603219442870.groovy:32)
      ... 13 more
)

San Martin

#	Description	Elapsed	Status
8	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9"))	0.152s	FAILED

Unable to click on object 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:79)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
        at San Martin.run(San Martin:34)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1607400292774.run(TempTestSuite1607400292774.groovy:36)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: RemoteWebDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)

#	Description	Elapsed	Status
	at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:762) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1109) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:52) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source) at Script1603219442870.run(Script1603219442870.groovy:34) ... 13 more)		

San Martin

#	Description	Elapsed	Status
9	setEncryptedText(findTestObject("Login/La parrilla login/input_Enter password_passwd"), "ykGCkDCd7AS2UCfUpOmvYw==")	0.062s	FAILED

Unable to set encrypted text for object 'Object Repository/Login/La parrilla login/input_Enter password_passwd' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set encrypted text for object 'Object Repository/Login/La parrilla login/input_Enter password_passwd'
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
     at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. setEncryptedText(SetEncryptedTextKeyword.groovy:65)
     at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. execute(SetEncryptedTextKeyword.groovy:34)
     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText (WebUiBuiltInKeywords.groovy:981)
     at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$setEncryptedText$5.call(Unknown Source)
     at San Martin.run(San Martin:36)
     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
     at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
     at TempTestSuite1607400292774.run(TempTestSuite1607400292774.groovy:36)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: RemoteWebDriver
     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)
     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)

#	Description	Elapsed	Status

at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)

at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)

at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)

at org.openqa.selenium.By$ByXPath.findElements(By.java:348)

at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:762)

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1109)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin. SetEncryptedTextKeyword$_setEncryptedText_closure1.doCall(SetEncryptedTextKeyword. groovy:51)

at com.kms.katalon.core.webui.keyword.builtin. SetEncryptedTextKeyword$_setEncryptedText_closure1.call(SetEncryptedTextKeyword. groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. setEncryptedText(SetEncryptedTextKeyword.groovy:65)

at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. execute(SetEncryptedTextKeyword.groovy:34)

at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText (WebUiBuiltInKeywords.groovy:981)

at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$setEncryptedText$5.call(Unknown Source)

at Script1603219442870.run(Script1603219442870.groovy:36)

... 13 more

)

San Martin

#	Description	Elapsed	Status
10	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9"))	0.074s	FAILED

Unable to click on object 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:79)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
    at San Martin.run(San Martin:38)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
    at TempTestSuite1607400292774.run(TempTestSuite1607400292774.groovy:36)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: RemoteWebDriver
    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)
    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)

#	Description	Elapsed	Status
	at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:762) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1109) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:52) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source) at Script1603219442870.run(Script1603219442870.groovy:38) ... 13 more)		

San Martin

#	Description	Elapsed	Status
11	click(findTestObject("Login/La parrilla login/input_Sign in_idSIButton9"))	0.156s	FAILED

Unable to click on object 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Login/La parrilla login/input_Sign in_idSIButton9'
  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:79)
  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)
  at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)
  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)
  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source)
  at San Martin.run(San Martin:40)
  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
  at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
  at TempTestSuite1607400292774.run(TempTestSuite1607400292774.groovy:36)
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: RemoteWebDriver
  at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)
  at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)

#	Description	Elapsed	Status
	at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:762) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1109) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:52) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call (Unknown Source) at Script1603219442870.run(Script1603219442870.groovy:40) ... 13 more)		
12	delay(8) NOT_RUN: delay(8)	0.000s	NOT_RUN