Produccion(San dimas)

Execution Environment

Host name iperez - EC2AMAZ-DJL71OR.firstmajestic.local

OS Windows Server 2016 64bit

Katalon version 7.0.4.1

Browser Chrome 86.0.4240.198

Summary

ID Test Suites/Tests/Produccion(San dimas)

Description

Total 4

Passed 0 Failed 4
Error 0 Incomplete 0

Start 2020-12-02 11:38:39 End 2020-12-02 11:41:21

Elapsed 2m - 41.703s

#	ID	Description	Status
1	Test Cases/Embarques/Barras/Produccion/Barras embarcadas/Consulta de embarques/Validacion de error lote embarque		FAILED
2	Test Cases/Embarques/Barras/Produccion/Barras embarcadas/Consulta de volumen/Validacion de error volumen embarque		FAILED
3	Test Cases/Embarques/Barras/Produccion/Consulta de embarques/Validacion de error lote		FAILED
4	Test Cases/Embarques/Barras/Produccion/Consulta de volumen/Validacion de error volumen		FAILED

Information

ID Test Cases/Embarques/Barras/Produccion/Barras embarcadas/Consulta de embarques/Validacion de error lote

embarque

Description

Tag

Start 2020-12-02 11:38:40 End 2020-12-02 11:39:33

Elapsed 53.151s
Status FAILED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Login/San Dimas"), [:], CONTINUE ON FAILURE)	50.521s	PASSED

Call Test Case 'Test Cases/Login/San Dimas' successfully

#	Description	Elapsed	Status
	·	•	
2	click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Embarques"))	0.317s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de		
	Embarque/button_Embarques' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to click on object 'Object		
	Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Embarques'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:79)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:42)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
	(Unknown Source)		
	at Validacion de error lote embarque.run(Validacion de error lote embarque:21)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552)		

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
          at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1109)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761726927.run(Script1606761726927.groovy:21)
         ... 13 more
```

#	Description	Elapsed	Status
3	click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Barras"))	0.115s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Barras' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object		
	Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Barras' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
	(Unknown Source) at Validacion de error lote embarque.run(Validacion de error lote embarque:23)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.iava:552)		

java:552)

```
Description
                                                                                          Elapsed
                                                                                                            Status
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761726927.run(Script1606761726927.groovy:23)
```

... 13 more

#	Description	Elapsed	Status
	·	•	
4	click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Produccin"))	0.135s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de		
	Embarque/button_Produccin' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to click on object 'Object		
	Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Produccin'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:79)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:42)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
	(Unknown Source)		
	at Validacion de error lote embarque.run(Validacion de error lote embarque:25)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83)		
	$at\ or g. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$		
	java:552)		

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
          at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1109)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761726927.run(Script1606761726927.groovy:25)
         ... 13 more
```

	Description	Ela	01-1
	Description	Elapsed	Status
,	click(findTestObject("Embarques/Barras/Produccion/Consulta de Embarque/button_Barras_Embarcadas"))	0.204s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Barras_Embarcadas' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de		
	Embarque/button_Barras_Embarcadas' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:79)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)		
	at Validacion de error lote embarque.run(Validacion de error lote embarque:27)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		

 $at\ org. open qa. selenium. \'{r}emote. Remote Web Driver. execute (Remote Web Driver. execute) at\ org. open qa. selenium. \r{r}emote Web Driver. execute (Remote Web Driver. execute) at\ org. open qa. selenium. \r{r}emote Web Driver. execute (Remote Web Driver. execute) at\ org. open qa. selenium. \r{r}emote Web Driver. execute (Remote Web Driver. execute) at\ org. open qa. selenium. \r{r}emote Web Driver. execute (Remote Web Driver. execute) at\ org. open qa. selenium. \r{r}emote Web Driver. execute (Remote Web Driver. execute) at\ org. open qa. selenium. \r{r}emote Web Driver. execute (Remote Web Driver. execute) at\ org. open qa. selenium. \r{r}emote Web Driver. execute (Remote Web Driver. execute) at\ org. open qa. selenium. \r{r}emote Web Driver. execute (Remote Web Driver. execute) at\ org. open qa. selenium at\ org. op$

(DriverCommandExecutor.java:83)

```
Description
                                                                                           Elapsed
                                                                                                             Status
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761726927.run(Script1606761726927.groovy:27)
         ... 13 more
```

#	Description	Elapsed	Status
6	click(findTestObject("Embarques/Barras/Produccion/Consulta de Embarque/button_Consulta de Embarques"))	0.546s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Consulta de Embarques' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Consulta de Embarques'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
	(Unknown Source) at Validacion de error lote embarque.run(Validacion de error lote embarque:29)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

```
Description
                                                                                            Elapsed
                                                                                                              Status
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761726927.run(Script1606761726927.groovy:29)
         ... 13 more
```

Description	Elapsed	Status
click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/input_De_Fecha"))	0.264s	FAILED
Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/input_De_Fecha' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object		
Repository/Embarques/Barras/Produccion/Consulta de Embarque/input_De_Fecha' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)	t	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
(Unknown Source) at Validacion de error lote embarque.run(Validacion de error lote embarque:31)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java 91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36))	
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute		
(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

java:552)

```
Description
                                                                                          Elapsed
                                                                                                            Status
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761726927.run(Script1606761726927.groovy:31)
```

... 13 more

#	Description	Elapsed	Status
	•	·	
8	click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/div_1"))	0.210s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de		
	Embarque/div_1' (Root cause: com.kms.katalon.core.exception.StepFailedException:		
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de		
	Embarque/div_1'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:79)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
	(Unknown Source)		
	at Validacion de error lote embarque.run(Validacion de error lote embarque:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552)		

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
          at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1109)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761726927.run(Script1606761726927.groovy:33)
         ... 13 more
```

Description	Elapsed	Status
click(findTestObject("Object Repository/Embarques/Barras/Produccion/ConsEmbarque/button_Consultar"))	sulta de 0.207s	FAILED
Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Gembarque/button_Consultar' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Cat com.kms.katalon.core.webui.keyword.internal.WebUIKeywordN		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordM (WebUIKeywordMain.groovy:26)	//ain.runKeyword	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click groovy:79)	k(ClickKeyword.	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.exec (ClickKeyword.groovy:42)	cute	
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)	Rat.	
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.cl (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$c		
(Unknown Source) at Validacion de error lote embarque.run(Validacion d		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(1:194)	
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.runScript)	· · · · · · · · · · · · · · · · · · ·	
java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(Test	tCaseExecutor.	
java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutio	onPhase	
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPha (TestCaseExecutor.java:299)	ase	
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCa java:233)	aseExecutor.	
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCase (TestSuiteExecutor.java:169)	eMainPhase	
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuite(TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteIncluded	•	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestC	•	
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.ca Source) at TempTestSuite1606930711347.run(TempTestSuite160693071	,	
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is n WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08: System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Wind 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
at org.openqa.selenium.remote.service.DriverCommandExecutor. (DriverCommandExecutor.java:83)	execute	
at org.openqa.selenium.remote.RemoteWebDriver.execute(Remo	oteWebDriver.	

java:552)

```
Description
                                                                                          Elapsed
                                                                                                            Status
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761726927.run(Script1606761726927.groovy:35)
```

... 13 more

	Description	Flores	Otatus
#	Description	Elapsed	Status
10	<pre>waitForElementPresent(findTestObject("Error"), 2)</pre>	0.091s	FAILED
	Unable to wait for object 'Object Repository/Error' to be present (Root cause: com.kms. katalon.core.exception.StepFailedException: Unable to wait for object 'Object		
	Repository/Error' to be present		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.waitForElementPresent(WaitForElementPresentKeyword.groovy:95)		
	at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.		
	execute(WaitForElementPresentKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	waitForElementPresent(WebUiBuiltInKeywords.groovy:343)		
	at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$waitForElementPresent\$7.call(Unknown Source)		
	at Validacion de error lote embarque.run(Validacion de error lote embarque:37)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.iava:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552)		
	at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		
	19)		

```
Description
                                                                                             Elapsed
                                                                                                               Status
              at org.openqa.selenium.remote.RemoteWebDriver.findElements
    (RemoteWebDriver.java:353)
              at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
    (RemoteWebDriver.java:432)
             at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
              at org.openqa.selenium.remote.RemoteWebDriver.findElements
    (RemoteWebDriver.java:311)
              at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
    (WebUiCommonHelper.java:762)
              at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
    (WebUiCommonHelper.java:1109)
              at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
    findWebElement(WebUIAbstractKeyword.groovy:27)
             at com.kms.katalon.core.webui.keyword.builtin.
    WaitForElementPresentKeyword$_waitForElementPresent_closure1.doCall
    (WaitForElementPresentKeyword.groovy:81)
              at com.kms.katalon.core.webui.keyword.builtin.
    WaitForElementPresentKeyword$_waitForElementPresent_closure1.call
    (WaitForElementPresentKeyword.groovy)
              at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
    (WebUlKeywordMain.groovy:20)
              at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.
    waitForElementPresent(WaitForElementPresentKeyword.groovy:95)
             at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.
    execute(WaitForElementPresentKeyword.groovy:68)
             at com.kms.katalon.core.keyword.internal.KeywordExecutor.
    executeKeywordForPlatform(KeywordExecutor.groovy:60)
             at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
    waitForElementPresent(WebUiBuiltInKeywords.groovy:343)
             at com.kms.katalon.core.webui.keyword.
    WebUiBuiltInKeywords$waitForElementPresent$7.call(Unknown Source)
             at Script1606761726927.run(Script1606761726927.groovy:37)
             ... 13 more
                                                                                                              PASSED
11
    closeBrowser()
                                                                                              0.004s
```

Browser is closed

Information

ID Test Cases/Embarques/Barras/Produccion/Barras embarcadas/Consulta de volumen/Validacion de error

volumen embarque

Description

Tag

Start 2020-12-02 11:39:33 End 2020-12-02 11:40:09

Elapsed 35.079s
Status FAILED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Login/San Dimas"), [:], CONTINUE_ON_FAILURE)	33.689s	PASSED

Call Test Case 'Test Cases/Login/San Dimas' successfully

#	Description	Elapsed	Status
	·		
2	click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Embarques"))	0.050s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de		
	volumen/button_Embarques' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to click on object 'Object		
	Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Embarques'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:79)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:42)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
	(Unknown Source)		
	at Validacion de error volumen embarque.run(Validacion de error volumen		
	embarque:21)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

```
Description
                                                                                            Elapsed
                                                                                                              Status
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761711744.run(Script1606761711744.groovy:21)
         ... 13 more
```

#	Description	Elapsed	Status
3	click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Barras"))	0.127s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Barras' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Barras'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Validacion de error volumen embarque.run(Validacion de error volumen		
	embarque:23) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteWainPhase (TestSuiteExecutor.java:142)		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		

 $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$

(DriverCommandExecutor.java:83)

```
Description
                                                                                           Elapsed
                                                                                                             Status
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ or g. open qa. selenium. remote. Remote Web Driver. find Elements By XP at h
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openga.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761711744.run(Script1606761711744.groovy:23)
         ... 13 more
```

#	Description	Elapsed	Status
4	click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Produccin"))	0.077s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Produccin' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Produccin' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)		
	at Validacion de error volumen embarque.run(Validacion de error volumen embarque:25)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

```
Description
                                                                                            Elapsed
                                                                                                              Status
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761711744.run(Script1606761711744.groovy:25)
         ... 13 more
```

Description	Elapsed	Status
click(findTestObject("Embarques/Barras/Produccion/Consulta de Embarque/button_Barras_Embarcadas"))	0.077s	FAILED
Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de		
Embarque/button_Barras_Embarcadas' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to click on object 'Object		
Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Barras_Embarcadas'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:79)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:60)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
WebUiBuiltInKeywords.groovy:616)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
(Unknown Source) at Validacion de error volumen embarque.run(Validacion de error volumen		
embarque:27)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
ava:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
ava:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.ava:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
estCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
ava:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
ot com kma katalan aara main TaatCaaaMainCatartTaatCuitaCaaaMilalahaann		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: RemoteWebDriver		
at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
(DriverCommandExecutor.java:83)		

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761711744.run(Script1606761711744.groovy:27)
```

... 13 more

		El	01-1
#	Description	Elapsed	Status
6	click(findTestObject("Embarques/Barras/Produccion/Consulta de volumen/button_Volumen_Embarcados"))	0.066s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Volumen_Embarcados' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de		
	volumen/button_Volumen_Embarcados' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:79)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)		
	at Validacion de error volumen embarque.run(Validacion de error volumen embarque:29)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83)		

```
Description
                                                                                             Elapsed
                                                                                                               Status
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
          at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1109)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$ click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
          at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
          at Script1606761711744.run(Script1606761711744.groovy:29)
          ... 13 more
```

#	Description	Elapsed	Status
		•	
7	setText(findTestObject("Embarques/Barras/Produccion/Consulta de volumen/input_barra_ini_emb"), "1")	0.073s	FAILED
	Unable to set text '1' of object 'Object Repository/Embarques/Barras/Produccion/Consulta		
	de volumen/input_barra_ini_emb' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to set text '1' of object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/input_barra_ini_emb'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:950)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$3.call		
	(Unknown Source)		
	at Validacion de error volumen embarque.run(Validacion de error volumen		
	embarque:31)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337)		
	$at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(D: 0 IE 1 00)		

 $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$

(DriverCommandExecutor.java:83)

```
Description
                                                                                           Elapsed
                                                                                                             Status
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openga.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$ setText closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords. set Text
(WebUiBuiltInKeywords.groovy:950)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$setText\$3. call
(Unknown Source)
         at Script1606761711744.run(Script1606761711744.groovy:31)
```

... 13 more

#	Description	Elapsed	Status
		•	
8	setText(findTestObject("Embarques/Barras/Produccion/Consulta de volumen/input_barra_fin_emb"), "50")	0.084s	FAILED
	Unable to set text '50' of object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/input_barra_fin_emb' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to set text '50' of object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/input_barra_fin_emb' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$3.call (Unknown Source)		
	at Validacion de error volumen embarque.run(Validacion de error volumen embarque:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TastSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

```
Description
                                                                                            Elapsed
                                                                                                              Status
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:950)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$setText\$3. call
(Unknown Source)
         at Script1606761711744.run(Script1606761711744.groovy:33)
         ... 13 more
```

	escription	Elapsed	Status
	etText(findTestObject("Embarques/Barras/Produccion/Consulta de	0.094s	FAILED
	olumen/input_lote_emb"), "LP-24")	0.0343	TAILLD
	Inable to set text 'LP-24' of object 'Object		
	Repository/Embarques/Barras/Produccion/Consulta de volumen/input_lote_emb' (Root		
	ause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'LP-24' of		
	bject 'Object Repository/Embarques/Barras/Produccion/Consulta de olumen/input_lote_emb'		
٧	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)		
,	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
6	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
-	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:950)		
•	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$3.call		
(Unknown Source)		
	at Validacion de error volumen embarque.run(Validacion de error volumen		
e	mbarque:35)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
i	at com.kms.kataion.core.main.scriptEngine.runscriptAsRawText(ScriptEngine. ava:119)		
J	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
ja	ava:337)		
Ī	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
ja	ava:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307)		
-	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase TestCaseExecutor.java:299)		
(at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
ia	ava:233)		
,	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169)		
	$at\ com.kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
(TestSuiteExecutor.java:142)		
_	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
S	1) at com kms katalon core main TestCaseMain startTestSuite/TestCaseMain javas		
1	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 57)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
5	Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	VebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Oriver info: driver.version: RemoteWebDriver		
L	at org.openqa.selenium.remote.HttpCommandExecutor.execute		
(at org.openqa.seremon.remote.httpCommandExecutor.execute HttpCommandExecutor.java:125)		
١.	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	at 010,000010a,500010111,10110te.501vtce.D1iverC011111andexectionexectine		

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at\ com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.kevword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovv)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:950)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$setText\$3. call
(Unknown Source)
         at Script1606761711744.run(Script1606761711744.groovy:35)
```

... 13 more

	Description of the second of t		0
#	Description	Elapsed	Status
10	click(findTestObject("Embarques/Barras/Produccion/Consulta de volumen/button_Consultar_Emb"))	0.077s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Consultar_Emb' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Consultar_Emb' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
	(Unknown Source) at Validacion de error volumen embarque.run(Validacion de error volumen		
	embarque:37) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

```
Description
                                                                                            Elapsed
                                                                                                              Status
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761711744.run(Script1606761711744.groovy:37)
         ... 13 more
```

Description	Elapsed	Status
waitForElementPresent(findTestObject("Error"), 2)	0.118s	FAILED
Unable to wait for object 'Object Repository/Error' to be present (Root cause: com.kms.		
katalon.core.exception.StepFailedException: Unable to wait for object 'Object		
Repository/Error' to be present		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFaile	ed	
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword.	ord	
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword	d.	
waitForElementPresent(WaitForElementPresentKeyword.groovy:95)		
at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword	d.	
execute(WaitForElementPresentKeyword.groovy:68)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:60)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
waitForElementPresent(WebUiBuiltInKeywords.groovy:343)		
at com.kms.katalon.core.webui.keyword.		
WebUiBuiltInKeywords\$waitForElementPresent\$7.call(Unknown Source)		
at Validacion de error volumen embarque.run(Validacion de error volumen		
embarque:39)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecuto	or.	
java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)		
$at\ com.kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. januari executo$	ava:	
91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java	a:	
157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:	36)	
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: RemoteWebDriver		
at org.openqa.selenium.remote.HttpCommandExecutor.execute		
(HttpCommandExecutor.java:125)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
(DriverCommandExecutor.java:83)		

 $at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:$

java:552)

```
Description
                                                                                          Elapsed
                                                                                                           Status
19)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.
WaitForElementPresentKeyword$_waitForElementPresent_closure1.doCall
(WaitForElementPresentKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.
WaitForElementPresentKeyword$_waitForElementPresent_closure1.call
(WaitForElementPresentKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.
waitForElementPresent(WaitForElementPresentKeyword.groovy:95)
         at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.
execute(WaitForElementPresentKeyword.groovy:68)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
waitForElementPresent(WebUiBuiltInKeywords.groovy:343)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$waitForElementPresent$7.call(Unknown Source)
         at Script1606761711744.run(Script1606761711744.groovy:39)
         ... 13 more
)
```

12 closeBrowser() 0.005s PASSED

Browser is closed

Information

ID Test Cases/Embarques/Barras/Produccion/Consulta de embarques/Validacion de error lote

Description

Tag

Start 2020-12-02 11:40:09 End 2020-12-02 11:40:47

Elapsed 38.113s Status FAILED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Login/San Dimas"), [:], CONTINUE ON FAILURE)	36.148s	PASSED

Call Test Case 'Test Cases/Login/San Dimas' successfully

click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Embarques"))	0.221s	
	0.2213	FAILED
Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Embarques' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to click on object 'Object		
Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Embarques'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:79)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:42)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:616)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
(Unknown Source)		
at Validacion de error lote.run(Validacion de error lote:21)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: RemoteWebDriver		
at org.openqa.selenium.remote.HttpCommandExecutor.execute		
(HttpCommandExecutor.java:125)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
(DriverCommandExecutor.java:83)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:311)
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:762)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1109)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761207387.run(Script1606761207387.groovy:21)
         ... 13 more
```

#	Description	Elapsed	Status
3	click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Barras"))	0.231s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Barras' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object		
	Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Barras' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)		
	at Validacion de error lote.run(Validacion de error lote:23) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	iava:552)		

java:552)

```
Description
                                                                                          Elapsed
                                                                                                           Status
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761207387.run(Script1606761207387.groovy:23)
```

... 13 more

Description	Elapsed	Status
click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Produccin"))	0.097s	FAILED
Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Produccin' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Produccin' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:79)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
(Unknown Source) at Validacion de error lote.run(Validacion de error lote:25)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.iova.160)		
(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)		

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:311)
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:762)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1109)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761207387.run(Script1606761207387.groovy:25)
         ... 13 more
```

Description	Elapsed	Status
click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de Embarques"))	0.126s	FAILED
Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Consulta de Embarques' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object		
Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Consulta de Embarques'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)		
at Validacion de error lote.run(Validacion de error lote:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute		
(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

```
Description
                                                                                          Elapsed
                                                                                                            Status
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761207387.run(Script1606761207387.groovy:27)
         ... 13 more
```

# Description	Elapsed	Status
6 click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/input_De_Fecha"))	0.370s	FAILED
Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta (Embarque/input_De_Fecha' (Root cause: com.kms.katalon.core.exception.	de	
StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/input_De_Fecha' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepF	- Failed	
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKe		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeygroovy:79)	/word.	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.cal	II	
(Unknown Source) at Validacion de error lote.run(Validacion de error lote:29) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEng java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.gava:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecu		
java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPha		
(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPha		
(TestSuiteExecutor.java:142)	or.java:	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknow Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groo		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Servi 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver	ver	
at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.execute)	iver.	
java:552)		

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:311)
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:762)
          at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1109)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761207387.run(Script1606761207387.groovy:29)
         ... 13 more
```

Description	Elapsed	Status
click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/div_1"))	0.350s	FAILED
Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/div_1' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/div_1'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
$at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 26)$		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
(Unknown Source) at Validacion de error lote.run(Validacion de error lote:31)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:300)		
(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver		
(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
(DriverCommandExecutor.java:83)		

java:552)

```
Description
                                                                                          Elapsed
                                                                                                           Status
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761207387.run(Script1606761207387.groovy:31)
```

... 13 more

# Description	Elapsed	Status
8 click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Consultar"))	0.117s	FAILED
Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Consultar' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de Embarque/button_Consultar'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
(Unknown Source) at Validacion de error lote.run(Validacion de error lote:33)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver		
at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
java:552)		

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:311)
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:762)
          at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1109)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761207387.run(Script1606761207387.groovy:33)
         ... 13 more
```

Description	Elapsed	Status
waitForElementPresent(findTestObject("Error"), 2)	0.150s	FAILED
Unable to wait for object 'Object Repository/Error' to be present (Root cause: com.kms.		
katalon.core.exception.StepFailedException: Unable to wait for object 'Object		
Repository/Error' to be present		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.		
waitForElementPresent(WaitForElementPresentKeyword.groovy:95)		
at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.		
execute(WaitForElementPresentKeyword.groovy:68)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
waitForElementPresent(WebUiBuiltInKeywords.groovy:343)		
at com.kms.katalon.core.webui.keyword.		
WebUiBuiltInKeywords\$waitForElementPresent\$7.call(Unknown Source)		
at Validacion de error lote.run(Validacion de error lote:35)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)		
$at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.$		
java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: RemoteWebDriver		
at org.openqa.selenium.remote.HttpCommandExecutor.execute		
(HttpCommandExecutor.java:125)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
(DriverCommandExecutor.java:83)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

 $at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:$

19)

java:552)

```
Description
                                                                                         Elapsed
                                                                                                           Status
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.
WaitForElementPresentKeyword$_waitForElementPresent_closure1.doCall
(WaitForElementPresentKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.
WaitForElementPresentKeyword$_waitForElementPresent_closure1.call
(WaitForElementPresentKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.
waitForElementPresent(WaitForElementPresentKeyword.groovy:95)
         at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.
execute(WaitForElementPresentKeyword.groovy:68)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
waitForElementPresent(WebUiBuiltInKeywords.groovy:343)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$waitForElementPresent$7.call(Unknown Source)
         at Script1606761207387.run(Script1606761207387.groovy:35)
         ... 13 more
```

10 closeBrowser() 0.004s PASSED

Browser is closed

Information

ID Test Cases/Embarques/Barras/Produccion/Consulta de volumen/Validacion de error volumen

Description

Tag

Start 2020-12-02 11:40:47 End 2020-12-02 11:41:21

Elapsed 34.419s Status FAILED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Login/San Dimas"), [:], CONTINUE, ON, FAILURE)	32.894s	PASSED

Call Test Case 'Test Cases/Login/San Dimas' successfully

Description	Elapsed	Status
click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Embarques"))	0.047s	FAILED
Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Embarques' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Embarques' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)		
at Validacion de error volumen.run(Validacion de error volumen:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)		

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:311)
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:762)
          at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1109)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761194318.run(Script1606761194318.groovy:21)
         ... 13 more
```

‡	Description	Elapsed	Status
3	click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Barras"))	0.055s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Barras' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de		
	volumen/button_Barras' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)		
	at Validacion de error volumen.run(Validacion de error volumen:23)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36) Caused by: org.openga.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

java:552)

```
Description
                                                                                          Elapsed
                                                                                                            Status
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:762)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761194318.run(Script1606761194318.groovy:23)
         ... 13 more
```

Description	Elapsed	Status
click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Produccin"))	0.128s	FAILED
Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Produccin' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Produccin' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
(Unknown Source) at Validacion de error volumen.run(Validacion de error volumen:25)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute		
(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
java:552)		

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements
(RemoteWebDriver.java:311)
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:762)
          at\ com. kms. katalon. core. webui. common. WebUiCommonHelper. find WebElement
(WebUiCommonHelper.java:1109)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761194318.run(Script1606761194318.groovy:25)
         ... 13 more
```

Description	Elapsed	Statu
click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta	de 0.093s	FAILE
volumen/button_Consulta de Volumen"))	0.0000	.,
Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Cons volumen/button_Consulta de Volumen' (Root cause: com.kms.katalon.core.excep		
StepFailedException: Unable to click on object 'Object		
Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Consulta Volumen'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.s (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.ru(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(Click groovy:79)	kKeyword.	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$ (Unknown Source)	1.call	
at Validacion de error volumen.run(Validacion de error volumen:27)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptEngine		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseE	xecutor.	
java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCase	Executor.	
java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPha	ase	
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseEx	recutor	
java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMair (TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMain (TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.executor.execute(TestSuiteExecutor.execute(TestSuiteExecutor.execute(TestSuiteExecutor.execute(TestSuiteExecutor.execute(TestSuiteExecutor.execute(TestSuiteExecutor.execute(TestSuiteExecutor.execute(TestSuiteExecutor.execute(TestSuiteExecutor.execute(TestSuiteExecutor.executor.execute(TestSuiteExecutor.execut	ecutor.java:	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.startTestCas	Main.java:	
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unl Source)	known	
at TempTestSuite1606930711347.run(TempTestSuite1606930711347. Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. U		
WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53 System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows \$ 2046', os.name: 'Wind		
2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver		
at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.executor.iverCommandExecutor.java:83)	ute	

```
Description
                                                                                          Elapsed
                                                                                                            Status
java:552)
         at\ com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761194318.run(Script1606761194318.groovy:27)
```

... 13 more

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de volumen/input_No De Barra Inicial_initBar"), "1")	0.089s	FAILED
	Unable to set text '1' of object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/input_No De Barra Inicial_initBar' (Root cause: com.kms.katalon.core.		
	exception.StepFailedException: Unable to set text '1' of object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/input_No De Barra Inicial_initBar'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$3.call		
	(Unknown Source) at Validacion de error volumen.run(Validacion de error volumen:29)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.iova:110)		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

```
Description
                                                                                           Elapsed
                                                                                                             Status
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ or g. open qa. selenium. remote. Remote Web Driver. find Elements By XP at h
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openga.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovv)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:950)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$setText\$3. call
(Unknown Source)
         at Script1606761194318.run(Script1606761194318.groovy:29)
         ... 13 more
```

Description	Elapsed	Statu
setText(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de volumen/input_No de Barra Final_endBar"), "50")	0.078s	FAILE
Unable to set text '50' of object 'Object Repository/Embarques/Barras/Produccion/Consulta		
de volumen/input_No de Barra Final_endBar' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to set text '50' of object 'Object		
Repository/Embarques/Barras/Produccion/Consulta de volumen/input_No de Barra Final_endBar		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:60)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$3.call (Unknown Source)		
at Validacion de error volumen.run(Validacion de error volumen:32)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: RemoteWebDriver		
at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
(DriverCommandExecutor.java:83)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

```
Description
                                                                                           Elapsed
                                                                                                             Status
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$ setText closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:950)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$setText\$3. call
(Unknown Source)
         at Script1606761194318.run(Script1606761194318.groovy:32)
         ... 13 more
```

#	Description	Elapsed	Status
8	setText(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de volumen/input_Lote_Batch"), "LP-24")	0.078s	FAILED
	Unable to set text 'LP-24' of object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/input_Lote_Batch' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'LP-24' of		
	object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/input_Lote_Batch'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$3.call		
	(Unknown Source) at Validacion de error volumen.run(Validacion de error volumen:35)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

```
Description
                                                                                           Elapsed
                                                                                                             Status
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ or g. open qa. selenium. remote. Remote Web Driver. find Elements By XP at h
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openga.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at\ com. kms. katalon. core. we bui. common. We bUiCommon Helper. find Web Elements
(WebUiCommonHelper.java:762)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovv)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:950)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$setText\$3. call
(Unknown Source)
         at Script1606761194318.run(Script1606761194318.groovy:35)
         ... 13 more
```

	Description	Elapsed	Status
)	click(findTestObject("Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Consultar"))	0.396s	FAILED
	Unable to click on object 'Object Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Consultar' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object		
	Repository/Embarques/Barras/Produccion/Consulta de volumen/button_Consultar' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)		
	at Validacion de error volumen.run(Validacion de error volumen:37) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36) Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

java:552)

```
Description
                                                                                          Elapsed
                                                                                                            Status
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:762)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1109)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:52)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:42)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:60)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$1.call
(Unknown Source)
         at Script1606761194318.run(Script1606761194318.groovy:37)
         ... 13 more
```

#	Description	Elapsed	Status
10	waitForElementPresent(findTestObject("Error"), 2)	0.077s	FAILED
	Unable to wait for object 'Object Repository/Error' to be present (Root cause: com.kms.		
	katalon.core.exception.StepFailedException: Unable to wait for object 'Object		
	Repository/Error' to be present		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.waitForElementPresent(WaitForElementPresentKeyword.groovy:95)		
	at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.		
	execute(WaitForElementPresentKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:60)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	waitForElementPresent(WebUiBuiltInKeywords.groovy:343)		
	at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$waitForElementPresent\$7.call(Unknown Source)		
	at Validacion de error volumen.run(Validacion de error volumen:39)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1606930711347.run(TempTestSuite1606930711347.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'EC2AMAZ-DJL71OR', ip: '10.41.50.193', os.name: 'Windows Server		
	2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute		
	(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552)		
	at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		
	19)		

```
Description
                                                                                             Elapsed
                                                                                                               Status
              at org.openqa.selenium.remote.RemoteWebDriver.findElements
    (RemoteWebDriver.java:353)
              at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XP ath
     (RemoteWebDriver.java:432)
             at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
              at org.openqa.selenium.remote.RemoteWebDriver.findElements
     (RemoteWebDriver.java:311)
              at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
     (WebUiCommonHelper.java:762)
              at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
     (WebUiCommonHelper.java:1109)
              at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
    findWebElement(WebUIAbstractKeyword.groovy:27)
             at com.kms.katalon.core.webui.keyword.builtin.
    WaitForElementPresentKeyword$_waitForElementPresent_closure1.doCall
     (WaitForElementPresentKeyword.groovy:81)
              at com.kms.katalon.core.webui.keyword.builtin.
    WaitForElementPresentKeyword$_waitForElementPresent_closure1.call
     (WaitForElementPresentKeyword.groovy)
              at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
    (WebUIKeywordMain.groovy:20)
              at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.
    waitForElementPresent(WaitForElementPresentKeyword.groovy:95)
              at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.
    execute(WaitForElementPresentKeyword.groovy:68)
              at com.kms.katalon.core.keyword.internal.KeywordExecutor.
    executeKeywordForPlatform(KeywordExecutor.groovy:60)
             at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
    waitForElementPresent(WebUiBuiltInKeywords.groovy:343)
             at com.kms.katalon.core.webui.keyword.
    WebUiBuiltInKeywords$waitForElementPresent$7.call(Unknown Source)
             at Script1606761194318.run(Script1606761194318.groovy:39)
             ... 13 more
                                                                                                              PASSED
11
    closeBrowser()
                                                                                               0.003s
```

Browser is closed