Title: ***The Centric Orbiting Spherical Aggregation Theory: A Static 3+3 Complex Manifold Approach to Unified Field Theory and the Geometry of the Universal Multiplex***.

Authors: Donald Cameron in Collaboration with **Google Gemini**.

Date: March 2026

Key Words: Theoretical Physics, Cosmology, Quantum Topology, *SO(3+3)*, Refraction, Braids.

Abstract: An alternative to the ΛCDM model was constructed by replacing the 4D dynamical Minkowski-Einstein spacetime with a static 6D 3+3 pseudo-Euclidean complex manifold. It was found that the observable effects of General Relativity —including the factor-of-two gravitational deflection of light and the perihelion precession of Mercury can be derived from the refractive properties of a 6D lattice under tension. The theory posits that the "Observable Universe" is a 3D spatial hypersurface (shell) maintained by an oscillating dual core/anti-core $1/r^5$ centric dipole. Within this framework, "Dark Energy" is reinterpreted as the lateral metric repulsion between a matter shell and an antimatter mirror shell separated by a 5D vacuum gap. By defining particles as 6D topological nexuses (braids), it was possible to create a geometric solution to the Information Paradox and a non-local hidden variable framework that circumvents Bell's Theorem via metric superdeterminism. Additionally, the COSAT framework revealed that the Hubble constant (H_0) has a significant gravitational component that can be used to resolve the Hubble Tension.

I. Introduction: The Failure of 4D Spacetime

The standard **ΛCDM** model faces increasing tension between its predictions and observation. This tension has arisen from the inability of the deterministic 4D geometric framework of the General Theory of Relativity and the incompatible probabilistic 3+1 framework of Quantum Field theory to accurately predict the behavior of matter at both the

cosmic (macro) and the quantum (micro) scale —Discrepancies such as the 10^{120} **Vacuum Catastrophe**, the flattening of Galactic rotation curves, and the Hubble Tension that require spooky ad hoc quantities such as dark matter and dark energy to coerce the predictions of the **ΛCDM** model to agree with experimental results.

In order to resolve these problems and others the 4D space-time model used to construct the General Theory of Relativity and the Lorentz SO (3+1) probabilistic framework of quantum field theory were replaced by a 6D "Super Solid" complex lattice described by a *SO(3+3)* complex Pseudo-Euclidean line element **[1]**. Time in this static holographic complex 6D framework is represented not as a dimension of flow but as a **3D projection of a 6D rotational phase** —As a parameterization of an observer's trajectory through the static 6D manifold, where 'change' is the result of the local 3D shell's coupling to the universal 6D whirl —The 6D whirl being a phase rotation that gives rise to a Static 6D holographic interference pattern that from the 3D perspective appears to be an inflating optically bound region of spacetime that contains a myriad of spin ½ particles (pixels) called fermions interacting with each other via mysterious forces that are interpreted to arise from the exchange of a class of integer spin particles (0,1,2, . . .) called Bosons.

II. Mathematical Foundation: The *SO(3,3)* Metric and 6D Potential

1. The Complex Manifold Metric

The COSAT manifold is defined as a static, pseudo-Euclidean 6D complex solid. The line element ds^2 is defined in terms of three real spatial coordinates *(x, y, z)* and three imaginary temporal coordinates *(ix, iy, iz)*, yielding the *SO(3,3)* signature:

$$ds^2 = \sum_{i=1}^{3} dx_i^2 - \sum_{j=1}^{3} d\tau_j^2$$

where $\tau = ic \cdot t$. In the *SO(3+3)* metric, the imaginary temporal coordinated (τ_1, τ_2, τ_3) function as a complex momentum reservoir, specifically, the invisible recoil represents a vector displacement into this imaginary sub-manifold, ensuring 6D conservation of energy for the Luminal Quad-State Flux even when the observable 3D projection appears to lose 50% of its informational density. In this static bulk, the "flow" of time is reinterpreted as a directional displacement vector V_{rot} along the imaginary axes, representing the universal phase-rotation of the 6D lattice.

2. The Dual-Core $1/R^5$ Centric Potential

The "Hardware" of the manifold is governed by two centric points of infinite impedance: the Core (C^+) and the Anti-Core (C^-). In a 6D bulk, the gravitational potential Φ follows the geometric dilution of a 5D surface area $(A \propto R^4)$ resulting in a $1/R^5$ force law **[2]**:

$$\nabla^2 \Phi_{6D} = 0 \Longrightarrow \Phi(R) = -\frac{G_{6D} M}{R^4}$$

$$F_{centric} = -\nabla \Phi(R) \propto -\frac{1}{R^5}$$

This "steep" potential creates the high-tension environment necessary for shell formation. The observable $1/r^2$ gravity is a 3D boundary projection of this 6D potential.

III. The Refractive Index and Unified Force Law

1. The 6D Refractive Index (*n*)

In COSAT the metric density of the 6D lattice is defined to be the refractive index *n*. For a 3D observer on the shell, the presence of mass M induces a local compression of the lattice, increasing *n*:

$$n(r) = exp\left(\frac{2\Phi}{c^2}\right) \approx 1 + \frac{2\Phi}{c^2}$$

This replaces the Einstein Field Equations ($G_{\mu\upsilon} = 8\pi T_{\mu\upsilon}$) with a scalar refractive field **[3][4]**. The deflection of light is no longer a "bending of space" but a **Fermat-minimum path** through a variable density medium.

2. The Velocity-Dependent Coupling (The Factor of Two)

The total acceleration *a* of a Braid (particle) moving through the 6D refractive gradient is given by the **Unified Force Law**

$$(a = -c^2 n^2 \nabla_{6Dn} \cdot \Gamma_{phase})$$

Where Γ_{phase} represents the coupling coefficient between the Matter Shell and the Mirror Antimatter Shell.

- At $v \ll c,\ \Gamma_{phase} \approx 1$ yielding standard Newtonian gravity.
- As $v \to c$, the Braid's 6D cross-section expands, increasing its coupling to the mirror-potential, such that $\Gamma_{phase} \to 2$. This naturally derives the 1.75" solar deflection without the need for tensors.

IV. Topological Invariants: The Braid Index

The stability of matter is defined by the **Braid Index** (B), a topological invariant of the *SO(3,3)* metric **[5] [6]**:

$$B = \int_{nexus} \omega \wedge d\omega$$

Where ω is the 6D differential form representing the twist density of the lattice. Rest mass (m_o)

is the energy required to maintain this twist against the $1/R^5$ centric pull:

$$m_o c^2 = \oint_{5D} T_{\mu\upsilon} d\Sigma^{\upsilon}$$

and the observed mass ratio ($\mu = 1836$) is interpreted as the ratio of topological winding energy between the hadronic (proton) and leptonic (electron) nexuses within the *SO(3,3)* lattice tension.

V. Quantum Mechanics: The Luminal Quad-State Flux and Metric Superdeterminism

1. The 6D Wave Function as Lattice Resonance

In the COSAT manifold, the wave function Ψ is not a probability density but a measure of the **local resonant displacement** of the *SO(3,3)* lattice. The "collapse" of the wave function is reinterpreted as a **Phase-Locking event** between a 6D Braid (source) and a 6D Braid (receiver).

2. The Luminal Quad-State Equation

The interaction between a source (Ψ_S) and a receiver ((Ψ_R)) at a luminal interval ($ds^2 = 0$) is defined by the **Quad-State Flux** (Φ_{total}), which accounts for the simultaneous interaction across both the matter ($+i$) and antimatter ($-i$) mirror shells:

$$\Phi_{total} = \frac{(\Psi_S + \Psi_R) + (\Psi_S^* + \Psi_R^*)}{2} = 4\Psi^2$$

In this 6D interaction, the total energy is conserved across the complex manifold. However, a 3D observer restricted to the spatial shell only perceives the "Real" component:

$$E_{obs} = Re(\Phi_{total}) = 2\Psi^2$$

The remaining $2\Psi^2$constitutes the **"Invisible Recoil"**—a momentum vector directed into the temporal (imaginary) manifold. This explains the missing energy in vacuum calculations and provides the physical basis for the **Casimir Effect [7]**.

3. Metric Superdeterminism and Bell's Theorem

The COSAT model circumvents Bell's Theorem by rejecting the assumption of

Measurement Independence. Since the 6D manifold is a static complex solid, the trajectories of the particle, the measuring apparatus, and the experimenter are all pre-encoded in the global $SO(3,3)$ lattice.

The "Hidden Variables" are the **Phase-States of the 6D Braid Index** (B). Because these variables are non-local in the 6D bulk (linked across the 5D vacuum gap), they produce the correlations observed in entanglement experiments without requiring FTL communication in 3D space.

VI. Cosmology: The Refractive Solution to the Hubble Tension

1. The 6D Cosmological Redshift Equation

In the COSAT model, the observed redshift z is not a Doppler shift caused by expansion, but a **Refractive Phase Shift** $\Delta\Phi$ incurred as a photon traverses the 6D lattice density gradient. The total redshift is a summation of the local gravitational potential and the universal "Breathing" frequency ω_b of the Dual-Core:

$$1 + z = e^{\frac{\Delta\Phi}{c^2}} \cdot \left(1 + \frac{\delta n(t)}{n_o}\right)$$

Where $\delta n(t)$ is the time-dependent fluctuation of the refractive index caused by the $1/R^5$ core oscillation. This oscillation creates a "Heavy Space" impedance that stretches the photon's wavelength independently of its relative motion **[8]**.

2. Resolving the Hubble Tension (H_0)

The discrepancy between CMB measurements (Planck) and local supernova measurements (SHOES) is resolved by the **Metric Density Gradient**.

- **Near-Field Measurements:** Local measurements are subject to the local "Braid Density" of our galactic sector, yielding a higher (H_0).

- **Far-Field Measurements:** Light from the CMB must climb the steep $1/R^5$ potential from the core, passing through multiple "Breathing Nodes" of the lattice, which averages the refractive index to a lower value.

The observed Hubble Tension is therefore a measurement error caused by assuming a flat 4D expansion rather than a **6D Oscillating Refractive Gradient**.

3. Metric Evanescence and the Luminosity Distance

As the photon's "Invisible Recoil" increases over distance (as derived in Section V), the visible energy E_{vis} decays exponentially according to the **Lattice Impedance** η:

$$E_{vis}(d) = E_0 \cdot e^{-\eta \cdot d}$$

In this model the Lattice Impedance is a fundamental property of the *SO(3+3)* solid which can be used to explain why distant galaxies appear "dimmer" than their redshift would suggest in the standard model (the "Dark Energy" illusion) without resurrecting the flawed medium dependent tired light theories of by gone days. In this model the galaxies are not accelerating away; their visible flux is simply transitioning into the imaginary temporal manifold.

Recent JWST observations of mature, massive galaxies at $z > 10$ present a significant challenge to the hierarchical structure formation of ΛCDM. In the COSAT manifold, these objects are reinterpreted not as 'early' galaxies in a nascent 4D universe, but as stable, long-lived 6D nexuses. Their high redshift is a product of **Metric Evanescence** and the $1/R^5$ refractive gradient of the deep field, rather than age. Consequently, the 'Impossible Early Galaxy' problem vanishes when the temporal coordinate is recognized as a static phase-rotation within a steady-state 6D solid.

VII. Conclusion: The Unified Harmonic Field

1. The Geometric Synthesis

The COSAT framework demonstrates that the four fundamental forces, the gravitational deflection of light, and the apparent expansion of the universe are all emergent properties of a **Static 3+3 Complex Manifold**.

- **Gravity:** ∇n (The Refractive Gradient).
- **Mass:** $\oint T_{\mu\upsilon}$ (The Braid Tension).
- **Time:** $\frac{\partial\theta}{\partial s}$ (The Phase Rotation).
- **Dark Energy:** $\boldsymbol{\Pi_{shell}}$ (Inter-shell Metric Repulsion).

It also suggests that future high-resolution measurements of galactic voids may reveal local variation in H_0 consistent with a refractive density gradient rather than a uniform expansion.

2. Final Proof: The $1/R^2$ Projection

It has been mathematically demonstrated that the $1/R^2$ laws of the 3D hypersurface are the low-energy limit of a 6D solid governed by a $1/R^5$ centric dipole. This explains the stability of the cosmic "shell" and provides a deterministic foundation for quantum mechanics via **Metric Superdeterminism**.

VIII. Future Directions: Topological Derivations of Fundamental Constants

The structural success of the *SO(3,3)* metric in deriving the gravitational deflection of light suggests that other 'arbitrary' constants may be geometric in origin. Future work within the COSAT framework will focus on:

- **The Fine Structure Constant ($\boldsymbol{\alpha}$):** Investigating α as the ratio of 3D shell surface jitter to the 6D bulk lattice tension.

- **The Proton-Electron Mass Ratio:** Modeling the 1836:1 ratio as a topological winding invariant of nested 3+3 braids.
- **Quantum Numbers:** Deriving Fermionic spin-1/2 and Bosonic integer spin from the 4π vs. 2π rotational symmetries of the 6D complex manifold.

Researchers in topological fluid dynamics and complex manifold theory are invited to explore these geometric correspondences, as the COSAT model suggests that the 'magic numbers' of physics are the resonant frequencies of the 6D solid.

Addendum

Readers who are interested in pursuing these ideas further are invited to the following GitHub sight where more information can be found. This site was set up to act as a living-evolving tree repository in which those who like to play intellectual games can develop and test their own ideas (intellectual property rights will be assigned to all who contribute), challenge the ideas of others in order to prune the 6D-COSAT tree or up root it and replace it with something better.

https://github.com/irxyzcameron6D/COSAT-Framework

irxyzcameron6D/Cosmology--COSAT-MANIFOLD

Appendix A: The COSAT Unified Reference Table

Symbol	Variable Name	6D Physical Interpretation	Observed 3D Phenomenon
n	**Refractive Index**	Local density of the 6D *SO(3+3)* lattice.	**Gravity**; the bending of light.
∇n	**Refractive Gradient**	The "slope" of lattice compression toward the $1/R^5$ core.	**Gravitational Acceleration *(g)*.**
B	**Braid Index**	The topological winding number of a 6D string nexus.	**Particle Identity** (Mass/Charge).
Γ_{phase}	**Coupling Coefficient**	The degree of resonance between the Matter and Mirror shells.	**The "Factor of Two"**(Relativistic light bending).
η	**Lattice Impedance**	The energy-loss rate as visible flux leaks into the temporal manifold.	**Metric Evanescence** (Redshift/Dimming).
ω_b	**Breathing Frequency**	The longitudinal oscillation rate of the Dual-Core Dipole.	**The Universal Clock**; Hubble Tension variation.
Π_{shell}	**Metric Repulsion**	The lateral phase-exclusion force between $+i$ and $-i$ shells.	**"Dark Energy"**; the 5D Vacuum Gap.
R_∞	**Twist Tension**	The quantized energy required to maintain a topological knot.	**The Higgs Boson** (The Mass-Giver).

References

[1] Pavšič, M. (2001). *The Landscape of Theoretical Physics: A Global View*. Kluwer Academic Publishers.

[2] Arkani-Hamed, N., Dimopoulos, S., & Dvali, G. (1998). "The hierarchy problem and new dimensions at a millimeter." *Physics Letters B*.

[3] Eddington, A. S. (1920). *Space, Time and Gravitation*. Cambridge University Press.

[4] Evans, J., Nandi, K. K., & Islam, A. (1996). "The optical-mechanical analogy in general relativity: Exact concepts." *American Journal of Physics*.

[5] Kauffman, L. H. (1991). *Knots and Physics*. World Scientific.

[6] Bilson-Thompson, S. O. (2005). "A topological model of fundamental particles." *arXiv preprint hep-ph/0503213*.

[7] 't Hooft, G. (2016). *The Cellular Automaton Interpretation of Quantum Mechanics*. Springer.

[8] Cole, E. A. B. (1980). "Gravitational effects in six-dimensional relativity." *Il Nuovo Cimento B*.