



Proposed Method

Two-step filtering

First, this method groups all the points that have same horizontal angle as a point set. Then it performs calculation set by set. In each point set, this method applies two-step filter which uses angle and then distance of two consecutive points to differentiate ground points from vertical points.











One point set

Proposed Method

Angle based filter

The first step in two-step filter is an angle based filtering. If the angle of two consecutive points is smaller than an angle threshold, it then added to “candidate group”. The calculation continues until the angle is larger than the threshold, then size of the “candidate group” is checked. If the number of points is large enough, they are all marked as ground points.

-  Un-computed points
-  Ground points
-  Vertical points
-  Remaining points
-  Candidate group
-  Calculate Angle
-  Calculate Distance




Proposed Method

Distance based filter

The remaining points from the previous step are filtered by comparing distance between consecutive points to a dynamic threshold. If the points are close to each other enough it then marked as vertical points. The rest are marked as ground points.



- Un-computed points
- Ground points
- Vertical points
- Remaining points
- - - Candidate group
- Calculate Angle
- Calculate Distance



Proposed Method



名古屋大学
NAGOYA UNIVERSITY



Proposed Method



Pseudo code of proposed method

For every points **in** the same point set

if angle between the current point and adjacent point $<$ an angle threshold

 add current point to the “candidate group”

else

if size of “candidate group” $>$ a size threshold

 mark all the points in “candidate group” as ground points

else

 mark all the points in “candidate group” as remaining points

For every points **in** remaining points

if distance between the current point and adjacent point $<$ a dynamic distance threshold

 add current point to the “candidate group”

else

if size of “candidate group” $>$ a size threshold

 mark all the points in “candidate group” as ground points

else

 mark all the points in “candidate group” as ground points