

ATA Technology
JSON SMS CONNECTION

1. All requests should be sent:

https://sms.atatexnologiya.az/index.php?app=json_api_send

login	Your login
key	MD5(Your Password)
sender	Your Sender name
scheduled	NOW or date-time (2021-12-19 15:40:05)
text	Your Message text (1000)
msisdn	Recipients phone number (994709990907)
unicode	true or false

Examples:

```
{  
  "login": "test",  
  "key": "0c5d8d552599dc84fbf3a08fc9h52a0",  
  "sender": "Mobis",  
  "scheduled": "NOW",  
  "text": "hello",  
  "msisdn": "994551234567",  
  "unicode ": false  
}
```

If operation is successful, you will get response from server with TRANSACTION_ID :

Examples:

```
{  
  "message": "Sms sent successfully.",  
  " transId": "159686209"  
}  
else,  
{  
  "message": " Unable Error.",  
  "error_code": ERROR_CODE  
}
```

2. Get delivery reports

login	Your login
key	MD5(Password)
transid	Transaction_id

https://sms.atatexnologiya.az/index.php?app=json_api_report

Examples:

```
{  
  "login": "test",  
  "key": "0c5d8d552599dc84fbf3a08fc9h52a0",  
  "transid": "318695390"  
}
```

If operation is successful, you will get delivery status response from server

Examples:

```
{  
  "message": "Report is successfully",  
  "delivery_status": "101"  
}  
else,  
  
{  
  "message": "Unable Error",  
  "error_code": ERROR_CODE  
}
```

Code	Delivery Status
100	QUEUED
101	DELIVRD
102	UNDELIV
103	EXPIRED
108	SENT SMS (WAITING STATUS)
109	BLACK_LIST

3. Error Response Codes

Code	Description (ERROR_CODE)
-20	Invalid login
-18	Invalid key
-13	Invalid sender
-15	Invalid scheduled
-16	Invalid transId
-10	Invalid msisdn
-11	Long Sms error
-14	No Balance
-12	Data is incomplete.