

Vulnerability Assessment Report

DVWA Full Scan — Detection / Monitor Mode

Target	DVWA-Target
Host	192.168.56.102 (dvwa-srv)
Task	DVWA-Full-Scan-Detection
Scan configuration	Full and fast
Scanner	OpenVAS Default OpenVAS 23.11.1
Scan status	Done
Scan start	2026-08-15T10:31:02Z
Scan end	2026-08-15T10:58:47Z

Report ID: f7b2c9a1-4d3e-4a5b-9c8d-1e2f3a4b5c6d

Source: OpenVAS XML report supplied for this assessment.

1. Executive Summary

The scan completed with status **Done** against the DVWA target. The report contains 18 total results: 3 High, 3 Medium, 4 Low and 8 Log results. No Critical result is present in the supplied XML.

Severity	Count	Risk level
Critical	0	None reported
High	3	Immediate attention
Medium	3	Remediation recommended
Low	4	Hardening recommended
Log	8	Informational / scan evidence
Total	18	

Key Findings

- **High** — Generic SQL Injection (HTTP GET parameter 'id') — CVSS 9.8
- **High** — Apache HTTP Server < 2.4.62 Multiple Vulnerabilities — CVSS 7.5
- **High** — Unrestricted File Upload (multipart/form-data, no filter) — CVSS 7.5
- **Medium** — Cleartext Transmission of Sensitive Information via HTTP — CVSS 5.0
- **Medium** — Missing 'HttpOnly'/'Secure' Cookie Attributes (PHPSESSID) — CVSS 4.3
- **Medium** — SSH Weak Encryption Algorithms Supported — CVSS 4.3

2. Results Overview

Severity	Finding	Host	Port	CVSS
High	Generic SQL Injection (HTTP GET parameter 'id')	192.168.56.102	80/tcp	9.8
High	Apache HTTP Server < 2.4.62 Multiple Vulnerabilities	192.168.56.102	80/tcp	7.5
High	Unrestricted File Upload (multipart/form-data, no filter)	192.168.56.102	80/tcp	7.5
Medium	Cleartext Transmission of Sensitive Information via HTTP	192.168.56.102	80/tcp	5.0
Medium	Missing 'HttpOnly'/'Secure' Cookie Attributes (PHPSESSID)	192.168.56.102	80/tcp	4.3
Medium	SSH Weak Encryption Algorithms Supported	192.168.56.102	22/tcp	4.3
Low	phpinfo() Output Accessible	192.168.56.102	80/tcp	2.6
Low	Clickjacking: X-Frame-Options Header Missing	192.168.56.102	80/tcp	2.6
Low	Directory Listing Enabled	192.168.56.102	80/tcp	2.6
Low	X-Powered-By Header Discloses PHP Version	192.168.56.102	80/tcp	2.6

3. Detailed Vulnerability Findings

1. Generic SQL Injection (HTTP GET parameter 'id')

Severity	High	CVSS	9.8
Host	192.168.56.102	Port	80/tcp
NVT / OID	1.3.6.1.4.1.25623.1.0.11138	QoD	95 (remote_banner)
Family	Web application abuses	NVT name	Generic SQL Injection

Description / Detection Details

Vulnerability was detected according to the Vulnerability Detection Method. Affected URL:
<http://192.168.56.102/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit>

Detection Summary

The web application at /dvwa/vulnerabilities/sqli/ is vulnerable to SQL injection via the 'id' parameter. Confirmed with payload: 1' OR '1'='1 (all records returned, UNION SELECT extracted user table).

Solution

Use prepared statements / parameterized queries. Apply least-privilege DB accounts and input validation.

2. Apache HTTP Server < 2.4.62 Multiple Vulnerabilities

Severity	High	CVSS	7.5
Host	192.168.56.102	Port	80/tcp
NVT / OID	1.3.6.1.4.1.25623.1.0.108600	QoD	80 (remote_banner)
Family	Web Servers	NVT name	Apache HTTP Server Multiple Vulnerabilities

Description / Detection Details

Installed version: 2.4.52. Fixed version: 2.4.62.

3. Unrestricted File Upload (multipart/form-data, no filter)

Severity	High	CVSS	7.5
Host	192.168.56.102	Port	80/tcp
NVT / OID	1.3.6.1.4.1.25623.1.0.800143	QoD	70 (active_check)
Family	Web application abuses	NVT name	Unrestricted File Upload

Description / Detection Details

The upload endpoint /dvwa/vulnerabilities/upload/ accepts arbitrary file types (e.g. .php) and places them in a web-reachable directory /hackable/uploads/, enabling remote code execution.

4. Cleartext Transmission of Sensitive Information via HTTP

Severity	Medium	CVSS	5.0
Host	192.168.56.102	Port	80/tcp
NVT / OID	1.3.6.1.4.1.25623.1.0.108440	QoD	80 (remote_active)
Family	General	NVT name	Cleartext Transmission of Sensitive Information via HTTP

Description / Detection Details

Login form at /dwa/login.php transmits credentials over unencrypted HTTP.

5. Missing 'HttpOnly'/'Secure' Cookie Attributes (PHPSESSID)

Severity	Medium	CVSS	4.3
Host	192.168.56.102	Port	80/tcp
NVT / OID	1.3.6.1.4.1.25623.1.0.902417	QoD	95 (remote_banner)
Family	Web Servers	NVT name	HTTP Security Header / Cookie Attribute Detection

Description / Detection Details

Set-Cookie: PHPSESSID=...; path=/ (HttpOnly and Secure flags missing)

6. SSH Weak Encryption Algorithms Supported

Severity	Medium	CVSS	4.3
Host	192.168.56.102	Port	22/tcp
NVT / OID	1.3.6.1.4.1.25623.1.0.105611	QoD	90 (remote_active)
Family	General	NVT name	SSH Weak Algorithms Supported

Description / Detection Details

Server supports deprecated ciphers: aes128-cbc, aes256-cbc, arcfour.

7. phpinfo() Output Accessible

Severity	Low	CVSS	2.6
Host	192.168.56.102	Port	80/tcp
NVT / OID	Not provided	QoD	Not provided
Family	Not provided	NVT name	Not provided

Description / Detection Details

http://192.168.56.102/phpinfo.php discloses PHP 8.1.2 build and paths.

8. Clickjacking: X-Frame-Options Header Missing

Severity	Low	CVSS	2.6
Host	192.168.56.102	Port	80/tcp
NVT / OID	Not provided	QoD	Not provided
Family	Not provided	NVT name	Not provided

Description / Detection Details

No X-Frame-Options / frame-ancestors header on application responses.

9. Directory Listing Enabled

Severity	Low	CVSS	2.6
Host	192.168.56.102	Port	80/tcp
NVT / OID	Not provided	QoD	Not provided
Family	Not provided	NVT name	Not provided

Description / Detection Details

Indexes enabled on /dwa/config/ and /hackable/uploads/.

10. X-Powered-By Header Discloses PHP Version

Severity	Low	CVSS	2.6
Host	192.168.56.102	Port	80/tcp
NVT / OID	Not provided	QoD	Not provided
Family	Not provided	NVT name	Not provided

Description / Detection Details

X-Powered-By: PHP/8.1.2-1ubuntu2.20

4. Scan Evidence and Host Information

The following informational results were recorded by the scan. They are retained as evidence from the supplied XML rather than treated as vulnerabilities.

Host is alive (ICMP Echo Reply)	192.168.56.102	general/tcp	ICMP Echo Reply received, RTT 0.42 ms.
OS Detection	192.168.56.102	general/tcp	Best match: Linux 5.15 (Ubuntu 22.04 LTS), confidence 98%.
Traceroute	192.168.56.102	general/tcp	192.168.56.101 -> 192.168.56.102, 1 hop.
open TCP port: 22	192.168.56.102	22/tcp	Service: OpenSSH 8.9p1 Ubuntu.
open TCP port: 80	192.168.56.102	80/tcp	Service: Apache httpd 2.4.52 (Ubuntu).
open TCP port: 3306	192.168.56.102	3306/tcp	Service: MySQL 8.0.42.
MySQL/MariaDB Server Detection	192.168.56.102	3306/tcp	Version 8.0.42-0ubuntu0.22.04.1 detected; port reachable from scan host.
HTTP Server Type and Version	192.168.56.102	80/tcp	Apache/2.4.52 (Ubuntu); page title: Login :: Damn Vulnerable Web Application.

5. Remediation Summary

Finding	Remediation based on supplied XML
Generic SQL Injection	Use prepared statements / parameterized queries. Apply least-privilege database accounts and input validation.
Apache HTTP Server < 2.4.62 Multiple Vulnerabilities	Upgrade Apache HTTP Server to the fixed version identified by the scan: 2.4.62.
Unrestricted File Upload	Restrict upload types, validate content server-side, prevent execution in upload directories, and store uploads outside the web root where practical.
Cleartext Transmission of Sensitive Information via HTTP	Protect login and sensitive traffic with HTTPS/TLS.
Missing HttpOnly/Secure Cookie Attributes	Set the HttpOnly and Secure attributes on PHP session cookies; Secure requires HTTPS.
SSH Weak Encryption Algorithms Supported	Disable deprecated SSH algorithms/ciphers such as the ones identified by the scan and retain modern secure alternatives.
phpinfo() Output Accessible	Remove or restrict phpinfo() in production because it discloses implementation and path information.
Clickjacking: X-Frame-Options Header Missing	Configure X-Frame-Options and/or an appropriate Content-Security-Policy frame-ancestors directive.
Directory Listing Enabled	Disable directory indexing and restrict access to configuration and upload directories.
X-Powered-By Header Discloses PHP Version	Remove or suppress the X-Powered-By header to reduce unnecessary technology/version disclosure.

6. Report Metadata

Field	Value
Report ID	f7b2c9a1-4d3e-4a5b-9c8d-1e2f3a4b5c6d
Report format	Anonymous XML
Owner	admin
Report name / timestamp	2026-08-15T10:31:02Z
Creation time	2026-08-15T10:31:02Z
Modification time	2026-08-15T10:58:47Z
Task	DVWA-Full-Scan-Detection
Task comment	Vulnerability scan of DVWA lab target - detection (monitor) mode
Target	DVWA-Target
Target ID	c1d2e3f4-5a6b-4c7d-8e9f-0a1b2c3d4e5f
Scanner	OpenVAS Default
Scanner version	OpenVAS 23.11.1
Scan configuration	Full and fast
Status	Done
Total results	18
Scan start	2026-08-15T10:31:02Z
Scan end	2026-08-15T10:58:47Z

Source Integrity Note

This polished report is generated exclusively from the supplied OpenVAS XML. It preserves the findings, severities, CVSS values, hosts, ports, NVT information, detection details and scan metadata present in that source. Where the XML does not provide a value, the report does not invent one.