Contenido

Importar el cuaderno de laboratorio 2


Antes de abrir el cuaderno: crea un grupo de Databricks. 2

Antes del ejercicio 4: Crear un Azure Key Vault 3


- Creamos el almacén de claves 3
- Creamos la bóveda 5
- Ejercicio 1.1 7
- Ejercicio 1.3 8
- Ejercicio 2.1 8
- Ejercicio 2.2 9
- Ejercicio 2.3 9
- Ejercicio 3.1 10
- Ejercicio 3.2 10
- Ejercicio 3.3 10
- Ejercicio 3.4 11

Importar el cuaderno de laboratorio

Importamos el cuaderno de trabajo



Antes de abrir el cuaderno: crea un grupo de Databricks.



Antes del ejercicio 4: Crear un Azure Key Vault

Creamos el almacén de claves

Creamos el recurso

Crear un grupo de recursos ...

Basics Tags **Review + create**

Automation Link


Basics

Subscription	Azure for Students
Resource group name	kv-northmart-ISG
Region	Spain Central

Tags

None

Creamos la bóveda



No puedo crear la bóveda por la plitica de azure he cambiado de regiones y no me funcinan

Create a key vault ...

Validation failed. Click here to view details. →

Basics | Access configuration | Networking | Tags | Review + create

Review + create

Basics


Subscription	Azure for Students
Resource group	kv-northmart-ISG
Key vault name	kv-northmart-ISG
Region	East US
Pricing tier	Standard
Soft-delete	Enabled
Purge protection during retention period	Disabled
Days to retain deleted vaults	90 days

Access configuration

Azure Virtual Machines for deployment	Disabled
Azure Resource Manager for template deployment	Disabled
Azure Disk Encryption for volume encryption	Disabled
Permission model	Vault access policy
Access policies	1

Previous | Next | Create

Ejercicio 1.1



Ejercicio 1.2

Task 1.2 — Grant permissions to the retail-analysts group

The `retail-analysts` group needs to query the `customers` table. Grant the necessary privileges at all required levels of the Unity Catalog hierarchy:

- `USE CATALOG` on `retail_catalog`
- `USE SCHEMA` on `retail_catalog.security_lab`
- `SELECT` on `retail_catalog.security_lab.customers`

> Genie Code tip: Ask: *"What SQL grants are needed to allow a Databricks group to SELECT from a Unity Catalog table?"*

Hint: Use `GRANT <privilege> ON <object type> <object name> TO \`retail-analysts\``.

Just now (2s) 6 SQL

```
%sql
GRANT USE CATALOG ON CATALOG retail_catalog TO `retail-analysts`;

GRANT USE SCHEMA ON SCHEMA retail_catalog.security_lab TO `retail-analysts`;

GRANT SELECT ON TABLE retail_catalog.security_lab.customers TO `retail-analysts`;
```

See performance (3) Checked for improvements

OK

This result is stored as `_sqldf` and can be used in other Python and SQL cells.

Ejercicio 1.3

Just now (4s) 8

```
%sql
SHOW GRANTS ON TABLE retail_catalog.security_lab.customers;
```

See performance (1)

Table

	Principal	ActionType	ObjectType	ObjectKey
1	retail-analysts	SELECT	TABLE	retail_catalog.security_lab.custom...

Ejercicio 2.1

Just now (1s) 11 SQL


```
%sql
CREATE OR REPLACE FUNCTION retail_catalog.security_lab.region_filter(region STRING)
RETURNS BOOLEAN
COMMENT 'Row filter: privileged user sees all rows, everyone else sees only North'
RETURN region = 'North' OR current_user() = 'isaac.sanchez@tajamar365.com';
```

See performance (1)


OK

This result is stored as `_sqldf` and can be used in other Python and SQL cells.


Ejercicio 2.2




Ejercicio 2.3




Ejercicio 2.4




Ejercicio 3.1



Ejercicio 3.2



Ejercicio 3.3



Ejercicio 3.4

