Ir a: Los Errores (32) Su Hoja de Estilo validada

Resultados del Validador CSS del W3C para index.22d9a9ae.css (CSS versión 3 + SVG)

Disculpas! Hemos encontrado las siguientes errores (32) URI: index.22d9a9ae.css 1 Error de análisis sintáctico []:-webkit-any(ul] 1 Error de análisis sintáctico ol){list-style:none} La propiedad -webkit-user-select no existe : none 1 body > nav La propiedad -ms-transform no existe : translateY(-100px) 1 La propiedad -ms-transform no existe: | translate(0) 1 1 La propiedad -ms-transform no existe : translate(0) body > main:where(.article, La propiedad -webkit-user-select no existe : text .about, .references) [href] body > main:where(.index) article > section La propiedad -webkit-clip-path no existe : url(#logoClipper100) nav ul > li > p > [href] > span.thumbnail body[class^="pag-1 article"] main La propiedad -webkit-clip-path no existe : url(#logoClipper100) article header div.thumbnail body[class^="pagarticle"] main La propiedad | -webkit-clip-path | no existe : | url(#logoClipper150) | article header div.thumbnail body[class^="pagarticle"] main La propiedad -webkit-clip-path no existe: url(#logoClipper200) article header div.thumbnail body[class^="pagarticle"] main La propiedad -webkit-clip-path no existe : url(#logoClipper250) article header div.thumbnail Error de análisis sintáctico [not(:-webkit-any(.portrait] 1 Error de análisis sintáctico)):has(img){width:377px;width:var(--img-1 tablet);padding-top:.5rem;padding-right:1rem}

1		Error de análisis sintáctico [not(:-webkit-any(.portrait]]
1		Error de análisis sintáctico)):has(img){width:528px;width:var(img-desktop);float:none;flex-wrap:wrap;margin:0 auto 1rem;padding:0;display:flex}
1		Error de análisis sintáctico [not(:-webkit-any(.portrait]
1		Error de análisis sintáctico [)):has(img){width:948px;width:var(img-TV)}
1		Error de análisis sintáctico [[not(:-webkit-any(.portrait]]
1		Error de análisis sintáctico ()):has(img) {float:left;width:100%;margin-bottom:1rem}
1		Error de análisis sintáctico [not(:-webkit-any(.portrait]
1		Error de análisis sintáctico)):has(img) img{border:1px solid #8c7f46;border:1px solid var(color-gold);border-radius:5px;width:100%;display:block}
1		Error de análisis sintáctico [not(:-webkit-any(.portrait]
1		Error de análisis sintáctico)):has(img){width:377px;width:var(img-tablet);padding-top:.5rem;padding-right:1rem}
1		Error de análisis sintáctico [not(:-webkit-any(.portrait]
1		Error de análisis sintáctico)):has(img){width:528px;width:var(img-desktop);float:none;flex-wrap:wrap;margin:0 auto 1rem;padding:0;display:flex}
1		Error de análisis sintáctico [not(:-webkit-any(.portrait]
1		Error de análisis sintáctico [)):has(img){width:948px;width:var(img-TV)}
1	<pre>body > main.categories > nav > ul > li > ul li p [href] span.thumbnail</pre>	La propiedad -webkit-clip-path no existe : url(#logoClipper100)
1	<pre>body > main.categories > nav > ul > li > ul li p [href] span.thumbnail</pre>	La propiedad -webkit-clip-path no existe : url(#logoClipper150)
1	<pre>body > main.categories > nav > ul > li > ul li p [href] span.thumbnail</pre>	La propiedad -webkit-clip-path no existe : url(#logoClipper200)
1	<pre>body > main.categories > nav > ul > li > ul li p [href] span.thumbnail</pre>	La propiedad -webkit-clip-path no existe : url(#logoClipper250)



Interested in "developing" your developer skills? In W3Cx's hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. Find out more!

Donate and help us build better tools for a better web.

Información de CSS válida

```
:root {
  --color-primary : #436e70;
  --color-secondary : #024883;
  --color-blue : #274294;
--color-red : #710202;
  --color-b : #022d31;
  --color-b-contrast : #000d0e;
  --color-w : #f8fcfc;
  --color-gold : #8c7f46;
  --color-gold-contrast : #3c361d;
  --color-light-grey : #dbebeb;
  --color-grey: #667c7c;
  --color-grey-contrast : #506262;
  --w-iphone : 390px;
--w-ipad : 810px;
--w-fullhd : 1920px;
  --h-fullhd : 1080px;
  --w-2k : 2560px;
  --img-mobile: 358px;
--img-tablet: 377px;
  --img-desktop : 528px;
  --img-tv : 948px;
html {
  box-sizing : border-box;
  box-sizing : inherit;
  margin : 0;
  padding: 0;
:before {
  box-sizing : inherit;
:after {
  box-sizing : inherit;
:where(body > header > div, body > nav, main) {
  max-width : 810px;
  margin : 0 auto;
}
```

```
@media only screen and (min-width: 2560px) {
   :where(body > header > div, body > nav, main) {
        max-width : 1080px;
   }
}
```

```
:where(body > header, body > nav, footer) {
  background-color : #dbebeb;
  background-color : #dbebeb;
}
```

```
body {
  background-color : #f8fcfc;
  min-width : 100vw;
  font-family : Helvetica, Arial, sans-serif;
overflow-x : hidden;
h1 {
  color : var(--color-primary);
  letter-spacing : 0.2rem;
  text-transform : uppercase;
  text-align : center;
  margin-bottom : 1.5rem;
font-family : Georgia, "Times New Roman", Times, serif;
font-size : medium;
  font-weight : lighter;
}
@media screen and (min-width: 810px) {
   font-size : x-large;
}
@media screen and (min-width: 1920px) {
 h1 {
   font-size : xx-large;
@media screen and (min-width: 2560px) {
   font-size : 3rem;
h2 {
  color : var(--color-gold-contrast);
  margin-bottom : 0.2rem;
  font-size : large;
  font-weight : lighter;
}
@media screen and (min-width: 810px) {
    margin-bottom : 0.5rem;
    font-size : x-large;
}
@media screen and (min-width: 1920px) {
    margin-bottom : 0.8rem;
 }
@media screen and (min-width: 2560px) {
 h2 {
    margin-bottom : 1rem;
    font-size : xx-large;
```

```
margin-bottom : 1rem;
   font-size : small;
   line-height : 1.5;
}
@media screen and (min-width: 810px) {
  :where(p, .p) {
  font-size : medium;
  line-height : 1.5;
@media screen and (min-width: 1920px) {
  :where(p, .p) {
  font-size : large;
@media screen and (min-width: 2560px) {
  :where(p, .p) {
  font-size : x-large;
:is(ul, ol) {
  list-style : none;
[href] {
  text-decoration : none;
[href]:focus {
   color : var(--color-red);
[href]:hover {
  color : var(--color-red);
[href]:active {
  color : var(--color-secondary);
.active {
  color : var(--color-red);
body > header {
   color : var(--color-primary);
  border : #436e70 solid 1px;
border : var(--color-primary) solid 1px;
  font-size : x-large;
}
@media screen and (min-width: 811px) {
  body > header {
    box-shadow : 0 3px 10px -4px #436e70;
box-shadow : 0 3px 10px -4px #436e70;
    border-radius : 0 0 5px 5px;
  }
```

:where(p, .p) {

```
body > header > div {
  justify-content : center;
  align-items : center;
  display : flex;
body > header > div img {
  border : #436e70 solid 1px;
  border : var(--color-primary) solid 1px;
  border-radius : 20%;
  margin : 0.5rem 1.2rem;
@media screen and (min-width: 810px) {
 body > header > div span {
   font-size : 3rem;
@media screen and (min-width: 1920px) {
 body > header > div span {
   font-size : 3.5rem;
@media screen and (min-width: 2560px) {
 body > header > div span {
   font-size : 4rem;
body > nav {
  user-select : none;
  border: #436e70 solid 1px;
  border : var(--color-primary) solid 1px;
  box-shadow : 0 3px 10px -4px #436e70;
  box-shadow : 0 3px 10px -4px #436e70;
  border-width: 0 0 1px 1px;
  border-radius: 0 0 5px 5px;
body > nav > :where(ol, ul) {
  flex-wrap : wrap;
justify-content : center;
  font-size : smaller;
  display : flex;
}
@media screen and (min-width: 810px) {
 body > nav > :where(ol, ul) {
   font-size : medium;
}
@media screen and (min-width: 1920px) {
 body > nav > :where(ol, ul) {
   font-size : large;
@media screen and (min-width: 2560px) {
 body > nav > :where(ol, ul) {
   font-size : x-large;
```

```
body > nav > ol > li {
  margin : 0.5rem 1rem;
body > nav > ul {
  justify-content : left;
body > nav > ul > li {
 margin : 0 1rem 0.5rem;
body > nav > ul > li > [href] {
  color : var(--color-secondary);
body > nav:nth-of-type(2) p {
  color : var(--color-red);
  padding-top : 0.5rem;
padding-left : 1rem;
font-style : italic;
@keyframes topmenu-travel-bot-nav1 {
   border-radius : 0;
 to {
    border-radius : 0;
@keyframes topmenu-travel-bot-nav2 {
 0% {
    z-index : -1;
    box-shadow : none;
transform : translateY(-100px);
 95% {
    box-shadow : none;
    z-index : -1;
transform : translate(0);
 }
 to {
    box-shadow : 0 3px 10px -4px #022d31;
    z-index : 0;
    transform : translate(0);
 }
body[class^="pag-article"] > nav {
  transition-timing-function : ease-out;
  animation-duration : 0.9s;
  animation-fill-mode : forwards;
}
body[class^="pag-article"] > nav:first-of-type {
  animation-name : topmenu-travel-bot-nav1;
```

}

```
body[class^="pag-article"] > nav:nth-of-type(2) {
  animation-name : topmenu-travel-bot-nav2;
  position : relative;
body > footer {
  border : #436e70 solid 1px;
border : var(--color-primary) solid 1px;
  width: 100vw;
  box-shadow : 0 -3px 10px -4px #436e70;
  box-shadow : 0 -3px 10px -4px #436e70;
  text-align : center;
  border-radius : 5px 5px 0 0;
  padding-bottom : 0.5rem;
  position : fixed;
  bottom : 0;
}
@media screen and (min-width: 1920px) {
 body > footer {
    position : initial;
}
body > footer nav ol {
  padding-top : 0.5rem;
@media screen and (min-width: 2560px) {
 body > footer nav ol {
   padding-top : 0.8rem;
}
body > footer nav ul {
  padding-bottom : 0.5rem;
@media screen and (min-width: 2560px) {
 body > footer nav ul {
    padding-bottom : 0.8rem;
}
body > footer nav :where(ul, ol) {
  flex-wrap : wrap;
justify-content : center;
  display : flex;
body > footer nav :where(ul, ol) li {
  margin: 0.5rem 0.8rem;
  font-size : smaller;
@media screen and (min-width: 810px) {
 body > footer nav :where(ul, ol) li {
   font-size : medium;
 }
```

@media screen and (min-width: 1920px) {

```
body > footer nav :where(ul, ol) li {
    font-size : large;
@media screen and (min-width: 2560px) {
  body > footer nav :where(ul, ol) li {
    font-size : x-large;
}
body > footer nav ul {
  border: #436e70 solid 1px;
  border : var(--color-primary) solid 1px;
  border-width : 0 0 1px;
  text-decoration : underline;
body > footer > div {
  justify-content : center;
  align-items : center;
  display : flex;
body > footer > div img {
  border : #436e70 solid 1px;
border : var(--color-primary) solid 1px;
  border-radius : 20%;
  margin: 0.5rem 1.2rem;
}
body > footer > div p:has(abbr) {
  color : var(--color-grey-contrast);
text-align : center;
  margin-bottom : 0;
  font-size : x-small;
  display : block;
}
@media screen and (min-width: 810px) {
  body > footer > div p:has(abbr) {
   font-size : small;
@media only screen and (min-width: 1920px) {
  body > footer > div p:has(abbr) {
    font-size : medium;
  }
@media only screen and (min-width: 2560px) {
  body > footer > div p:has(abbr) {
    font-size : large;
}
body:has(.pag-index) > footer {
  position : sticky;
   bottom : -1px;
}
.z-3 {
  z-index : -3;
```

```
}
.z3 {
 z-index : 3;
.hidden {
  visibility : hidden;
.visible {
  visibility : visible;
body > main:where(.article, .about, .references) [href] {
  user-select : text;
  color : var(--color-blue);
  text-decoration : underline;
body > main:where(.article, .about, .references) [href]:focus {
  color : var(--color-red);
body > main:where(.article, .about, .references) [href]:hover {
  color : var(--color-red);
body > main:where(.categories, .article, .about, .references) {
  padding : 1rem;
@media screen and (min-width: 810px) {
 body > main:where(.categories, .article, .about, .references) {
    padding-left : 3rem;
    padding-right : 3rem;
@media screen and (min-width: 1920px) {
 body > main:where(.categories, .article, .about, .references) {
   padding : 1rem;
}
body > main:where(.categories, .article, .about, .references) h1 {
  margin-top : 1.5rem;
  margin-bottom : 2rem;
@media screen and (min-width: 810px) {
 body > main:where(.categories, .article, .about, .references) h1 {
    margin-top : 2rem;
    margin-bottom : 2.5rem;
 }
@media screen and (min-width: 1920px) {
 body > main:where(.categories, .article, .about, .references) h1 {
    margin-top : 2.5rem;
    margin-bottom : 3rem;
 }
```

```
@media screen and (min-width: 2560px) {
 body > main:where(.categories, .article, .about, .references) h1 {
    margin-top : 3.5rem;
    margin-bottom : 4rem;
}
@keyframes fade-in {
   opacity: 0;
 20% {
   opacity: 0;
    opacity : 1;
@keyframes fade-in-quote {
   opacity: 0;
    opacity: 0;
   opacity: 1;
@keyframes fade-in-arrow {
 fill : transparent;
}
   fill : var(--color-light-grey);
   fill: transparent;
@media screen and (min-width: 2560px) {
 body > main:where(.index) article {
   max-width : 1080px;
}
body > main:where(.index) article > header {
  z-index : -1;
  background-image : url(dunes_1080.a274eb50.webp);
  background-position : 50%;
  background-repeat : no-repeat;
  background-size : cover;
  height : 92vh;
margin-top : -0.5rem;
```

margin-bottom : 0;
position : relative;

```
}
@media screen and (min-width: 1920px) {
 body > main:where(.index) article > header {
    height: 90vh;
 }
}
@media screen and (min-width: 2560px) {
 body > main:where(.index) article > header {
   height: 92vh;
}
body > main:where(.index) article > header > h1 {
  color : var(--color-gold-contrast);
  width : 100%;
  font-size : x-large;
  transition-timing-function : ease-in-out;
animation-name : fade-in;
  animation-duration : 4s;
  animation-fill-mode : forwards;
  position : absolute;
  top : 15vh;
}
@media screen and (min-width: 810px) {
 body > main:where(.index) article > header > h1 {
   font-size : xx-large;
}
@media screen and (min-width: 2560px) {
 body > main:where(.index) article > header > h1 {
   font-size : 3.5rem;
}
body > main:where(.index) article > header > div {
  width : 100%;
  padding : 1rem 2rem;
  position : absolute;
  top : 78vh;
}
@media screen and (min-width: 1920px) {
 body > main:where(.index) article > header > div {
    top : 73vh;
 }
@media screen and (min-width: 2560px) {
 body > main:where(.index) article > header > div {
   top : 75vh;
body > main:where(.index) article > header > div blockquote {
  margin-bottom : 1rem;
}
```

```
body > main:where(.index) article > header > div p {
  margin-bottom : 0;
  transition-timing-function : ease-in-out;
  animation-name : fade-in-quote;
  animation-duration : 6s;
  animation-fill-mode : forwards;
body > main:where(.index) article > header > div > div {
  position : absolute;
  bottom : 2vh;
  right: 8vw;
@media screen and (min-width: 810px) {
 body > main:where(.index) article > header > div > div {
    bottom : 2vh;
    right: 5vw;
@media screen and (min-width: 1920px) {
 body > main:where(.index) article > header > div > div {
   right : 2vw;
body > main:where(.index) article > header > div > div > svg {
  margin-bottom : 0.5rem;
  display : block;
}
body > main:where(.index) article > header > div > div > svg path {
  fill : transparent;
  transition-timing-function : ease-out;
animation-name : fade-in-arrow;
  animation-iteration-count : 6;
  animation-fill-mode : forwards;
}
body > main:where(.index) article > header > div > div svg:first-child path {
  animation-duration : 1s;
  animation-delay: 4s;
body > main:where(.index) article > header > div > div svg:nth-child(2) path {
  animation-duration : 1s;
  animation-delay : 4.25s;
body > main:where(.index) article > header > div > div svg:nth-child(3) path {
  animation-duration : 1s;
  animation-delay : 4.5s;
body > main:where(.index) article > div {
  z-index : -2;
  background-color : #8c7f46;
  background-color : #8c7f46;
  border: transparent solid 1px;
  padding : 1rem 2rem;
  position : sticky;
  bottom : 0;
}
```

@media screen and (min-width: 1920px) {

body > main:where(.index) article > div {

border-radius : 0 0 5px 5px;

```
}
}
body > main:where(.index) article > div p:first-of-type {
  margin-top : 1rem;
body > main:where(.index) article > section {
  background-color : #f8fcfc;
  padding : 2rem;
  position : sticky;
body > main:where(.index) article > section > h2 {
  margin-bottom : 0.8rem;
body > main:where(.index) article > section nav ul {
  list-style : initial;
  margin-left : 1rem;
body > main:where(.index) article > section nav ul > li {
  margin-bottom : 1rem;
body > main:where(.index) article > section nav ul > li::marker {
  color : var(--color-gold);
body > main:where(.index) article > section nav ul > li > p > [href] {
  align-items : baseline;
  display : flex;
body > main:where(.index) article > section nav ul > li > p > [href]:focus {
  color : var(--color-red);
body > main:where(.index) article > section nav ul > li > p > [href]:focus span.thumbnail {
  mix-blend-mode : luminosity;
body > main:where(.index) article > section nav ul > li > p > [href]:hover {
  color : var(--color-red);
body > main:where(.index) article > section nav ul > li > p > [href]:hover span.thumbnail {
  mix-blend-mode : luminosity;
body > main:where(.index) article > section nav ul > li > p > [href] > span.thumbnail {
  clip-path : url(#logoClipper100);
  width : 100px;
  height: 59px;
  margin-right : 0.5rem;
  display : block;
body > main:where(.index) article > section nav ul > li > p > [href] > span.thumbnail.thumb-1 {
  background-position: 80% 400%;
  background-size : 120%;
body > main:where(.index) article > section nav ul > li > p > [href] > span.thumbnail.thumb-2 {
  background-position : 100% 20%;
  background-size : 115%;
```

margin-bottom : 1.2rem;

```
}
body > main:where(.index) article > section nav ul > li > p > [href] > span.thumbnail.thumb-3 {
  background-position : 265% 30%;
  background-size : 110%;
body > main:where(.index) article > section nav ul > li > p > [href] > span.thumbnail.thumb-4 {
  background-position: 98% 0;
  background-size : 150%;
body > main:where(.index) article > section nav ul > li > p > [href] > span.thumbnail.thumb-5 {
  background-position: 73% -10%;
  background-size : 135%;
}
@media screen and (min-width: 810px) {
 body > main:where(.index) article > section nav ul > li > p > [href] > span.thumbnail.thumb-1 {
    background-position: 80% 400%;
    background-size : 120%;
 body > main:where(.index) article > section nav ul > li > p > [href] > span.thumbnail.thumb-2 {
    background-position: 285% 45%;
    background-size : 105%;
 body > main:where(.index) article > section nav ul > li > p > [href] > span.thumbnail.thumb-3 {
    background-position: 265% 30%;
    background-size : 110%;
 }
 body > main:where(.index) article > section nav ul > li > p > [href] > span.thumbnail.thumb-4 {
    background-position: 200% 0;
    background-size : 120%;
 body > main:where(.index) article > section nav ul > li > p > [href] > span.thumbnail.thumb-5 {
    background-position: 100% -10%;
    background-size : 125%;
 }
}
body > main:where(.index) article > section nav ul > li > p > [href] > span.news-link-title {
  margin-right : 0.5rem;
body > main:where(.index) article > section nav ul > li > p > [href] > span.news-link-category {
  color : var(--color-grey-contrast);
body > main:where(.index) article > section nav ul > li > p > [href] > span.news-link-
category:after {
  content : "âPP"
  margin-right : 0.2em;
}
```

```
body[class^="pag-article"] main article header {
 margin-bottom : 2rem;
body[class^="pag-article"] main article header div.thumbnail {
  clip-path : url(#logoClipper100);
  width: 100px;
  height: 59px;
 margin : 0 auto;
```

```
@media screen and (min-width: 810px) {
 body[class^="pag-article"] main article header div.thumbnail {
    clip-path : url(#logoClipper150);
    width: 150px;
    height: 88px;
 }
@media screen and (min-width: 1920px) {
 body[class^="pag-article"] main article header div.thumbnail {
    clip-path : url(#logoClipper200);
    width : 200px;
height : 118px;
 }
}
@media screen and (min-width: 2560px) {
 body[class^="pag-article"] main article header div.thumbnail {
    clip-path : url(#logoClipper250);
    width: 250px;
    height: 147px;
body[class^="pag-article"] main article header div.thumbnail.thumb-1 {
  background-position: 80% 400%;
  background-size : 120%;
}
body[class^="pag-article"] main article header div.thumbnail.thumb-2 {
  background-position: 320% 435%;
  background-size : 105%;
body[class^="pag-article"] main article header div.thumbnail.thumb-3 {
  background-position : 520% 665%;
  background-size : 105%;
body[class^="pag-article"] main article header div.thumbnail.thumb-4 {
  background-position: 195% 385%;
  background-size : 120%;
}
body[class^="pag-article"] main article header div.thumbnail.thumb-5 {
  background-position : 100% 0;
  background-size: 125%;
body[class^="pag-article"] main article header h1 {
  margin-top : 0.5rem;
body > main:where(.article, .about) :where(section, .section) {
  clear : both;
  margin-bottom : 2.5rem;
body > main:where(.article, .about) :where(section, .section) figure.square:has(img) {
  float : left;
  width: 358px;
  width : var(--img-mobile);
  margin-bottom : 1rem;
  margin-right : 1.5rem;
```

```
body > main:where(.article, .about) :where(section, .section) figure.square:has(img) {
    width : 377px;
    width : var(--img-tablet);
    margin-top : 0.5rem;
}
@media screen and (min-width: 2560px) {
 body > main:where(.article, .about) :where(section, .section) figure.square:has(img) {
    width: 528px;
    width : var(--img-desktop);
 }
}
body > main:where(.article, .about) :where(section, .section) figure.square:has(img) img {
  border: #8c7f46 solid 1px;
  border : var(--color-gold) solid 1px;
  border-radius : 5px;
  width : 100%;
  display : block;
body > main:where(.article, .about) :where(section, .section) figure.portrait:has(img) {
  float : left;
  width: 358px;
  width : var(--img-mobile);
  margin-bottom : 1rem;
  margin-right : 3rem;
}
@media screen and (min-width: 810px) {
 body > main:where(.article, .about) :where(section, .section) figure.portrait:has(img) {
    max-width : 377px;
    max-width : var(--img-tablet);
body > main:where(.article, .about) :where(section, .section) figure.portrait:has(img) img {
  border: #8c7f46 solid 1px;
  border : var(--color-gold) solid 1px;
  border-radius : 5px;
  width : 100%;
  display: block;
@media screen and (min-width: 810px) {
 body > main:where(.article, .about) :where(section, .section) figure:not(:is(.portrait,
  .square)):has(img) {
    width: 377px;
    width : var(--img-tablet);
padding-top : 0.5rem;
    padding-right : 1rem;
}
@media screen and (min-width: 1920px) {
 body > main:where(.article, .about) :where(section, .section) figure:not(:is(.portrait,
  .square)):has(img) {
    width: 528px;
    width : var(--img-desktop);
    float : none;
    flex-wrap : wrap;
    margin : 0 auto 1rem;
    padding: 0;
    display : flex;
 }
}
```

```
@media screen and (min-width: 2560px) {
 body > main:where(.article, .about) :where(section, .section) figure:not(:is(.portrait,
 .square)):has(img) {
    width : 948px;
 }
}
body > main:where(.article, .about) :where(section, .section) figure:not(:is(.portrait,
.square)):has(img) {
  float : left;
width : 100%;
  margin-bottom : 1rem;
}
body > main:where(.article, .about) :where(section, .section) figure:not(:is(.portrait,
.square)):has(img) img {
  border: #8c7f46 solid 1px;
  border : var(--color-gold) solid 1px;
  border-radius : 5px;
  width : 100%;
  display: block;
}
@media screen and (min-width: 810px) {
 body > main:where(.article, .about) :where(section, .section) figure:not(:is(.portrait,
  .square)):has(img) {
    width : 377px;
    width : var(--img-tablet);
    padding-top : 0.5rem;
    padding-right : 1rem;
 }
}
@media screen and (min-width: 1920px) {
 body > main:where(.article, .about) :where(section, .section) figure:not(:is(.portrait,
  .square)):has(img) {
    width : 528px;
width : var(--img-desktop);
    float : none;
    flex-wrap : wrap;
    margin : 0 auto 1rem;
    padding : 0;
    display : flex;
 }
}
@media screen and (min-width: 2560px) {
 body > main:where(.article, .about) :where(section, .section) figure:not(:is(.portrait,
  .square)):has(img) {
    width: 948px;
 }
}
body > main:where(.article, .about) :where(section, .section) figure:has(iframe) .responsive-
iframe {
  width : 100%;
  padding-top : 56.25%;
  position : relative;
  overflow : hidden;
}
body > main:where(.article, .about) :where(section, .section) figure:has(iframe) .responsive-
iframe iframe {
  border: #8c7f46 solid 1px;
  border : var(--color-gold) solid 1px;
  border-radius : 5px;
  width : 100%;
  height: 100%;
  position : absolute;
```

```
top : 0;
bottom : 0;
  Left: 0;
  right: 0;
body > main:where(.article, .about) :where(section, .section) figure:has(figcaption) > figcaption
  overflow-wrap : break-word;
  margin-top : 0.3rem;
  font-size : x-small;
@media screen and (min-width: 810px) {
 body > main:where(.article, .about) :where(section, .section) figure:has(figcaption) >
 figcaption {
    font-size : small;
@media screen and (min-width: 1920px) {
 body > main:where(.article, .about) :where(section, .section) figure:has(figcaption) >
 figcaption {
    font-size : smaller;
}
@media screen and (min-width: 2560px) {
 body > main:where(.article, .about) :where(section, .section) figure:has(figcaption) >
 figcaption {
   font-size : medium;
}
body > main:where(.article, .about) :where(section, .section) figure:has(figcaption) > figcaption
> [href]:after {
  content : "âPP"
  margin-right : 0.2em;
body > main:where(.article, .about) :where(section, .section) ul {
  list-style : initial;
  margin-bottom : 1rem;
  margin-left : 1rem;
body > main:where(.article, .about) :where(section, .section) ul li {
  margin-bottom : 0.25rem;
body:where(:has(.categories), [class^="pag-article"]) .article-link {
  list-style : none;
body:where(:has(.categories), [class^="pag-article"]) .article-link:after {
  content : "â⊇³";
  margin-left: 0.25rem;
body > main.categories > nav > ul > li {
  text-align : center;
  margin-bottom : 2rem;
}
@media screen and (min-width: 810px) {
```

body > main.categories > nav > ul > li {

```
margin-bottom : 2.5rem;
}
@media screen and (min-width: 1920px) {
 body > main.categories > nav > ul > li {
   margin-bottom : 3.5rem;
}
@media screen and (min-width: 2560px) {
 body > main.categories > nav > ul > li {
   margin-bottom : 5rem;
body > main.categories > nav > ul > li > ul {
  color : var(--color-gold);
  list-style : initial;
body > main.categories > nav > ul > li > ul li {
  flex-direction : column;
  align-items : center;
  display : flex;
body > main.categories > nav > ul > li > ul li p {
  margin-bottom : 0.5rem;
body > main.categories > nav > ul > li > ul li p [href] {
  color : var(--color-secondary);
  flex-flow : column wrap;
  align-items : center;
  display : flex;
body > main.categories > nav > ul > li > ul li p [href]:focus {
  color : var(--color-red);
body > main.categories > nav > ul > li > ul li p [href]:focus span.thumbnail {
  mix-blend-mode : luminosity;
body > main.categories > nav > ul > li > ul li p [href]:hover {
  color : var(--color-red);
body > main.categories > nav > ul > li > ul li p [href]:hover span.thumbnail {
  mix-blend-mode : luminosity;
body > main.categories > nav > ul > li > ul li p [href] span.thumbnail {
  clip-path : url(#logoClipper100);
  width: 100px;
  height : 59px;
display : block;
body > main.categories > nav > ul > li > ul li p [href] span.thumbnail + span {
  margin-top : 0.5rem;
  display : block;
```

@media screen and (min-width: 810px) {

```
body > main.categories > nav > ul > li > ul li p [href] span.thumbnail {
    clip-path : url(#logoClipper150);
    width : 150px;
    height: 88px;
}
@media screen and (min-width: 1920px) {
 body > main.categories > nav > ul > li > ul li p [href] span.thumbnail {
    clip-path : url(#logoClipper200);
    width : 200px;
    height: 118px;
 }
@media screen and (min-width: 2560px) {
 body > main.categories > nav > ul > li > ul li p [href] span.thumbnail {
    clip-path : url(#logoClipper250);
    width : 250px;
    height: 147px;
body > main.categories > nav > ul > li > ul li p [href] span.thumbnail.thumb-1 {
  background-position: 80% 400%;
  background-size : 120%;
body > main.categories > nav > ul > li > ul li p [href] span.thumbnail.thumb-2 {
  background-position: 320% 435%;
  background-size : 105%;
body > main.categories > nav > ul > li > ul li p [href] span.thumbnail.thumb-3 {
   background-position : 520% 665%;
  background-size : 105%;
body > main.categories > nav > ul > li > ul li p [href] span.thumbnail.thumb-4 {
  background-position: 195% 380%;
  background-size : 120%;
body > main.categories > nav > ul > li > ul li p [href] span.thumbnail.thumb-5 {
  background-position : 100% 0;
  background-size : 125%;
body > main.categories > nav > ul > li .under-construction {
  color : var(--color-red);
body > main.references > ul {
  list-style : initial;
  margin-left : 1rem;
body > main.references > ul > li {
  margin-bottom : 1rem;
body > main.references > ul > li::marker {
  color : var(--color-gold);
```

@media screen and (min-width: 810px) {

```
body > main.references > ul > li {
   margin-bottom : 1.5rem;
@media screen and (min-width: 1920px) {
 body > main.references > ul > li {
   margin-bottom : 1.75rem;
}
@media screen and (min-width: 2560px) {
 body > main.references > ul > li {
   margin-bottom : 2rem;
}
body > main.references > ul > li [href]:after {
  content : "âll";
margin-right : 0.2em;
body > main.references > ul > li h2 {
  margin-bottom : 0;
@media screen and (min-width: 810px) {
 body > main.references > ul > li h2 {
   margin-bottom : 0.3rem;
}
@media screen and (min-width: 1920px) {
 body > main.references > ul > li h2 {
   margin-bottom : 0.4rem;
@media screen and (min-width: 2560px) {
 body > main.references > ul > li h2 {
   margin-bottom : 0.5rem;
}
body > main:where(.index) {
  margin-bottom : 10rem;
@media screen and (min-width: 810px) {
 body > main:where(.index) {
   margin-bottom : 9rem;
 }
@media screen and (min-width: 1920px) {
 body > main:where(.index) {
   margin-bottom : 1rem;
```

```
@media screen and (min-width: 2560px) {
 body > main:where(.index) {
   margin-bottom : 2rem;
 }
body > main:where(.categories) {
  margin-bottom : 0;
body > main:where(.article) {
  margin-bottom : 0;
body > main:where(.about) {
  margin-bottom : 9rem;
@media screen and (min-width: 1920px) {
 body > main:where(.about) {
   margin-bottom : 1rem;
 }
@media screen and (min-width: 2560px) {
 body > main:where(.about) {
   margin-bottom : 2rem;
body > main:where(.references) {
  margin-bottom : 11rem;
}
@media screen and (min-width: 810px) {
 body > main:where(.references) {
   margin-bottom : 10rem;
}
@media screen and (min-width: 1920px) {
 body > main:where(.references) {
   margin-bottom : 1rem;
}
@media screen and (min-width: 2560px) {
 body > main:where(.references) {
   margin-bottom : 2rem;
}
.thumb-1 \{
  background-image : url(sandbread_305.163e7a8f.webp);
.thumb-2 {
  background-image : url(tea_305.6667aa45.webp);
```

```
.thumb-3 {
   background-image : url(acacus_305.2df89ae7.webp);
}

.thumb-4 {
   background-image : url(forest_project_305.9cac93b4.webp);
}

.thumb-5 {
   background-image : url(green_wall_305.8e1baaea.webp);
}

.red {
   outline : 1px solid red;
}
```

↑ TOP

Inicio Acerca de este servicio Documentación Download Comentarios Créditos



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE

LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR

PUBLIC AND MEMBER PRIVACY STATEMENTS.