Home Chemistry

Essential Pre-Uni Chemistry K3.2

Essential Pre-Uni Chemistry K3.2



Complete the balanced equations to show the reactions between the following pairs of substances in acidic aqueous conditions (no fractions).

Part A Manganate(VII) and hydrogen peroxide

Please click on and drag the pre-loaded species to create a balanced chemical equation.

$$5 H_2 O_2 (aq) + 2 Mn O_4^- (aq) + ? \longrightarrow 2 Mn^{2+} (aq) + 8 H_2 O(1) + ?$$

Part B Scandium and ethanoic acid

Please **click on and drag** the pre-loaded species to create a balanced chemical equation.

$$2 \operatorname{Sc}(s) + ?\operatorname{CH}_3 \operatorname{COOH}(aq) \longrightarrow ? + 3 \operatorname{H}_2(g)$$

Part C Ethanol and boiling dichromate(VI)

$$3\,\mathrm{CH_{3}CH_{2}OH\,(aq)} + 2\,\mathrm{Cr_{2}O_{7}}^{2-}\,\mathrm{(aq)} + a\,\mathrm{H^{+}\,(aq)} \longrightarrow 3\,\mathrm{CH_{3}COOH\,(aq)} + b\,\mathrm{Cr^{3+}\,(aq)} + c\,\mathrm{H_{2}O\,(l)}$$

This chemical equation is too long to fit on your screen, so please balance the equation and give your answer as a string of numbers in the order of abc. For example, if the question is

$$a \operatorname{H}_{2}(g) + b \operatorname{Ag}^{+}(aq) \longrightarrow 6 \operatorname{H}^{+}(aq) + c \operatorname{Ag}(s),$$

and you think the answer is

$$3 H_2(g) + 1 Ag^+(aq) \longrightarrow 6 H^+(aq) + 5 Ag(s),$$

then input 315.

Part D Chlorate(V) and chloride

Please **click on and drag** the pre-loaded species to create a balanced chemical equation.

$$\mathrm{ClO_{3}}^{-}\left(\mathrm{aq}\right)+\ ?\mathrm{Cl}^{-}\left(\mathrm{aq}\right)+\ ?\mathrm{H}^{+}\left(\mathrm{aq}\right)\longrightarrow\ ?\mathrm{Cl}_{2}\left(\mathrm{g}\right)+\ ?$$



Home Unknown page

Page not found

We're sorry, page not found: /questions/oxidation_of_thiosulfate



<u>Home</u>

Iron in a nail

Iron in a nail



A nail of mass $1.40\,\mathrm{g}$ was dissolved in an excess of dilute sulfuric acid to form $100\,\mathrm{cm}^3$ of solution. A $10\,\mathrm{cm}^3$ sample of this solution required $4.0\times10^{-4}\,\mathrm{mol}$ of manganate (VII) for complete oxidation.

In acidic solution:

$$\mathrm{MnO_4}^- + 8\,\mathrm{H}^+ + 5\,\mathrm{e}^- \longrightarrow \mathrm{Mn}^{2+} + 2\,\mathrm{H}_2\mathrm{O}$$

By assuming that, in dissolving in sulfuric acid, the iron in the nail was converted entirely into Fe^{2+} (aq) and that manganate (VII) oxidises Fe^{2+} to Fe^{3+} , calculate:

Part A Moles of ${\rm Fe}^{2+}$

The number of moles of ${\rm Fe}^{2+}$ produced from the nail.

Part B % of Fe

The percentage of iron in the nail.

Adapted with permission from UCLES, A-Level Chemistry, June 1992, Paper 3, Question 2




<u>Home</u>

Chemistry

Essential Pre-Uni Chemistry K4.1

Essential Pre-Uni Chemistry K4.1





$$Cu_2SO_4(aq) \longrightarrow Cu(s) + CuSO_4(aq)$$

State the element that is disproportionated in the reaction.

State the element's oxidation state when it first appears in the chemical equation.

State the element's oxidation state the second time it appears in the chemical equation.

State the element's oxidation state the third time it appears in the chemical equation.

Part C (c)

$$2\operatorname{CO}\left(g\right)\longrightarrow\operatorname{C}\left(s\right)+\operatorname{CO}_{2}\left(g\right)$$

State the element that is disproportionated in the reaction.

State the element's oxidation state when it first appears in the chemical equation.

State the element's oxidation state the second time it appears in the chemical equation.

State the element's oxidation state the third time it appears in the chemical equation.

$$2\,HOF\left(aq\right)\longrightarrow H_{2}O\left(l\right)+OF_{2}\left(g\right)$$

State the element that is disproportionated in the reaction.

State the element's oxidation state when it first appears in the chemical equation.

State the element's oxidation state the second time it appears in the chemical equation.

State the element's oxidation state the third time it appears in the chemical equation.

Part E (e)

$$5\,\mathrm{MnO_4}^{2-}\,\mathrm{(aq)} + 8\,\mathrm{H^+}\,\mathrm{(aq)} \longrightarrow \mathrm{Mn^{2+}}\,\mathrm{(aq)} + 4\,\mathrm{MnO_4}^{-}\,\mathrm{(aq)} + 4\,\mathrm{H_2O}\,\mathrm{(l)}$$

State the element that is disproportionated in the reaction.

State the element's oxidation state when it first appears in the chemical equation.

State the element's oxidation state the second time it appears in the chemical equation.

State the element's oxidation state the third time it appears in the chemical equation.



Home Sodium nitrite

Sodium nitrite



Nitrogen can be obtained in the laboratory by warming a mixture of ammonium chloride and sodium nitrite, $NaNO_2$. Water is also produced and a solid is left.

Part A	Ammonium chloride and sodium nitrite					
Su	Suggest an identity for the solid.					
Part B	Equation					
	rite a balanced equation for the reaction, including state symbols, balancing to obtain the lowest integer efficients possible.					
Part C Ammonium chloride and sodium nitrate						
tim	A similar reaction takes place when ammonium chloride is heated with sodium nitrate $NaNO_3$ but this time the only different product is an oxide of nitrogen. Suggest a formula for this oxide, and the oxidation state of nitrogen in it.					
Fo	ormula:					
Ox	kidation state:					

Adapted with permission from UCLES, A-Level Chemistry, June 1994, Paper 1, Question 7

Home Chemistry

Essential Pre-Uni Chemistry K3.1

Essential Pre-Uni Chemistry K3.1



Balance the following redox equations:

Part A (a)

$$H_2(g) + ?Ag^+(aq) \longrightarrow ?H^+(aq) + ?Ag(s)$$

Please click on and drag the pre-loaded species to create a balanced chemical equation.

Part B (b)

$$\mathbf{?Fe(s)} + \mathbf{?Cl_2(g)} \longrightarrow \mathbf{?FeCl_3(s)}$$

Please click on and drag the pre-loaded species to create a balanced chemical equation.

Part C (c)

$$I_{2}(aq) + ?S_{2}O_{3}^{2-}(aq) \longrightarrow ?I^{-}(aq) + S_{4}O_{6}^{2-}(aq)$$

Please click on and drag the pre-loaded species to create a balanced chemical equation.

Part D (d)

$$\mathrm{CH}_4\left(\mathrm{g}\right) + \mathrm{?Cl}_2\left(\mathrm{g}\right) \longrightarrow \mathrm{CCl}_4\left(\mathrm{g}\right) + \mathrm{?HCl}\left(\mathrm{g}\right)$$

Please click on and drag the pre-loaded species to create a balanced chemical equation.

Part E (e)

$$C_6H_{12}O_6(aq) + ?O_2(g) \longrightarrow ?CO_2(g) + ?H_2O(l)$$

Please click on and drag the pre-loaded species to create a balanced chemical equation.

Part F (f)

$$\mathbf{?K}(s) + \mathbf{?H}_2O(l) \longrightarrow \mathbf{?KOH}(aq) + \mathbf{H}_2(g)$$

Please click on and drag the pre-loaded species to create a balanced chemical equation.

Part G (g)

$${
m ?Co}^{3+}\left({
m aq}
ight)+{
m ?H}_{2}{
m O}\left({
m l}
ight)\longrightarrow{
m ?Co}^{2+}\left({
m aq}
ight)+{
m ?H}^{+}\left({
m aq}
ight)+{
m O}_{2}\left({
m g}
ight)$$

Please click on and drag the pre-loaded species to create a balanced chemical equation.

Part H (h)

$$a\,\mathrm{Fe^{2+}}\,(\mathrm{aq}) + b\,\mathrm{MnO_4}^-\,(\mathrm{aq}) + c\,\mathrm{H^+}\,(\mathrm{aq}) \longrightarrow d\,\mathrm{Fe^{3+}}\,(\mathrm{aq}) + e\,\mathrm{Mn^{2+}}\,(\mathrm{aq}) + f\,\mathrm{H_2O}\,(\mathrm{l})$$

This chemical equation is too long to fit on your screen, so please balance the equation and give your answer as a string of numbers in the order of abcdef. For example, if the question is

$$a\,\mathrm{H_2}\left(\mathrm{g}\right) + b\,\mathrm{Ag}^+\left(\mathrm{aq}\right) \longrightarrow c\,\mathrm{H}^+\left(\mathrm{aq}\right) + d\,\mathrm{Ag}\left(\mathrm{s}\right),$$

and you think the answer is

$$3 \operatorname{H}_{2}(g) + 1 \operatorname{Ag}^{+}(aq) \longrightarrow 6 \operatorname{H}^{+}(aq) + 5 \operatorname{Ag}(s),$$

then input 3165.

$$a\operatorname{Zn}(\mathrm{s}) + b\operatorname{VO}_2^+(\mathrm{aq}) + c\operatorname{H}^+(\mathrm{aq}) \longrightarrow d\operatorname{Zn}^{2+}(\mathrm{aq}) + e\operatorname{V}^{2+}(\mathrm{aq}) + f\operatorname{H}_2\operatorname{O}(\mathrm{l})$$

This chemical equation is too long to fit on your screen, so please balance the equation and give your answer as a string of numbers in the order of abcdef. For example, if the question is

$$a H_2(g) + b Ag^+(aq) \longrightarrow c H^+(aq) + d Ag(s),$$

and you think the answer is

$$3 H_2(g) + 1 Ag^+(aq) \longrightarrow 6 H^+(aq) + 5 Ag(s),$$

then input 3165.

Part J (j)

$$C_2O_4H_2(aq) + H_2O_2(aq) \longrightarrow ?CO_2(g) + ?H_2O(l)$$

Please click on and drag the pre-loaded species to create a balanced chemical equation.

Part K (k)

$$a \operatorname{BaFeO_4}(s) + b \operatorname{HCl}(aq) \longrightarrow c \operatorname{BaCl_2}(aq) + d \operatorname{FeCl_3}(aq) + e \operatorname{H_2O}(1) + f \operatorname{Cl_2}(g)$$

This chemical equation is too long to fit on your screen, so please balance the equation and give your answer as a string of numbers in the order of abcdef. For example, if the question is

$$a \operatorname{H}_{2}(g) + b \operatorname{Ag}^{+}(aq) \longrightarrow c \operatorname{H}^{+}(aq) + d \operatorname{Ag}(s),$$

and you think the answer is

$$3 H_2(g) + 1 Ag^+(aq) \longrightarrow 6 H^+(aq) + 5 Ag(s),$$

then input 3165.

$$a\,\mathrm{CH_{3}CH_{2}CH_{2}OH}\left(\mathrm{l}\right) + b\,\mathrm{Cr_{2}O_{7}}^{2-}\left(\mathrm{aq}\right) + c\,\mathrm{H^{+}}\left(\mathrm{aq}\right) \longrightarrow d\,\mathrm{CH_{3}CH_{2}CHO}\left(\mathrm{l}\right) + e\,\mathrm{Cr}^{3+}\left(\mathrm{aq}\right) + f\,\mathrm{H_{2}O}\left(\mathrm{l}\right)$$

This chemical equation is too long to fit on your screen, so please balance the equation and give your answer as a string of numbers in the order of abcdef. For example, if the question is

$$a\,\mathrm{H_2}\left(\mathrm{g}\right) + b\,\mathrm{Ag^+}\left(\mathrm{aq}\right) \longrightarrow c\,\mathrm{H^+}\left(\mathrm{aq}\right) + d\,\mathrm{Ag}\left(\mathrm{s}\right),$$

and you think the answer is

$$3 \operatorname{H}_{2}\left(\mathrm{g}\right) + 1 \operatorname{Ag}^{+}\left(\mathrm{aq}\right) \longrightarrow 6 \operatorname{H}^{+}\left(\mathrm{aq}\right) + 5 \operatorname{Ag}\left(\mathrm{s}\right),$$

then input 3165.

Home Chemistry

Essential Pre-Uni Chemistry K3.3

Essential Pre-Uni Chemistry K3.3



Complete the balanced equations to show the reactions between the following pairs of substances in alkaline aqueous conditions (no fractions).

Part A Sulfite and bromate(V)

sulfite and bromate(V)

$$3 SO_3^{2-}(aq) + ?BrO_3^{-}(aq) \longrightarrow 3 SO_4^{2-}(aq) + ?$$

Part B Hydrogen peroxide and chromium(III)

hydrogen peroxide and chromium(III)

$$3 H_2 O_2 (aq) + ?Cr^{3+} (aq) + ?OH^- (aq) \longrightarrow ?CrO_4^{2-} (aq) + ?$$

Part C Chlorate(I) and iron(III)

chlorate(I) and iron(III)

$$?ClO^{-}\left(aq\right) \ + \ ?Fe(OH)_{3}\left(s\right) \longrightarrow \ ?FeO_{4}^{\ 2-}\left(aq\right) \ + \ ?Cl_{2}\left(g\right) + \ ? \ + \ ?$$

Part D Manganate(VI) and methanoate

manganate(VI) and methanoate

$$?HCOO^{-}(aq) + MnO_4^{2-}(aq) \longrightarrow MnO_2(s) + OH^{-}(aq) + ?$$



<u>Home</u>

Chemistry

Essential Pre-Uni Chemistry K4.2

Essential Pre-Uni Chemistry K4.2



Complete and balance the following equations that represent disproportionation reactions.

Part A (a)

$$\mathbf{?H}_{2}\mathrm{O}_{2}\left(\mathrm{aq}\right)\longrightarrow\mathbf{?H}_{2}\mathrm{O}\left(\mathrm{l}\right)+\underline{\hspace{2cm}}$$

Part B (b)

$${
m ?I_{2}\,(aq) + ?OH^{-}\,(aq)} \longrightarrow ___ + 5\,{
m I^{-}\,(aq) + 3\,H_{2}O\,(l)}$$

Please click on and drag the pre-loaded species in the equation editor to create your chemical equation.

Part C (c)

$$8\,\mathrm{S}_2\,\mathrm{O}_3^{\,2-}\,\mathrm{(aq)} + 16\,\mathrm{H}^+\,\mathrm{(aq)} \longrightarrow \mathrm{S}_8\,\mathrm{(s)} + \underline{\hspace{1cm}} + 8\,\mathrm{H}_2\,\mathrm{O}\,\mathrm{(l)}$$

Please **click on and drag** the pre-loaded species in the equation editor to create your chemical equation.



<u>Home</u> Unk

Unknown page

Page not found

We're sorry, page not found: /questions/chem_16_k4_3