

# MY FOOD

## Hub Guide

### connect the desktop Hub, with pictures

The **MY FOOD Hub** is a Windows program that runs the restaurant on one PC inside the restaurant. Tills, kitchen screens, printers and the customer display then **keep working when the internet is down**.

#### You need:


- One Windows 10/11 PC that stays **on during opening hours**, connected **by cable** to the router
- Internet for the first setup
- The owner or a manager signed in to MY FOOD on their phone or laptop
- A manager's PIN (to connect tills in the Hub window)
- Tills, screens and printers on the **same Wi-Fi / network** as the Hub PC

**Test it before a busy service.** The Hub has been tested in software but not yet on the restaurant's own PCs.

Red boxes and arrows show exactly what to press. Pictures are from the MY FOOD test system: names, numbers and addresses on your screens will be different.

## BEFORE YOU START

# How it fits together



With the Hub, tills open **the Hub's address** (for example **<http://192.168.1.20:8080>**) instead of [www.chefelisha.cc](http://www.chefelisha.cc). MY FOOD Printing is **not needed**: the Hub prints.

## PART 1 · INSTALL THE HUB

# 1

## Add the Hub in MY FOOD

On the manager's phone or laptop: **Devices & printing** → **Add device**.  
Name **HUB-01**, Type **MY FOOD Hub** → **Add device**.

The screenshot displays the MY FOOD Hub management interface. On the left is a red sidebar with navigation options: OPERATIONS (Dashboard, POS, Orders, Cash register, Customers, Kitchen, Supervisor, Customer display) and INVENTORY (Stock, Stock taking). Below these are MENU & SETUP (Menu & recipes, Stations & routing, Floor & tables) and a highlighted 'Devices & printing' option.

The main content area shows a list of devices at the top:

| Device Name         | Type             | Status   | IP Address        | Waiting   | Actions                                          |
|---------------------|------------------|----------|-------------------|-----------|--------------------------------------------------|
| PASTRY-PRINTER-02   | Printer          | Not sent | 192.168.1.55:9100 | 2 waiting | Test print, Edit, Turn off                       |
| RECEIPT-PRINTER-01  | Printer          | Not sent | 192.168.1.60:9100 | 2 waiting | Test print, Edit, Turn off                       |
| PRINT-AGENT-01      | Print agent      | Not sent | not paired        |           | Enter code from device, Create code, Rename      |
| CUSTOMER-DISPLAY-01 | Customer display | Offline  | 7:09:32 AM        | paired    | Enter code from device, Create code, Rename, Rev |

Below this is the 'Add device' form:

**Add device**

Name (e.g. PASTRY-KDS-01): **HUB-01** (highlighted with a red box and arrow labeled '1 Name: HUB-01')

Type: **MY FOOD Hub** (highlighted with a red box and arrow labeled '2 Type: MY FOOD Hub')

Station (KDS): —

Printer connected by: —

Printer IP address or Windows printer name for USB: —

Printer driven by agent: —

Receipt printer (POS): —

At the bottom right of the form is a red button labeled 'Add device' (highlighted with a red box and arrow labeled '3 Add device').

Below the form is a section titled 'Print jobs not yet printed' with a 'Live' status indicator. It contains a table of print jobs:

| ORDER | PRINTER           | KIND           | STATUS   | ATTEMPTS | LAST ERROR |
|-------|-------------------|----------------|----------|----------|------------|
| #5001 | DRINKS-PRINTER-01 | kitchen ticket | Not sent | 0        |            |
| #5002 | DRINKS-PRINTER-01 | kitchen ticket | Not sent | 0        |            |
| #5003 | DRINKS-PRINTER-01 | kitchen ticket | Not sent | 0        |            |
| #5004 | DRINKS-PRINTER-01 | kitchen ticket | Not sent | 0        |            |

## 2

## On the Hub PC: download MY FOOD Hub

On the Hub PC, sign in to MY FOOD → **Devices & printing** → **MY FOOD Hub for Windows** → **Download for Windows**. Download the file **MY-FOOD-Hub-Setup-...-production.exe**.

**Chefelisha Restaurant (test) Main**

**OPERATIONS**

- Dashboard
- POS
- Orders
- Cash register
- Customers
- Kitchen
- Supervisor
- Customer display

**INVENTORY**

- Stock
- Stock taking

**MENU & SETUP**

- Menu & recipes
- Stations & routing
- Floor & tables
- Devices & printing**

|       |                    |                |            |   |
|-------|--------------------|----------------|------------|---|
| #5016 | DRINKS-PRINTER-01  | kitchen ticket | • Not sent | 0 |
| #5016 | KITCHEN-PRINTER-01 | kitchen ticket | • Not sent | 0 |
| #5017 | KITCHEN-PRINTER-01 | kitchen ticket | • Not sent | 0 |

**MY FOOD Hub for Windows**

Optional. Install it on one always-on Windows PC in the restaurant: your tills, kitchen screens, printers and customer display then keep working when the internet is down, and everything is sent to MY FOOD when it returns. The web POS keeps working without it.

Download the file named **MY-FOOD-Hub-Setup-...-production.exe**. Windows may warn that the app is from an unknown publisher (it is not code-signed yet): choose More Info, then Run anyway.

[Download for Windows](#) **1 Download MY FOOD Hub (on the Hub PC)**


**Manual and checklists**

How to install, pair devices, set up printing and run the restaurant day to day.

- Installer Guide with pictures** (PDF · step by step, easy to share) [Download](#)
- Hub Guide with pictures** (PDF · connect the desktop Hub (works offline)) [Download](#)
- Installation & Operations Manual** (PDF · full manual) [Download](#)
- Quick Reference** (PDF · one page for every till) [Download](#)
- Installer Checklist** (PDF · two pages, with sign-off) [Download](#)

### 3 Install it (Windows warning)

Open the downloaded file. Windows may show a blue warning. Click **More info**. A **Run anyway** button then appears: click it.




Drawing: the real window may look a little different.

MY FOOD Hub then opens by itself and **starts with Windows** every day. Closing its window keeps it running (icon next to the clock).

# 4

## The Hub window shows a code

The first time, the Hub window says **Connect this hub to MY FOOD** and shows a code.



## PART 2 · CONNECT THE HUB

# 5

## Enter that code ONLY on the HUB-01 row

On the manager's phone: **Devices & printing** → the **HUB-01** row → **Enter code from device** → type the code → **Pair device**.

**1 Only the HUB-01 row**

**2 Type the Hub's code here**

| Device Name         | Type             | Status   | Time       | IP Address                   | Waiting   | Buttons                                                                  |
|---------------------|------------------|----------|------------|------------------------------|-----------|--------------------------------------------------------------------------|
| KITCHEN-PRINTER-01  | Printer          | Not sent | —          | 192.168.1.51:9100            | 9 waiting | Test print, Edit, Turn off                                               |
| PASTRY-PRINTER-01   | Printer          | Not sent | —          | 192.168.1.53:9100            | 3 waiting | Test print, Edit, Turn off                                               |
| PASTRY-PRINTER-02   | Printer          | Not sent | —          | 192.168.1.55:9100            | 2 waiting | Test print, Edit, Turn off                                               |
| RECEIPT-PRINTER-01  | Printer          | Not sent | —          | 192.168.1.60:9100            | 2 waiting | Test print, Edit, Turn off                                               |
| CUSTOMER DISPLAY-01 | Customer display | Offline  | 7:09:32 AM | paired                       | —         | Enter code from device, Create code, Rename, Revoke                      |
| <b>HUB-01</b>       | MY FOOD Hub      | Online   | 7:11:55 AM | All sent - reported 07:11 AM | —         | Enter code from device, Create code, Rename, Run branch from hub, Revoke |

**Add device**

Name (e.g. PASTRY-KDS-01) Type Station (KDS) Printer connected by Printer IP address, or Windows printer name for USB

Printer driven by agent Receipt printer (POS) Add device

**Print jobs not yet printed**

| ORDER | PRINTER           | KIND           | STATUS   | ATTEMPTS | LAST ERROR |
|-------|-------------------|----------------|----------|----------|------------|
| #5001 | DRINKS-PRINTER-01 | kitchen ticket | Not sent | 0        |            |

**Never** enter the Hub's code on a till's row. MY FOOD refuses it, and nothing changes.

## 6

## Let the Hub run the restaurant

Only when the Hub window says **Connected**: on the same **HUB-01** row press **Run branch from hub** and confirm. Finish all open orders on the tills first.

**Chefelisha Restaurant (test) Main**

**OPERATIONS**

- Dashboard
- POS
- Orders
- Cash register
- Customers
- Kitchen
- Supervisor
- Customer display

**INVENTORY**

- Stock
- Stock taking

**MENU & SETUP**

- Menu & recipes
- Stations & routing
- Floor & tables
- Devices & printing**

| Device Name         | Type             | Status   | Station (KDS) | Printer connected by         | Printer IP address, or Windows printer name for USB | Actions                                                                     |
|---------------------|------------------|----------|---------------|------------------------------|-----------------------------------------------------|-----------------------------------------------------------------------------|
| KITCHEN-PRINTER-01  | Printer          | Not sent | —             | 192.168.1.51:9100            | 9 waiting                                           | Test print Edit Turn off                                                    |
| PASTRY-PRINTER-01   | Printer          | Not sent | —             | 192.168.1.53:9100            | 3 waiting                                           | Test print Edit Turn off                                                    |
| PASTRY-PRINTER-02   | Printer          | Not sent | —             | 192.168.1.55:9100            | 2 waiting                                           | Test print Edit Turn off                                                    |
| RECEIPT-PRINTER-01  | Printer          | Not sent | —             | 192.168.1.60:9100            | 2 waiting                                           | Test print Edit Turn off                                                    |
| PRINT-AGENT-01      | Print agent      | Not sent | —             | not paired                   |                                                     | Enter code from device Create code                                          |
| CUSTOMER-DISPLAY-01 | Customer display | Offline  | 7:09:32 AM    | paired                       |                                                     | Enter code from device Create code Rename Revoke                            |
| HUB-01              | MY FOOD Hub      | Online   | 7:11:55 AM    | All sent · reported 07:11 AM |                                                     | Enter code from device Create code Rename <b>Run branch from hub</b> Revoke |

**Add device**

Name (e.g. PASTRY-KDS-01) Type Station (KDS) Printer connected by Printer IP address, or Windows printer name for USB

Printer driven by agent Receipt printer (POS)

**Add device**

**Print jobs not yet printed** Live

| ORDER | PRINTER           | KIND           | STATUS   | ATTEMPTS | LAST ERROR |
|-------|-------------------|----------------|----------|----------|------------|
| #5001 | DRINKS-PRINTER-01 | Drinks Printer | Not sent | 0        |            |

From now on the tills must open **the Hub's address**. To go back, a manager presses **Stop running branch** on the HUB-01 row.

## 7 Check the Hub window

The Hub window now shows **Connected**, **All sent** and **Runs this branch: Yes**.

**MY FOOD Hub**  
Chefelisha Restaurant · keeps the restaurant running, also without internet

Internet and MY FOOD cloud  
**Connected**  
Last sync 07:12 AM

Sent to the cloud  
**All sent**

Runs this branch  
**Yes**

**Open MY FOOD till and screens**

On each **1 Connected** the customer display, open this address in Chrome or Edge **2 Runs this branch: Yes**

- **http://192.168.1.20:8080**

The device then shows a code. Approve it below.


**Devices**

| DEVICE         | TYPE           | STATUS          |                        |
|----------------|----------------|-----------------|------------------------|
| POS-01         | Till           | • Not connected | Enter code from device |
| DRINKS-KDS-01  | Kitchen screen | • Not connected | Enter code from device |
| GRILL-KDS-01   | Kitchen screen | • Not connected | Enter code from device |
| KITCHEN-KDS-01 | Kitchen screen | • Not connected | Enter code from device |
| PASTRY-KDS-01  | Kitchen screen | • Not connected | Enter code from device |

## 8

## Write down the Hub's address

The Hub window shows the address the tills must open (for example **http://192.168.1.20:8080**). Write it down.



**MY FOOD Hub**  
Chefelisha Restaurant · keeps the restaurant running, also without internet

Internet and MY FOOD cloud  
**Connected**  
Last sync 07:12 AM

Sent to the cloud  
**All sent**

Runs this branch  
**Yes**

**Open MY FOOD on tills and screens**

On each till, kitchen screen and the customer display, open this address in Chrome or Edge:

- http://192.168.1.20:8080** **1 Write this address down**

The device then shows a code. Approve it below.

**Devices**


| DEVICE         | TYPE           | STATUS          |                        |
|----------------|----------------|-----------------|------------------------|
| POS-01         | Till           | • Not connected | Enter code from device |
| DRINKS-KDS-01  | Kitchen screen | • Not connected | Enter code from device |
| GRILL-KDS-01   | Kitchen screen | • Not connected | Enter code from device |
| KITCHEN-KDS-01 | Kitchen screen | • Not connected | Enter code from device |
| PASTRY-KDS-01  | Kitchen screen | • Not connected | Enter code from device |

Ask whoever manages the router to **reserve** this address for the Hub PC, so it never changes.

9

## On the till: open the Hub's address

On each till, open Chrome and type the Hub's address followed by **/pair** (for example **http://192.168.1.20:8080/pair**). The till shows a code.



# 10 In the Hub window: find the till

On the **Hub PC**, in the Hub window, find the till's name under **Devices** and press **Enter code from device**.

Last sync 07:12 AM

**Open MY FOOD on tills and screens**

On each till, kitchen screen and the customer display, open this address in Chrome or Edge:

- **http://192.168.1.20:8080**

The device then shows a code. Approve it below.

**Devices**

| DEVICE              | TYPE             | STATUS          |                                                                       |
|---------------------|------------------|-----------------|-----------------------------------------------------------------------|
| POS-01              | Till             |                 | <div>2 Enter code from device</div> <div>Enter code from device</div> |
| DRINKS-KDS-01       | Kitchen screen   | • Not connected | Enter code from device                                                |
| GRILL-KDS-01        | Kitchen screen   | • Not connected | Enter code from device                                                |
| KITCHEN-KDS-01      | Kitchen screen   | • Not connected | Enter code from device                                                |
| PASTRY-KDS-01       | Kitchen screen   | • Not connected | Enter code from device                                                |
| CUSTOMER-DISPLAY-01 | Customer display | • Not connected | Enter code from device                                                |

Version hub-e2e

# 11 Code + manager PIN → Connect device

Type the code from the till and a **manager's PIN**, then press **Connect device**.

Connect POS-01

Code shown on the device

2JKC-DCPR

Manager PIN

....

Someone whose role may manage devices.

Cancel Connect device

1 Code from the till

2 A manager's PIN

3 Connect device

Devices


| Device              | Screen           | Status        | Action                 |
|---------------------|------------------|---------------|------------------------|
| POS-01              |                  |               | from device            |
| GRILL-KDS-01        |                  |               | from device            |
| KITCHEN-KDS-01      |                  |               | from device            |
| PASTRY-KDS-01       | Kitchen screen   | Not connected | Enter code from device |
| CUSTOMER-DISPLAY-01 | Customer display | Not connected | Enter code from device |

Version hub-e2e

Nobody else should watch while the PIN is typed.

## 12 Done: the till works through the Hub


The till continues by itself to **Enter your staff PIN**. Repeat for every till, kitchen screen and the customer display. Kitchen screens work the same way: **ACCEPT** → **START** → **READY** → **DONE**.



Printers: set them up in **Devices & printing** as in the Installer Guide, with **Printed by = HUB-01**.

# 13 Unplug the internet: the till keeps working

Unplug the internet cable from the router (not the Hub's cable). The till shows a yellow line **Offline · everything keeps working and is saved on the hub**. Make a test order: it still works and prints.



# 14 The Hub window while offline

The Hub window shows **Offline** and the number of changes **waiting**. This is normal.

**MY FOOD Hub**  
Chefelisha Restaurant · keeps the restaurant running, also without internet

Internet and MY FOOD cloud

**Offline**

Last sync 07:12 AM

Tills keep working. Everything is sent when the internet is back.

Sent to the cloud

**12 waiting**

Oldest from 07:12 AM

Runs this branch

**Yes**

**Open MY FOOD tills and screens**

On **1 Internet is down** custom **2 Waiting to send: normal** Edge:

- http://192.168.1.20:8080**

The device then shows a code. Approve it below.

**Devices**

| DEVICE         | TYPE           | STATUS          |                        |
|----------------|----------------|-----------------|------------------------|
| POS-01         | Till           | • Connected     | Connect again          |
| DRINKS-KDS-01  | Kitchen screen | • Not connected | Enter code from device |
| GRILL-KDS-01   | Kitchen screen | • Not connected | Enter code from device |
| KITCHEN-KDS-01 | Kitchen screen | • Not connected | Enter code from device |

# 15 Plug the internet back in

Within a minute the Hub sends everything and shows **All sent**. The order appears in MY FOOD's reports. Nothing is sent twice.

**MY FOOD Hub**  
Chefelisha Restaurant · keeps the restaurant running, also without internet

Internet and MY FOOD cloud  
**Connected**  
Last sync 07:12 AM

Sent to the cloud  
**All sent**

Runs this branch  
**Yes**

**Open MY FOOD on tills and screens**

On each till, kitchen screen and the customer display, open the app and connect to the Hub:

- <http://192.168.1.20:8080>

The device then shows a code. Approve it below.

**1 Internet back: everything sent**

**Devices**

| DEVICE         | TYPE           | STATUS          |                        |
|----------------|----------------|-----------------|------------------------|
| POS-01         | Till           | • Connected     | Connect again          |
| DRINKS-KDS-01  | Kitchen screen | • Not connected | Enter code from device |
| GRILL-KDS-01   | Kitchen screen | • Not connected | Enter code from device |
| KITCHEN-KDS-01 | Kitchen screen | • Not connected | Enter code from device |
| PASTRY-KDS-01  | Kitchen screen | • Not connected | Enter code from device |

## REMEMBER

# Hub rules

### ✓ DO

- Keep the Hub PC **on** and plugged in by cable (a UPS battery is best)
- Restart it with Windows **Restart**: everything reconnects by itself
- Staff sign in once on the Hub **while online**, so their PIN also works offline
- Check the Hub window says **All sent** before closing for the day

### ✗ DON'T

- Don't choose **Quit (tills stop working)** in the tray menu during service
- Don't turn the Hub PC off while the restaurant is open
- Don't **Revoke** the Hub while it runs the branch unless you mean to stop using it (the branch then goes back to the web POS)
- Don't delete anything if it says **Needs attention**: call support
- Don't enter the Hub's code on any row except **HUB-01**

**Tray menu** (icon next to the clock): **Open MY FOOD Hub · Open a till on this computer · Quit (tills stop working)**.

In the Hub's own window: **F1** = point of sale, **F2** = Hub status and devices.

## Quick fixes

| You see                                                                                                          | Do this                                                                                                                                                                                            |
|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A till can't open the Hub's address                                                                              | Is the Hub PC on? Is the till on the <b>same Wi-Fi</b> ? Check the address in the Hub window (it may have changed).                                                                                |
| Till on <a href="http://www.chefelisha.cc">www.chefelisha.cc</a> says "This branch is run by its MY FOOD Hub..." | Open the Hub's address on that till, or a manager presses <b>Stop running branch</b> on the HUB-01 row.                                                                                            |
| Windows asks to allow MY FOOD Hub on the network                                                                 | Choose <b>Allow</b> (private networks).                                                                                                                                                            |
| Hub window: <b>Offline</b>                                                                                       | Only the internet is down. Keep working; it sends everything later.                                                                                                                                |
| Hub window: <b>Needs attention</b>                                                                               | Don't delete anything. Take a photo and call support.                                                                                                                                              |
| Staff PIN not accepted while offline                                                                             | That person has not signed in on the Hub before while online. A manager signs them in when the internet is back.                                                                                   |
| The Hub PC is broken during service                                                                              | If the internet works: manager's phone → <b>Devices &amp; printing</b> → HUB-01 row → <b>Stop running branch</b> . Tills then open <a href="http://www.chefelisha.cc">www.chefelisha.cc</a> again. |
| "Port 8080 is used by another program"                                                                           | Close the other program, or call support.                                                                                                                                                          |

**Still stuck?** Take a photo of the screen (no PINs) and call:

MY FOOD support: \_\_\_\_\_ Manager: \_\_\_\_\_

\_\_\_\_\_