

Wi-Fi security 1

Practice 2



James works as a financial adviser at Security Guru. There are two company Wi-Fi networks, **security_guru** is encrypted end-to-end and the Wi-Fi uses WPA3 technology and **security_guru_guests** is openly available, and does not require any type of authentication.

James is currently out of range for **security_guru** but has the option to use **security_guru_guests** to send a work email.

Based on the scenario above, select the **two** correct pieces of advice.

- ☐ James could connect to the network 'security_guru_guests', but he needs to know that it does not protect against attacks or encrypt data.
- ☐ James could connect to the network 'security_guru_guests' without concerns as it is very secure.
- ☐ James could connect to the network 'security_guru_guests', but only to check his personal email and to log into his social media accounts.
- ☐ James should not connect to the network 'security_guru_guests' to send his business email or any important or sensitive information.

All teaching materials on this site are available under a CC BY-NC-SA 4.0 license, except where otherwise stated.





Wi-Fi security 3

Mo is planning a festive light extravaganza for the outside of his house. There will be flashing snowmen, reindeer, santas, bells, stars, and a whole lot more.

The lighting sequence will be controlled by a program which Mo has written to run on a Raspberry Pi; this computer will be configured to act as a server. Each individual set of lights will be set up as a node on the lighting network. Wireless communications will allow each node to receive messages from the server to control its activity.

How should Mo ensure that his system cannot be hacked by someone who might wish to take control of the lights?

- ☐ Use the CSMA/CA protocol
- ☐ Use the CSMA/CD protocol
- ☐ Use the WEP protocol
- ☐ Use the WPA2 protocol

Quiz:

STEM SMART Computer Science Week
34

All teaching materials on this site are available under a CC BY-NC-SA 4.0 license, except where otherwise stated.





Penetration testing 2

The following table describes some examples of how criminals explore human and technical vulnerabilities to gain unauthorised access to data.

Human vulnerability
Scanning social media for hobbies, interests, and home address
Scanning for personal and work email addresses to identify friends and colleagues
Scanning for personal and work phone numbers to help identify linked accounts and associates
Scanning online activity to find usernames and passwords
Scanning for work colleagues, their responsibilities, and hierarchy
Technical vulnerability
Scanning the system to identify weak spots and open doors
Gaining access to the system then expanding access once within it
Extracting copies of data, documents, and/or information for future analysis and exploitation
Establishing a route to get back into the system easily in future should this be required
Covering tracks, so the means of access and activities carried out are hard to determine even for an expert

Which type of penetration test can be done to simulate or identify cyberattacks from an internal perspective, where the attacker already has knowledge about and access to the system and knows how the network topology is designed?

- ☐ Black-box penetration testing
- ☐ Grey-box penetration testing
- ☐ White-box penetration testing

Quiz:

STEM SMART Computer Science Week
34



Biometric types

Fill in the gaps to describe the types of biometrics:

Biometrics use human characteristics to identify a user. Biometric measurements can include voice recognition, facial recognition, retina scanning, and .

Fingerprint recognition scans the and valleys of your fingerprint. Facial recognition scans the of key facial features such as eyes and nose.

Items:

unique

fingerprint detection

ridges

measurements

Quiz:

STEM SMART Computer Science Week
34

All teaching materials on this site are available under a CC BY-NC-SA 4.0 license, except where otherwise stated.





Biometric advantages and disadvantages

Biometric authentication works by using unique biological characteristics of an individual to verify their identity. This process involves capturing and storing a biometric sample, such as a fingerprint or facial image, and then comparing this sample to the stored biometric data.

Part A Advantage

Explain one advantage of using facial recognition technology for biometric authentication [1 mark]

Part B Disadvantage

Explain one disadvantage of using facial recognition technology for biometric authentication [1 mark]

Quiz:

STEM SMART Computer Science Week

34

All teaching materials on this site are available under a CC BY-NC-SA 4.0 license, except where otherwise stated.





Substitution cipher decrypt 1

At Bletchley Park, Alan has sent Joan a message that he has encrypted. He has used a substitution cipher where each letter has been substituted by another. This is **not** a Caesar cipher. The substitutions are non-sequential, but the same substitution is always made. For example, he has substituted the letter H with the letter I.

Joan observes that one letter appears more than any other and uses her knowledge of letter frequencies as a starting point to decrypt the message. Alan always writes his messages in English.

DTTM DT OF MIT QOMEITF

Can you help Joan decrypt the message? Type your answer in the space provided, leaving a single space between each of the plaintext words.

Quiz:

STEM SMART Computer Science Week
34

All teaching materials on this site are available under a CC BY-NC-SA 4.0 license, except where otherwise stated.





Asymmetric encryption 2

Select the **two** statements about asymmetric encryption that are **true**.

- ☐ Asymmetric encryption uses two keys: a public key and a private key.
- ☐ The private key must be used to encrypt the message.
- ☐ Asymmetric encryption uses the same key for encryption and decryption.
- ☐ A message encrypted with a public key can only be decrypted by a related private key.

Quiz:

STEM SMART Computer Science Week
34

All teaching materials on this site are available under a CC BY-NC-SA 4.0 license, except where otherwise stated.





Public key cryptography 1

Alma wants to send a message to Byron using an encryption method that involves public and private keys. Which key does she use to encrypt the message?

- ☐ Byron's public key
- ☐ Her own private key
- ☐ Her own public key
- ☐ Byron's private key

Quiz:

STEM SMART Computer Science Week
34

All teaching materials on this site are available under a CC BY-NC-SA 4.0 license, except where otherwise stated.





Authentication 3

Ewan wants to send Kasia a message containing some secret information.

- Ewan needs to be sure that only Kasia can decrypt the message
- Kasia must have confidence that the message has definitely come from Ewan

Put the statements in order to describe the **asymmetric encryption process** Ewan and Kasia should use.

Available items

Ewan sends the ciphertext message to Kasia.

Ewan encrypts with Kasia's public key.

Kasia decrypts with Ewan's public key.

Ewan and Kasia publish their public keys.

Kasia decrypts with her own private key.

Ewan encrypts with his own private key.

Quiz:

STEM SMART Computer Science Week
34

All teaching materials on this site are available under a CC BY-NC-SA 4.0 license, except where otherwise stated.





Symmetric vs asymmetric 1

Complete the table below by dragging and dropping the statements to show the differences between the symmetric and asymmetric encryption techniques.

Differentiator	Symmetric encryption	Asymmetric encryption
Number of keys	<input type="text"/>	<input type="text"/>
Speed of execution	<input type="text"/>	<input type="text"/>
Security	<input type="text"/>	<input type="text"/>
Length of keys	<input type="text"/>	<input type="text"/>

Items:

The length of the keys used is larger, typically 2048 bits or higher

The secret key is shared, so the risk of compromising is higher

Uses a related set of keys, one public and one private

Uses the same key for both encryption and decryption

The length of the keys used is typically 128 or 256 bits

The private key is not shared, and the overall process is more secure

Slower, but allows the sender to be authenticated

Faster because it uses simple mathematical operations

All teaching materials on this site are available under a CC BY-NC-SA 4.0 license, except where otherwise stated.

