



# Periodic Trends

## Part A Melting points of third row elements

Which graph best shows the variation of melting point of the third row elements?




Figure 1: Melting points across 3rd period

- ☐ A
- ☐ B
- ☐ C
- ☐ D

## Part B Trends in halogens

Which graph correctly describes a trend found in the halogen group?




Figure 2: Trends in the halogen group

- ☐ A
- ☐ B
- ☐ C
- ☐ D

Part A adapted with permission from UCLES, A-Level Chemistry, June 1991, Paper 1, Question 17;  
Part B adapted with permission from UCLES, A-Level Chemistry, June 1995, Paper 4, Question 15

All materials on this site are licensed under the [Creative Commons license](#), unless stated otherwise.



# Sizes of Atoms and Ions

## Part A Sizes of ions

Which of the following sets of diagrams best indicates the relative radii of the atom and most common ion of sodium and chlorine?




Figure 1: Sizes of Na and Cl atoms and ions

- ☐ A
- ☐ B
- ☐ C
- ☐ D

---

## Part B    Largest radius

Which species represented by the following formulae has the largest radius?

- ☐  $\text{Cl}^-$
  - ☐  $\text{P}^{3-}$
  - ☐  $\text{K}^+$
  - ☐  $\text{Ar}$
- 

Part A adapted with permission from UCLES, A-Level Chemistry, November 1991, Paper 1, Question 15;

Part B adapted with permission from UCLES, A-Level Chemistry, November 1994, Paper 1, Question 12

Gameboard:

**STEM SMART Chemistry Week 9**

All materials on this site are licensed under the [\*\*Creative Commons license\*\*](#), unless stated otherwise.



# Heating Calcium Hydroxide



## Part A Heating calcium hydroxide

Write the equation for the action of heat on calcium hydroxide, including state symbols, balancing the equation with the lowest possible stoichiometric coefficients.

## Part B Decomposition of calcium hydroxide

Which of the following explains why magnesium hydroxide decomposes at a lower temperature than calcium hydroxide?

1. MgO has a larger magnitude lattice energy than CaO.
2. Mg has higher first and second ionisation energies than Ca.
3. Mg(OH)<sub>2</sub> has a larger magnitude lattice energy than Ca(OH)<sub>2</sub>.

- ☐ 1 only is correct
- ☐ 1, 2 and 3 are correct
- ☐ 2 and 3 only are correct
- ☐ 1 and 2 only are correct
- ☐ 3 only is correct

Part A,B adapted with permission from UCLES, A-Level Chemistry, 1989, Paper 2, Question 1;  
Part C adapted with permission from UCLES, A-Level Chemistry, 1988, Paper 3, Question 15

Gameboard:

**STEM SMART Chemistry Week 9**



# Silver Ions

An aqueous solution containing  $\text{Br}^-$  ions is treated with  $\text{AgNO}_3 (\text{aq})$ , giving a precipitate **P** which is then tested for its solubility in concentrated  $\text{NH}_3 (\text{aq})$ .

What is the colour of **P** and its solubility in  $\text{NH}_3 (\text{aq})$ ?

	colour of <b>P</b>	solubility in $\text{NH}_3 (\text{aq})$
<b>A</b>	white	insoluble
<b>B</b>	white	slightly soluble
<b>C</b>	cream	slightly soluble
<b>D</b>	yellow	insoluble

- ☐ **A**
- ☐ **B**
- ☐ **C**
- ☐ **D**

Adapted with permission from UCLES, A-Level Chemistry, June 1996, Paper 3, Question 17

Gameboard:

**STEM SMART Chemistry Week 9**



Physics. *You work it out.*

[Home](#)   [Gameboard](#)   [Chemistry](#)   [Inorganic](#)   [Periodic Table](#)   [Group 2](#)

# Group 2

A Level  
P P P

## Part A   Precipitates

Which pair of  $0.1 \text{ mol dm}^{-3}$  aqueous solutions is most likely to give a precipitate when added together?

- ☐ KBr and  $\text{MgSO}_4$
- ☐  $\text{MgSO}_4$  and  $\text{SrCl}_2$
- ☐  $\text{NaNO}_3$  and  $\text{BaCl}_2$
- ☐  $\text{NH}_3$  and  $\text{CaCl}_2$

## Part B   Properties of Group 2 elements

Which of the following is a property of the elements in Group 2, magnesium to barium?

- ☐ They all liberate chlorine from concentrated hydrochloric acid
- ☐ They all react explosively with cold water liberating hydrogen
- ☐ They all form oxides MO
- ☐ They all form covalent chlorides  $\text{MCl}_2$
- ☐ They all have outer electronic structures  $ns^2sp^2$

Part A adapted with permission from UCLES, A-Level Chemistry, June 1996, Paper 3, Question 14

Part B adapted with permission from OCSEB, A-Level Chemistry, June 1995, Paper 1, Question 19

Gameboard:

**STEM SMART Chemistry Week 9**



Physics. *You work it out.*

[Home](#) [Gameboard](#) [Chemistry](#) [Inorganic](#) [Periodic Table](#) [Groups and Electronegativity](#)

# Groups and Electronegativity

A Level  
P P P

## Part A Electronegativity

In the periodic table, the electronegativity of the elements in:

1. Period 3 increases from sodium to chlorine.
2. Group 2 increases from barium to beryllium.
3. Group 7 increases from iodine to fluorine.

- ☐ 1, 2 and 3 are correct
- ☐ 1 and 2 only are correct
- ☐ 2 and 3 only are correct
- ☐ 1 only is correct
- ☐ 3 only is correct



---

## Part B    Groups

Which of the following statements describing the characteristics of elements within any one group of the Periodic Table are correct?

1. The elements are either all metals or non-metals.
2. The melting points of the elements increase with increasing proton (atomic) number.
3. The first ionisation energies of the elements generally decrease with increasing proton (atomic) number.

☐ 1, 2 and 3 are correct

☐ 1 and 2 only are correct

☐ 2 and 3 only are correct

☐ 1 only is correct

☐ 3 only is correct

---

Part A adapted with permission from UCLES, A-Level Chemistry, June 1991, Paper 1, Question 35;

Part B adapted with permission from UCLES, A-Level Chemistry, November 1993, Paper 4, Question 34

Gameboard:

**STEM SMART Chemistry Week 9**

All materials on this site are licensed under the [\*\*Creative Commons license\*\*](#), unless stated otherwise.



## Group 2 Sulfates

### Part A Sulfuric acid and barium hydroxide

Dilute sulfuric acid was added to aqueous barium hydroxide until the acid was in excess. Which graph shows the variation in the total number of ions in solution?




Figure 1: number of ions vs. amount of acid added

- ☐ A
- ☐ B
- ☐ C
- ☐ D

---

**Part B**    **Group 2 sulfates**

What changes occur in the magnitudes of:

- (i) the lattice energy,
- (ii) the enthalpy of hydration,
- (iii) the solubility of the sulfates,

as Group 2 is descended?

	<b>lattice energy</b>	<b>enthalpy change of hydration</b>	<b>solubility of sulfate</b>
<b>A</b>	decrease	decrease	decrease
<b>B</b>	decrease	increase	decrease
<b>C</b>	increase	decrease	increase
<b>D</b>	increase	decrease	increase

- ☐ **A**
- ☐ **B**
- ☐ **C**
- ☐ **D**

---

Part A adapted with permission from UCLES, A-Level Chemistry, June 1994, Paper 4, Question 16;  
Part B adapted with permission from UCLES, A-Level Chemistry, June 1995, Paper 4, Question 13

Gameboard:

**STEM SMART Chemistry Week 9**

All materials on this site are licensed under the **Creative Commons license**, unless stated otherwise.



Physics. *You work it out.*

[Home](#)[Gameboard](#)[Chemistry](#)[Inorganic](#)[Periodic Table](#)[Essential Pre-Uni Chemistry D3.1](#)

# Essential Pre-Uni Chemistry D3.1

---



There are trends evident in atomic and ionic radii. Ionisation energies also show trends. Complete the sentences below with the words 'increase' or 'decrease', to indicate what happens to the radii and ionisation energy of the atoms or ions [(a)–(f)], or to the ionisation energies [(g)–(i)].

## Part A Along a period, L-R

---

Going along a period from left to right, the atomic radii...

- ☐ increase
- ☐ decrease
- 

## Part B Down a group

---

Going down a group, the atomic radii...

- ☐ decrease
- ☐ increase
-

---

### Part C    Electrons removed

As successive electrons are removed from the same atom/ion, the radii...

- ☐ decrease
- ☐ increase
- 

---

### Part D    Same charge, down a group

The radii of ions of the same charge, on descending a group...

- ☐ decrease
- ☐ increase
- 

---

### Part E    Adding electrons

As successive electrons are added to one atom to make increasingly negative ions, the radii...

- ☐ decrease
- ☐ increase
- 

---

### Part F    Along period, L-R

Along a period from left to right, the radii of isoelectronic species generally...

- ☐ decrease
- ☐ increase
-

---

### Part G    Along period, L-R

Along a period from left to right, the first ionisation energies generally...

- ☐ increase
- ☐ decrease
- 

---

### Part H    Down a group

Going down a group, the first ionisation energies...

- ☐ decrease
- ☐ increase
- 

---

### Part I    Ionisation energies

Successive ionisation energies for the same element...

- ☐ increase
- ☐ decrease
- 

Gameboard:

**STEM SMART Chemistry Week 9**

All materials on this site are licensed under the **Creative Commons license**, unless stated otherwise.



Physics. *You work it out.*

[Home](#) [Gameboard](#) [Chemistry](#) [Inorganic](#) [Periodic Table](#) [Essential Pre-Uni Chemistry D3.2](#)

## Essential Pre-Uni Chemistry D3.2

A Level  
P P P

### Part A [Na Mg Al]

Which would have the smallest radius in the set [Na Mg Al]?

- ☐ Na
- ☐ Mg
- ☐ Al

### Part B [Na<sup>+</sup> Mg<sup>2+</sup> Al<sup>3+</sup>]

Which would have the smallest radius in the set [Na<sup>+</sup> Mg<sup>2+</sup> Al<sup>3+</sup>]?

- ☐ Mg<sup>2+</sup>
- ☐ Na<sup>+</sup>
- ☐ Al<sup>3+</sup>

---

**Part C** [B Al Ga In Tl]

Which would have the smallest radius in the set [B Al Ga In Tl]?

- ☐ B
  - ☐ In
  - ☐ Al
  - ☐ Tl
  - ☐ Ga
- 

---

**Part D** [ $\text{Si}^{4-}$   $\text{P}^{3-}$   $\text{S}^{2-}$   $\text{Cl}^-$ ]

Which would have the largest radius in the set [ $\text{Si}^{4-}$   $\text{P}^{3-}$   $\text{S}^{2-}$   $\text{Cl}^-$ ]?

- ☐  $\text{Si}^{4-}$
  - ☐  $\text{P}^{3-}$
  - ☐  $\text{Cl}^-$
  - ☐  $\text{S}^{2-}$
- 

---

**Part E** [ $\text{Ti}^{4+}$   $\text{Zr}^{4+}$   $\text{Hf}^{4+}$   $\text{Rf}^{4+}$ ]

Which would have the smallest radius in the set [ $\text{Ti}^{4+}$   $\text{Zr}^{4+}$   $\text{Hf}^{4+}$   $\text{Rf}^{4+}$ ]?

- ☐  $\text{Hf}^{4+}$
  - ☐  $\text{Rf}^{4+}$
  - ☐  $\text{Zr}^{4+}$
  - ☐  $\text{Ti}^{4+}$
-



---

**Part F**     $[\text{Fe} \text{ Fe}^{2+} \text{ Fe}^{3+} \text{ Fe}^{2-}]$

Which would have the largest radius in the set  $[\text{Fe} \text{ Fe}^{2+} \text{ Fe}^{3+} \text{ Fe}^{2-}]$ ?

- ☐  $\text{Fe}^{2-}$
  - ☐  $\text{Fe}^{2+}$
  - ☐  $\text{Fe}$
  - ☐  $\text{Fe}^{3+}$
- 

Gameboard:

**STEM SMART Chemistry Week 9**

All materials on this site are licensed under the **Creative Commons license**, unless stated otherwise.



Physics. *You work it out.*

[Home](#) [Gameboard](#) [Chemistry](#) [Inorganic](#) [Periodic Table](#) [Essential Pre-Uni Chemistry D3.3](#)

## Essential Pre-Uni Chemistry D3.3

---



An element has its first to fifth ionisation energies in  $\text{kJ mol}^{-1}$  listed as: 578, 1817, 2745, 11578, 14831.

Give the group number in the periodic table that corresponds to this element.

- ☐ 16
- ☐ 13
- ☐ 1
- ☐ 14
- ☐ 17
- ☐ 18
- ☐ 2
- ☐ 15

---

All materials on this site are licensed under the [Creative Commons license](#), unless stated otherwise.