

Sequences and Series 1i

A sequence of terms u_1, u_2, u_3, \dots is defined by

$$u_1 = 2 \text{ and } u_{n+1} = 1 - u_n$$

$$\text{for } n \geq 1$$

Part A Values

Give the values of u_2, u_3 and u_4 .

Give the value of u_2 .

The following symbols may be useful: `u_2`

Give the value of u_3 .

The following symbols may be useful: `u_3`

Give the value of u_4 .

The following symbols may be useful: `u_4`

Part B Behaviour

Describe the behaviour of the sequence.

- ☐ It is a geometric sequence, with first term 2 and constant ratio $-\frac{1}{2}$.
- ☐ The sequence is periodic, with a period of four. The first two values that repeat are 2 and -1 .
- ☐ The sequence is periodic, with a period of two. It alternates between values of 2 and -1 .
- ☐ The sequence is periodic, with a period of three. It cycles through values of 2, -1 and 1.
-

Part C Sum

Find $\sum_{n=1}^{100} u_n$.

Adapted with permission from UCLES A-level Maths papers, 2003-2017.

All materials on this site are licensed under the **Creative Commons license**, unless stated otherwise.

Arithmetic Series 1ii

Part A Value of x

The first three terms of an arithmetic progression are $2x$, $x + 4$, and $2x - 7$ respectively. Find the value of x .

The following symbols may be useful: x

Part B An Arithmetic Progression

The 20th term of an arithmetic progression is 10 and the 50th term is 70.

What is the first term?

What is the common difference?

Calculate the sum of the first 29 terms.

Used with permission from UCLES A-level Maths papers, 2003-2017.

Gameboard:

STEM SMART Double Maths 25 - Sequences, Series & Summation

Arithmetic Series 1i

In an arithmetic progression the first term is 5 and the common difference is 3. The n^{th} term of the progression is denoted by u_n .

Part A Value of u_{20}

Find the value of u_{20} .

The following symbols may be useful: u_{20}

Part B Sum

Find the value of $\sum_{n=10}^{20} u_n$.

Part C Value of N

Find the value of N such that $\sum_{n=N}^{2N} u_n = 2750$.

The following symbols may be useful: N

Geometric Series 1ii

Records are kept of the number of copies of a certain book that are sold each week. In the first week after publication, 3000 copies were sold, and in the second week 2400 copies were sold. The publisher forecasts future sales by assuming that the number of copies sold each week will form a geometric progression with first two terms 3000 and 2400. Calculate (to the nearest number of whole books) the publisher's forecasts for:

Part A 20th Week

The number of copies that will be sold in the 20th week after publication.

Part B Total copies sold in 20 weeks

The total number of copies sold during the first 20 weeks after publication.

Part C Total sold copies

The total number of copies that will ever be sold.

Used with permission from UCLES A-level Maths papers, 2003-2017.

Gameboard:
STEM SMART Double Maths 25 - Sequences, Series & Summation

Geometric Series 2ii

Part A Geometric Progression 1

In a geometric progression, the sum to infinity is four times the first term.

Find the common ratio.

Given that the third term is 9, find the first term.

Find the sum of the first twenty terms. (To three significant figures.)

Part B Geometric Progression 2

The first term of a geometric progression is 6 and the sum to infinity is 10.

Find the common ratio.

Used with permission from UCLES A-level Maths papers, 2003-2017.

Gameboard:

STEM SMART Double Maths 25 - Sequences, Series & Summation

Geometric Series 4ii

A Level



In a geometric progression, the first term is 5 and the second term is 4.8.

Part A Sum to Infinity

Find the sum to infinity.

Part B Value of n

The sum of the first n terms is greater than 124. By showing that

$$0.96^n < 0.008$$

and using logarithms, calculate the smallest possible value of n .

Used with permission from UCLES A-level Maths papers, 2003-2017.

Gameboard:

STEM SMART Double Maths 25 - Sequences, Series & Summation

All materials on this site are licensed under the **Creative Commons license**, unless stated otherwise.

Series: Summation - Standard Results 2ii

Further A



Find

$$\sum_{r=1}^n (4r^3 + 6r^2 + 2r),$$

expressing your answer in a fully factorised form.

The following symbols may be useful: n

Adapted with permission from UCLES, A Level, January 2009, Paper 4725, Question 3.

Gameboard:

STEM SMART Double Maths 25 - Sequences, Series & Summation

All materials on this site are licensed under the **Creative Commons license**, unless stated otherwise.

Series: Summation - Standard Results 1i

Further A



Part A $\sum_{r=n}^{2n} r^3$

Express $\sum_{r=n}^{2n} r^3$ in terms of n , giving your answer in fully factorised form.

The following symbols may be useful: n

Part B $\sum_{r=n}^{2n} r (r^2 - 2)$

Hence find $\sum_{r=n}^{2n} r (r^2 - 2)$, giving your answer in a fully factorised form.

The following symbols may be useful: n

Adapted with permission from UCLES, A Level, June 2014 , Paper 4725, Question 8.

All materials on this site are licensed under the **Creative Commons license**, unless stated otherwise.