

l Maths

Moments 3ii

Moments 3ii






Figure 1: Three forces acting on a rod.

Figure 1 shows three forces acting on a rod.

Find the clockwise moment about point X .						
Find the sum of the two anticlockwise moments about point X .						
Is the rod in equilibrium? If not, which direction will it rotate? Yes It's impossible to tell whether it is in equilibrium No, and it will rotate clockwise No, and it will rotate anticlockwise No, but it is impossible to tell which way it will rotate						
Part B Additional force						

An additional force of $4\,\mathrm{N}$ can be applied so that the system is then in equilibrium.

Find the distance from X of the line of action for the additional force. The line of action must be applied perpendicular to the length of the rod.

Adapted with permission from UCLES, A Level, January 2011, OCR Physics A G481, Question 6

All materials on this site are licensed under the ${\color{red} \underline{\textbf{Creative Commons license}}}$, unless stated otherwise.



Gameboard

Maths

Moments 4ii

Moments 4ii



A concrete paving slab has mass $45\,\mathrm{kg}$ and dimensions $0.600\,\mathrm{m} \times 0.600\,\mathrm{m} \times 0.050\,\mathrm{m}$. Figure 1 shows the paving stone in equilibrium.




Figure 1: A concrete paving slab in equilibrium.

Part A Magnitude of F

Two forces acting on the slab are shown. The weight of the slab is W, which is shown acting downwards from the centre of the slab. The force F is applied at right angles to the end of the slab.

By taking moments about P, determine the size of the force F.


Part B Assumptions necessary

Which of these assumptions are used in part A? Choose all options that apply.							
	We assumed that the ground is smooth, so that there is no friction force between the slab and the ground to consider.						
	We assumed that the force F is provided by a string that is light, so that there is no mass associated with the force F to consider.						
	We assumed that the mass is uniformly distributed throughout the slab so the weight is acting through the geometrical centre of the slab (ie, the centre of mass).						

Adapted with permission from UCLES, A Level, June 2010, OCR Physics A G481, Question 6

Gameboard:

STEM SMART Single Maths 43 - Moments



Maths

Moments 5i

Moments 5i






Figure 1: A human arm lifting an object.

Figure 1 shows a human arm lifting an object. The lower arm is horizontal and its centre of gravity is $0.150\,\mathrm{m}$ from the elbow joint. The weight of the lower arm is $18\,\mathrm{N}$. The biceps muscle exerts a vertical force F on the arm. The horizontal distance between the elbow joint and the point of attachment of the muscle to the lower arm bone is $0.040\,\mathrm{m}$. The weight of the object held in the hand is $30\,\mathrm{N}$ and its centre of gravity is $0.460\,\mathrm{m}$ from the elbow joint. The arm is in equilibrium.

Part A Total clockwise moment

Calculate the total clockwise moment about the elbow joint correct to 3 significant figures.

Part B Further from body




Figure 2: An arm holding a ball with the lower arm moved away from the body.

As the lower arm is moved away from the body, the force F exerted by the biceps muscles acts at an angle θ to the vertical as shown in **Figure 2**.


The lower arm remains horizontal and in equilibrium. Describe and explain what happens to each of the following quantities as the angle θ is increased:

As $ heta$ increases, what happens to the anticlockwise moment about the elbow joint?					
It increases					
It decreases					
It stays the same					

As θ increases, what happens to the magnitude of the force F? It decreases It increases Used with permission from UCLES, A Level, January 2012, OCR Physics A, Question 4

Gameboard:

STEM SMART Single Maths 43 - Moments



<u>Home</u> <u>Gameboard</u>

Maths

Moments 5ii

Moments 5ii



Figure 1 shows a kitchen cupboard securely mounted to a vertical wall. The cupboard rests on a support at *A*.




Figure 1: The forces acting on a cupboard.

The total weight of the cupboard and its contents is $200 \, \mathrm{N}$. The line of action of its weight is at a distance of $12 \, \mathrm{cm}$ from A. The screw securing the cupboard to the wall is at a vertical distance of $75 \, \mathrm{cm}$ from A.

Part A Determine F

The direction of the force F provided by the screw on the cupboard is horizontal as shown in **Figure 1**. By taking moments about A, determine the value of F.

Part B Screw secured closer

State and explain how your answer to the previous question would change, if at all, if the same screw was secured much closer to A.

Let us represent the distance from the line of action of F to the	he screw by \emph{d} . The clockwise moment is
, so the anticlockwise moment is also	as the system must stay in equilibrium.
Hence, we have the equation	
Therefore, $F \propto$, meaning that as the distance d $\Big[$	(ie, if the screw is secured closer
to A), the force $oxedsymbol{}$	
Items:	
$oxed{egin{array}{c} 12\mathrm{N}\mathrm{m} \end{array} } oxed{egin{array}{c} 24\mathrm{N}\mathrm{m} \end{array} } oxed{egin{array}{c} Fd=24 \end{array} } oxed{egin{array}{c} F=24 \end{array} }$	$d = \begin{bmatrix} d^2 & d \end{bmatrix} \boxed{d} \boxed{d}$ increases
stays the same decreases	

Adapted with permission from UCLES, A Level, May 2009, OCR Physics A G481, Question 5

Gameboard:

STEM SMART Single Maths 43 - Moments



Maths

Moments 3i

Moments 3i






Figure 1: A rigid body consisting of two rods.

A rigid body ABC consists of two uniform rods AB and BC, rigidly joined at B. The lengths of AB and BC are $13\,\mathrm{cm}$ and $20\,\mathrm{cm}$ respectively, and their weights are $13\,\mathrm{N}$ and $20\,\mathrm{N}$ respectively. The distance of B from AC is $12\,\mathrm{cm}$. The body hangs in equilibrium, with AC horizontal, from two vertical strings attached at A and C.

Part A Tension in string at A


Find the tension in the string attached at A correct to 3 significant figures.

Part B Tension in string at C

Find the tension in the string attached at C correct to 3 significant figures.

Gameboard:

STEM SMART Single Maths 43 - Moments



Gameboard

Maths

Moments 2ii

Moments 2ii






Figure 1: A uniform rod AB resting in equilibrium in a vertical plane against a smooth wall.

A uniform rod AB, of weight $25\,\mathrm{N}$ and length $1.6\,\mathrm{m}$, rests in equilibrium in a vertical plane with the end A in contact with rough horizontal ground and the end B resting against a smooth wall which is inclined at $80\,^\circ$ to the horizontal. The rod is inclined at $60\,^\circ$ to the horizontal.

Calculate the magnitude of the force acting on the rod at *B*. Give your answer to 3 significant figures.

Used with permission from UCLES, A Level, January 2007, OCR M1, Question 3

Gameboard:

STEM SMART Single Maths 43 - Moments

All materials on this site are licensed under the ${\color{red} \underline{\textbf{Creative Commons license}}}$, unless stated otherwise.



<u>Gameboard</u>

Maths M

Moments 4i

Moments 4i



A uniform square board of mass $10.0\,\mathrm{kg}$ and side $2.00\,\mathrm{m}$ is modelled as a lamina ABCD. The board is in equilibrium in a vertical plane with the point A on rough horizontal ground. The edge AD rests on a fixed wedge whose point of contact, E, is smooth. The distance AE is $1.50\,\mathrm{m}$ and the edge AD makes an angle of $15.0\,^\circ$ with the horizontal (see Figure 1).




Figure 1: Board ABCD resting in equilibrium on a smooth wedge.

Part A Force at E

Calculate the magnitude of the force which the board exerts on the wedge at E.

Part B Frictional force at A

Calculate the magnitude of the frictional force acting at A.

Part C Value of m

A small object of mass $m \lg$ is now fixed to the board at B. Assuming that the board does not slip, calculate the maximum value of m for which the board remains on the wedge.

Used with permission from UCLES, A Level Maths, June 2004, OCR M2, Question 4

Gameboard:

STEM SMART Single Maths 43 - Moments



Maths

Moments 2i

Moments 2i






Figure 1: A uniform rod PQ resting against a rough vertical wall at P and held in a horizontal position, perpendicular to the wall, by a light inextensible string at Q.

A uniform rod PQ has weight $18~\mathrm{N}$ and length $20~\mathrm{cm}$. The end P rests against a rough vertical wall. A particle of weight $3~\mathrm{N}$ is attached to the rod at a point $6~\mathrm{cm}$ from P. The rod is held in a horizontal position, perpendicular to the wall, by a light inextensible string attached to the rod at Q and to a point R on the wall vertically above P, as shown in the diagram. The string is inclined at an angle θ to the horizontal, where $\sin\theta=\frac{3}{5}$. The system is in limiting equilibrium.

Part A Tension in the string

Find the tension in the string to 3 significant figures.

Part B	Magi	ahutin	of the	force
raitb	Magi	IIILUUE	טו נוופ	וטונפ

Find the magnitude of the force exerted by the wall on the rod to 3 significant figures.

Part C Coefficient of friction

Find the coefficient of friction between the wall and the rod. Give your answer to 3 significant figures.

Used with permission from UCLES, A Level, June 2014, OCR M2, Question 4

Gameboard:

STEM SMART Single Maths 43 - Moments



Gameboard

Maths

Moments 1ii

Moments 1ii






Figure 1: A uniform rod AB, in limiting equilibrium, is supported by a peg at P and A is on rough horizontal ground.

A uniform rod AB, of mass $3\,\mathrm{kg}$ and length $4\,\mathrm{m}$, is in limiting equilibrium with A on rough horizontal ground. The rod is at an angle of 60° to the horizontal and is supported by a small smooth peg P, such that the distance AP is $2.5\,\mathrm{m}$ (see Figure 1).

Part A Force on the rod

Find the force acting on the rod at P. Give your answer to 2 significant figures.

Part B Coefficient of friction

Find the coefficient of friction between the ground and the rod. Give your answer to 2 significant figures.

Used with permission from UCLES, A Level Maths, January 2013, OCR M2, Question 5