Capturas de pantalla en Laravel

```
return new class extends Migration
            * @return void
              Schema::create('empresas', function (Blueprint $table) {
    $table->id();
                $table->integer('nit');
$table->string('razon_social');
$table->string('ciudad');
$table->string('direccion');
$table->string('email')->unique();
$table->string('telefono');
$table->timestamps();
           * @return void
SELECTI... [] ET O F
> .github

√ app

 > Console
 > Exceptions
                               5 use App\Http\Controllers\Controller;
 ~ Http
                              6 use Illuminate\Http\Request;

    Controllers

                                   use App\Models\Empresa;
 Controller.php
 m EmpresaCon... U
                                    class EmpresaController extends Controller
  > Middleware
                                              public function insertar(Request $request)
  M Kernel.php
 ∨ Models
  m Empresa.php U
                                              $request->validate([
                                                  'nombre' => 'required|string',
'nit' => 'required|string',
  W User.php
 > Providers
> bootstrap
                                                    'razon_social' => 'required|string',
                                                   'ciudad' => 'required|string',
> config
                                                   'direccion' => 'required|string',
database
                                                   'email' => 'required|email|unique:empresas',
'telefono' => 'required|string',
 > factories

→ migrations

  7 2014_10_12_00000...
  ** 2014 10 12 10000...
                                              $empresa = new Empresa();
  ** 2019 08 19 00000...
                                              $empresa->nombre = $request->input('nombre');
$empresa->nit = $request->input('nit');
$empresa->razon_social = $request->input('razon_social');
  ** 2019_12_14_00000...
  🐃 2023_10_20_2... U
 > seeders
                                              $empresa->ciudad = $request->input('ciudad');
   gitignore
                                              $empresa->direccion = $request->input('direccion');
> lang
                                               $empresa->email = $request->input('email');
                                               $empresa->telefono = $request->input('telefono');
> public
resources
                                               $empresa->save();
 > css
                                               return redirect()->route('empresas.show', $empresa->id);
 views
ESQUEMA
LÍNEA DE TIEMPO
```

```
SELECTION_PROJECT_PHP
> .github
                               <2php
∨ app
                               namespace App\Models;
 > Console
 > Exceptions
                               use Illuminate\Database\Eloquent\Factories\HasFactory;
 ∨ Http
                               use Illuminate\Database\Eloquent\Model;

∨ Controllers

   Controller.php
                               class Empresa extends Model
  M EmpresaCon... U
                                   use HasFactory;
  > Middleware
  M Kernel php
                                   protected $table = 'empresas';
 Models
                                   protected $fillable = [
  m Empresa.php U
  W User.php
                                        'razon_social',
                                       'ciudad',
 > Providers
                                        'direccion',
> bootstrap
                                        'email',
> config
                                        'telefono',
database
 > factories
 migrations
v views 22 42 42 2222
 empresas
 🐃 insertar.blad... U
                 15 use App\Http\Controllers\EmpresaController:
 razon social.... U
                    Route::get('/', function () {
    return view('welcome');
});
 welcome.blade.php
v routes
m api.php
m channels.php
                     Route::post('/insertar', [EmpresaController::class, 'insertar'])->name('empresas.insertar');
m console.php
           М
web.php
                     Route::get('/razon-social', [EmpresaController::class, 'razonSocial'])->name('empresas.razon_social');
> storage
> tests
SELECTI... [] ET U F
                              @extends('layouts.app')
 > seeders
 gitignore
                         3 @section('content')
> lang
                                   <h1>Insertar Datos de la Empresa</h1>
> public
                                   <form method="POST" action="{{ route('empresas.insertar') }}">
resources
                                       @csrf
 > css
                                       <label for="nombre">Nombre de la Empresa:</label>
 > js
                                       <input type="text" name="nombre" required><br>
 views

∨ empresas

                                       <label for="nit">NIT:</label>
  m insertar.blad... U
                                       <input type="text" name="nit" required><br>
   razon_social.... U
 m welcome.blade.php
                                       <label for="razon_social">Razón Social:</label>
routes
                                       <input type="text" name="razon_social" required><br>
m api.php
                                       <label for="ciudad">Ciudad:</label>
* channels.php
                                       <input type="text" name="ciudad" required><br>
m console.php
e web.php
                 M
                                       <label for="direccion">Dirección:</label>
> storage
                                       <input type="text" name="direction" required><br>
> tests
                                       <label for="email">Correo Electrónico:</label>
> vendor
                                       <input type="email" name="email" requirea><br>
editorconfig
env env
                                       <label for="telefono">Teléfono:</label>
$ .env.example
                                       <input type="text" name="telefono" required><br>
gitattributes
 .gitignore
                                       <button type="submit">Guardar</button>
                                   </form>
! .styleci.yml
                               @endsection
■ artisan
CHANGELOG.md
```

```
✓ SELECTION_PROJECT_PHP resources > views > empresas > 🤫 razon_social.blade.php
                        1 @extends('layouts.app')
  > seeders

    gitignore

                        3 @section('content')
 > lang
                              <h1>Razón Social de la Empresa</h1>
 > public
                       5 Razón
6 @endsection
                                 Razón Social: {{ $empresa->razon_social }}
resources
  > css
 > js
 views

∨ empresas

   🗰 insertar.blad... U
   🖛 razon_social.... U
 welcome.blade.php
```