



HOME CONTESTS GYM PROBLEMSET GROUPS RATING API RCC 🖫 VK CUP 🖫 HFT BATTLE 🖫 CALENDAR

PROBLEMS SUBMIT CODE MY SUBMISSIONS STATUS STANDINGS CUSTOM INVOCATION

## F. st-Spanning Tree

time limit per test: 4 seconds memory limit per test: 256 megabytes input: standard input output: standard output

You are given an undirected connected graph consisting of n vertices and m edges. There are no loops and no multiple edges in the graph.

You are also given two distinct vertices s and t, and two values  $d_s$  and  $d_t$ . Your task is to build any spanning tree of the given graph (note that the graph is not weighted), such that the degree of the vertex s doesn't exceed  $d_s$ , and the degree of the vertex t doesn't exceed t, or determine, that there is no such spanning tree.

The *spanning tree* of the graph G is a subgraph which is a tree and contains all vertices of the graph G. In other words, it is a connected graph which contains n - 1 edges and can be obtained by removing some of the edges from G.

The degree of a vertex is the number of edges incident to this vertex.

## Input

The first line of the input contains two integers n and m ( $2 \le n \le 200\,000$ ,  $1 \le m \le min(400\,000,\,n\cdot(n-1)\,/\,2)$ ) — the number of vertices and the number of edges in the graph.

The next m lines contain the descriptions of the graph's edges. Each of the lines contains two integers u and v ( $1 \le u, v \le n, u \ne v$ ) — the ends of the corresponding edge. It is guaranteed that the graph contains no loops and no multiple edges and that it is connected.

The last line contains four integers s, t,  $d_s$ ,  $d_t$   $(1 \le s, t \le n, s \ne t, 1 \le d_s, d_t \le n - 1)$ .

## Output

If the answer doesn't exist print "No" (without quotes) in the only line of the output.

Otherwise, in the first line print "Yes" (without quotes). In the each of the next (n-1) lines print two integers — the description of the edges of the spanning tree. Each of the edges of the spanning tree must be printed exactly once.

You can output edges in any order. You can output the ends of each edge in any order.

If there are several solutions, print any of them.

## **Examples**

Examples		
input		
3 3		
1 2		
2 3		
3 1		
1 2 1 1		
output		
Yes		
3 2		
1 3		

UTRGV Practice Contest #8 Based on Round #375

Contest is running

21:35:34

Contestant

→ Submit?

Language: GNU G++14 6.2.0

Choose file: Browse... No file selected.

Submit

1 of 2 8/11/17, 12:44 AM

	_
4	input
7	7 8
7	7 4
1	L 3
5	5 4
5	5.7
3	3 2
	2 4
	5 1
	1 2
	5 4 1 4
	output
,	/es
	1.3
	5.7
	3 2
	7.4
	2.4
16	5 1

Codeforces (c) Copyright 2010-2017 Mike Mirzayanov The only programming contests Web 2.0 platform Server time: Aug/11/2017 00:44:25<sup>UTC-5</sup> (c2).

Desktop version, switch to mobile version.

Privacy Policy

2 of 2