ISAAC LOBATO FRANCA

Name: ISAAC LOBATO FRANCA
Date of Birth: 11-06-2018
Biological Sex: Male
Age: 6
Height:
Weight:
Fasting:

Telephone: +1-5162402897
Street Address: 119 N Park Ave
Rockville Centre, NY 11570-4113
Email:tonylampada@gmail.com

FINAL REPORT

Accession ID: 2507176570

Provider Information

Practice Name: DR. ROBERT MELILLO
Provider Name: ROBERT MELILLO, DC(23643)
Phlebotomist: 608

Telephone: 480-926-1115
Address: 119 N PARK AVE, ROCKVILLE CENTRE, NY 11570

Report Information

Current Result | Previous Result | In Control | Moderate | Risk

Specimen Information

Sample Type	Collection Time	Received Time	Report	Final Report Date
Blood fingerprick	2025-07-24 00:00 (MST)	2025-07-25 13:20 (MST)	Food Sensitivity - P2	2025-08-05 13:08 (MST)

VibrantWellness
3521 Leonard Ct, Santa Clara, CA 95054
1-866-364-0963 | support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity

INTRODUCTION

Vibrant Wellness is pleased to present to you, “Food Sensitivity” Testing, to help you make healthy lifestyle and dietary choices in consultation with your healthcare providers and dietitians. It is intended to be used as a tool to encourage a general state of health and well-being.

The Vibrant Food Sensitivity is an array of commonly consumed food antigens and additives which offers very specific antibody-to-antigen recognition. The panel is designed to assess an individual’s IgG, IgA, C3D and IgG4 reactivity to food antigens and food additives.

Methodology:

The Vibrant Food Sensitivity test is a semiquantitative assay that detects IgG, IgA, IgG4, and C3D antibodies in human serum/DBS for the food profile antigens with multiplexed chemiluminescence immunoassay (CLIA) methodology.

Interpretation of Report:

The food sensitivity summary page provides concise information on the list of foods that are outside the normal reference range. Reference ranges have been established using 2000 healthy individuals. Vibrant utilizes proprietary reporter-based analysis which is designed to assay specific total IgG (subclasses 1, 2, 3, 4), total IgA (subclasses 1, 2), C3D and IgG4 antibodies. Additionally, the previous value (if available) is also indicated to help check for improvements every time the test is ordered.

This is followed by a complete list of all foods tested including IgG, IgA, C3D, IgG4 titers (as ordered). A classification of Green denotes a results that is within the normal reference range, the classification of Yellow denotes a result that is moderately elevated titer with respect to the reference range and the classification of Red denotes a result that is elevated with respect to the normal reference range.

The Vibrant Wellness platform provides tools for you to track and analyze your general wellness profile. Testing for Food Sensitivity offered by Vibrant Wellness is performed by Vibrant America LLC, a CLIA certified lab CLIA#:05D2078809. Vibrant Wellness provides and makes available this report and any related services pursuant to the Terms of Use Agreement (the "Terms") on its website at www.vibrantwellness.com. By accessing, browsing, or otherwise using the report or website or any services, you acknowledge that you have read, understood, and agree to be bound by these terms. If you do not agree to these terms, you shall not access, browse, or use the report or website. The statements in this report have not been evaluated by the Food and Drug Administration and are only meant to be lifestyle choices for potential risk mitigation. Please consult your Healthcare provider for medication, treatment, or lifestyle management. This product is not intended to diagnose, treat, or cure any disease.

Please note:

It is important that you discuss any modifications to your diet, exercise, and nutritional supplementation with your healthcare provider before making any changes. Pediatric reference ranges have not been established for this test.

Food Sensitivity - Summary

Food Personalization Summary

Non-Reactive Foods	Category	Reactive Foods
Barley, Wheat, Malt, Rye, Corn, Spelt	**Gluten containing grains**	/
Oats, Amaranth, Brown Rice, Buckwheat, Millet	**Gluten free grains**	/
Cassava, Tapioca, Tiger Nut, Arrowroot	**Gluten free alternative starches**	Taro Root
Cous Cous, Tempeh, Tofu, Vegan Cheese	**Vegan**	/
Mustard, Coriander Seed, Flax Seed, Poppy Seed, Rapeseed, Sunflower Seed, Chia, Hemp	**Seeds**	Sesame
Cow's Milk, Goat's Milk, Whey Protein, Cheddar Cheese, Kefir, Yoghurt	**Dairy**	Buffalo Milk, Buttermilk, Sheep's Milk
Beef, Chicken, Lamb, Pork, Turkey, Egg White, Egg Yolk, Veal, Goose Meat, Duck Meat, Rabbit, Grapevine Snail	**Meat**	/
Catfish, Halibut, Lake Trout, Mackerel, Salmon, Tuna, Flounder, Sea Bass, Anchovy, Sardine, Eel, Alaska Pollock, Sole, Carp	**Fish**	Codfish, Perch
Crab, Lobster, Shrimp, Crayfish	**Shellfish**	/
Clam, Oyster, Scallops, Blue Mussel, Squid, Octopus, Pacific Squid	**Mollusks**	/
Broccoli, Cabbage, Carrot, Cauliflower, Celery, Cucumber, Garlic, Green Bean, Green Peas, Lettuce, Mushrooms, Onion, Seaweed(kelp), Spinach, Squash, Sweet Potato, Ginger, Asparagus, Bamboo Shoots, Beet Root, Endive, Leek, Arugula, Savoy Cabbage, Turnip, Vine Leaf, White Radish, Artichoke, Chard, Kale, Shiitake Mushroom, Zucchini, Purple Potato, Green Onion/scallions, Shallots, Acorn Squash, Butternut Squash, Spaghetti Squash, Parsnip, Portabella Mushroom	**Vegetables**	Lima Bean
Green Pepper, White Potato, Eggplant	**Nightshades**	/
Kidney Bean, Navy Bean, Peanut, Soybean, Chickpea, Mung Beans, Black Beans, Pinto Beans, Black-eye Peas, Lentils	**Legumes**	Broad Bean

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity - Summary

Food Personalization Summary

Non-Reactive Foods	Category	Reactive Foods
Olive, Apple, Apricot, Avocado, Banana, Blackberry, Blueberry, Cantaloupe, Cherry, Cranberry, Grape, Grapefruit, Lemon, Orange, Peach, Pear, Pineapple, Raspberry, Strawberry, Tomato, Watermelon, Fig, Guava, Honeydew Melon, Kiwi Fruit, Litchi, Mandarin, Mango, Capers, Papaya	**Fruits**	Coconut, Plum
Black Pepper, Cinnamon, Nutmeg, Bay Leaf, Caraway, Cayenne Pepper, Common Thyme, Curry Powder, Hot Paprika Powder, Oregano, Woo-hsiang Powder, Turmeric, Cumin, Jalapeno Pepper, Habanero Pepper	**Spices**	Anise
Almond, English Walnut, Pecan, Hazelnut, Pine Nut, Pistachio Nut, Sweet Chestnut, Macadamia Nut, Brazilnut	**Nuts(Tree)**	Cashews, Black Walnut
Acid Blue #3 (patent Blue V), Acid Red #14 (carmoisine), Annatto, Beta-carotene, Blue #1 (brilliant Blue), Blue #2 (indigo Carmine), Brilliant Black, Cochineal Extract, Green #3 (fast Green), Red #2 (amaranth Red), Red #3 (erythrosine), Red #4 (carmine), Red #40 (allura Red), Yellow #5 (tartrazine), Yellow #6 (sunset Yellow)	**Food Dyes and Pigments**	/
Arabic Gum, Beta-glucan, Carrageenan, Cottonseed, Guar Gum, Gum Tragacanth, Locust Bean Gum, Mastic Gum, Xanthan Gum	**Gums and Thickening Agents**	/
Ispaghula/psyllium	**Fibrous Additives**	/
Polysorbate 80	**Emulsifiers and Surfactants**	Lecithin (egg Yolk), Lecithin (soy)
Ammonium Chloride, Sodium Citrate	**Flavor Enhancers**	Monosodium Glutamate (msg)
Acesulfame K, Aspartame, Erythritol, Mannitol, Monk Fruit, Saccharin, Sorbitol, Stevia, Sucralose (splenda), Xylitol	**Sweeteners**	/
Benzoic Acid, Butylated Hydroxyanisole (bha), Butylated Hydroxytoluene (bht), Citric Acid, Formaldehyde, Sodium Benzoate, Sodium Nitrate, Sodium Sulfite, Sorbic Acid	**Preservatives and Antioxidants**	/
Deltamethrin, Glyphosate	**Pesticides**	/
Fluoride, Nickel Sulfate, Titanium Dioxide	**Elements**	/

Food Sensitivity - Summary

Food Personalization Summary

Non-Reactive Foods	Category	Reactive Foods
Cocoa, Coffee, Hops, Rosemary, Vanilla Bean, Yeast, Black Tea, Cane Sugar, Dill, Lemon Grass, Molasses, Oolong Tea, Parsley, Green Tea, Agave, Cilantro, Espresso	Miscellaneous	/
Bisphenol A (bpa), Latex	Other	/

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Patient Name: ISAAC LOBATO FRANCA
Date of Birth: 11-06-2018 Accession ID: 2507176570
Service Date: 2025-07-24 00:00 (MST)

Food Sensitivity - Summary

Food Sensitivity Complete

Current Result ▼ Lectin Score Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

High	IgA	IgG	High	IgA	IgG
Coconut	12	21	Cashews	6	22
Moderate	**IgA**	**IgG**	**Moderate**	**IgA**	**IgG**
Taro Root	6	11	Sesame	5	11
Buffalo milk	4	11	Buttermilk	4	12
Sheep's milk	5	11	Codfish	5	20
Perch	5	13	Lima Bean	5	12
Broad bean	14	8	Plum	12	7
Anise	11	7	Black Walnut	8	11

Food Additives

Current Result ▼ Lectin Score Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Moderate	IgA	IgG	Moderate	IgA	IgG
Lecithin (Egg yolk)	4.3	10.8	Lecithin (Soy)	3.5	10.1
Monosodium Glutamate (MSG)	4.1	12.8			

Food Sensitivity - Summary Comments

Coconut

FOOD DESCRIPTION

A tropical fruit with a thick outer stony shell. The inside 'nut' has a brown husk as its surface. The inside is full of liquid (coconut water). The edible flesh is white in color with a meaty texture. Coconut milk is made from the flesh.

COMMONLY FOUND IN

Whole fruit, coconut milk, coconut water, coconut oil, coconut sugar, coconut flour, tropical drinks, pina coladas, fruit salads, trail mix, baked goods, desserts.

HIDDEN SOURCES

Vegan dairy substitutes.

PRECAUTION

MCT oil (medium chain triglyceride oil is usually derived from coconut or palm oil.)

Cashews

FOOD DESCRIPTION

The true fruit of the cashew tree is a kidney or boxing-glove shaped drupe that grows at the end of the cashew apple. Within the true fruit is a single seed, which is often considered a nut, in the culinary sense. Native to Brazil.

COMMONLY FOUND IN

Nut milk (cashew milk), stir fries, curries or ground in sauces (to thicken a sauce), snack bars or trail mixes, eaten raw (which is hard to digest) or roasted, vegan cheese, nut/cashew butter.

HIDDEN SOURCES

Cookies; chocolate.

PRECAUTION

Tree nut allergies are one of the most common food allergies.

Taro Root

FOOD DESCRIPTION

Taro root comes from Taro, a plant which is the most widely cultivated species in the Araceae family. It is a root vegetable and gluten and grain free. Popularly consumed in Hawaii where it is known as kalo.

COMMONLY FOUND IN

Taro root is very versatile and often cooked and used in dishes where one might use potato (mashed, boiled, added to stews/soups, fried).

PRECAUTION

Taro root has a hairy outer coating, which is always removed with caution since skin irritation can arise due to the juices secreted by the taro root.

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity - Summary Comments

Sesame

FOOD DESCRIPTION

Tiny, flat, oval seeds with a nutty taste and delicate crunch. Varieties available: black, white (hulled) and tan (whole).

COMMONLY FOUND IN

Breads or bagels; stir fries, on sushi rolls and other Asian cuisine; sesame butter; tahini; hummus; sesame seed oil.

Buffalo milk

FOOD DESCRIPTION

Buffalo milk is the milk of domestic water buffalo. Buffalo milk presents physicochemical features different from that of other ruminant species, such as a higher content of fatty acids and proteins, and slightly higher content of lactose, that that of cow milk.

COMMONLY FOUND IN

Buffalo milk is processed into a large variety of dairy products including cheeses, cream, butter, ghee, and fermented dairy products, the most common being buffalo mozzarella and burrata cheeses and the Indian soft cheese, paneer.

HIDDEN SOURCES

Buffalo milk is more costly than cow milk, thus it is less likely to be found as a milk protein-derived additive compared to cow's milk-derived casein and whey fillers and additives.

PRECAUTION

Buffalo milk proteins share similar homology to cow milk proteins, so cross reactivity may be possible in milk protein sensitive individuals.

Buttermilk

FOOD DESCRIPTION

Buttermilk is a dairy drink, typically derived from cow milk unless otherwise noted. Traditional buttermilk is the liquid left behind after churning butter out of cultured cream. Cultured buttermilk is fermented buttermilk. The tartness of buttermilk is due to acid in the milk, due to lactic acid produced by lactic acid bacteria fermenting the milk sugar, lactose.

COMMONLY FOUND IN

Buttermilk may be found in buttermilk yogurt-based drinks, salad dressings, pancakes, and baked goods

HIDDEN SOURCES

Hidden sources of buttermilk are baked goods that contain powdered buttermilk for its tart and acidic properties.

PRECAUTION

Buttermilk contains milk proteins and is not appropriate for individuals with milk protein allergy or sensitivity.

Food Sensitivity - Summary

Food Sensitivity - Summary Comments

Sheep's milk

FOOD DESCRIPTION

Sheep’s milk (or Ewes’ milk) is the milk of domestic sheep. Sheep milk has a higher content of fatty acids and protein, including conjugated linoleic acid (CLA), compared to cow and goat milk.

COMMONLY FOUND IN

Sheep's milk is commonly found in feta, ricotta, Roquefort, Manchego, and pecorino Romano cheeses.

HIDDEN SOURCES

Sheep's milk is more costly than cow milk, thus it is less likely to be found as a milk protein-derived additive compared to cow's milk-derived casein and whey fillers and additives.

PRECAUTION

Sheep milk proteins share similar homology to cow milk proteins, so cross reactivity may be possible in milk protein sensitive individuals.

Codfish



FOOD DESCRIPTION

A mild-flavored, dense, flaky white fish.

COMMONLY FOUND IN

Fish entrees labeled Atlantic or Pacific Cod; common fish base used in 'fish and chips.'

HIDDEN SOURCES

Cod liver oil.

PRECAUTION

Only Atlantic cod and Pacific cod are true cod fish; other names such as blue cod or Eastern freshwater cod are a different genus of fish, such as grouper.

Perch

FOOD DESCRIPTION

A freshwater sport fish.

COMMONLY FOUND IN

Food entrees labeled as perch, fried fish labeled perch, possibly seasonal grilled white fish dishes.

HIDDEN SOURCES

Fish sauce, fish sticks, fish-based gelatin.

PRECAUTION

Only three varieties of perch exist: European perch, Yellow perch and Balkhash perch; all other fish named perch (i.e.: red perch) are not true perch.

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity - Summary Comments

Lima Bean

FOOD DESCRIPTION

A flat, starchy seed that is usually pale green or whitish in color. Lima beans are actually a legume, but are commonly consumed as a cooked vegetable.

COMMONLY FOUND IN

Whole food, succotash, stir-fries, salads, side dishes, lima beans with rice.

HIDDEN SOURCES

Butter bean, sieva bean, sugar bean, Java bean, haricot de Lima, pois du Cap.

Broad bean

FOOD DESCRIPTION

Broad (or fava bean or faba bean) is a species of flowering plant in the pea and bean family Fabaceae.

COMMONLY FOUND IN

Broad beans can be found in falafel, salads, soups, stews, dips and spreads.

HIDDEN SOURCES

Hidden sources of fava beans include flava flours and flakes in gluten free flours and gluten free foods.

Plum

FOOD DESCRIPTION

Plums have been used since prehistoric times. There are numerous varieties with ranging sizes, shapes and color - from yellow, green, black, purple and red. This fruit grows on every continent, except Antarctica. Plums tend to be sweet and tart in flavor.

COMMONLY FOUND IN

Pies, tarts, eaten fresh, stewed, made into preserves, wines and liqueurs.

HIDDEN SOURCES

A prune is a dried plum.

PRECAUTION

Plums are not recommended for those with stomach ulcers or inflammation due to their acid producing effects. Plums contains oxalic acid. High oxalic acid containing foods should be avoided or enjoyed in moderation if you have a tendency to have an irritated gut or a tendency to develop kidney stones.

Food Sensitivity - Summary

Food Sensitivity - Summary Comments

Anise

FOOD DESCRIPTION

Cultivated for its aromatic seeds that are used in cooking and medicinally. Its principal use is in alcoholic beverages, such as pernod, absinthe, anisette and ouzo. Anise tea is used as a digestive aid. Anise seeds enhance fish, meat and vegetable dishes, as well as desserts. Fresh anise leaves can be used in salads.

HIDDEN SOURCES

Anise seed is interchangeably used with liquorice and fennel.

PRECAUTION

Anise has a mild abortive property, so it should not be used during pregnancy.

Black Walnut

FOOD DESCRIPTION

A nut. Native American walnut, not to be confused with the more common English Walnut. Sweet, robust and woodsy flavor.

COMMONLY FOUND IN

Generally not found in meals, but rather eaten on its own.

PRECAUTION

Commonly used for medicinal purposes.

Lecithin (Egg yolk)

FOOD DESCRIPTION

Egg lecithin is a type of lecithin containing phospholipids and is derived from eggs. It is used in the pharmaceutical industry as a wetting, stabilizing, and dispersing agent. It is used to manufacture fat infusions. It is approved by the USFDA with the status 'generally recognized as safe' (GRAS).

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity - Summary Comments

Lecithin (Soy)

FOOD DESCRIPTION

Soy Lecithin is a lecithin supplement derived from soybean. It is used as an emulsifier and surfactant in many foods. It is found in dietary supplements, dairy products, infant formulas, breads, margarine, and other convenience foods.

Monosodium Glutamate (MSG)

FOOD DESCRIPTION

Monosodium glutamate is a naturally occuring non-essential amino acid found in tomatoes, grapes, walnuts, parmesan cheese, and mushrooms. It is used to enhance savory tatste and flavor and added in most Chinese foods, canned vegetables, soups, and processed meat. According to the FDA, there have been reports of headache, sweating, nausea, and weakness after consuming MSG. However, according to researchers, there is no evidence to link these symptoms to MSG. The human body does not distinguish between the glutamate found naturally occuring in foods and the glutamate in MSG.

Food Sensitivity

Food Sensitivity Complete

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Gluten containing grains	Current IgA	Current IgG	Previous IgA	Previous IgG
Barley	5	7		
Wheat	4	8		
Malt	6	6		
Rye	4	7		
Corn	6	8		
Spelt	4	6		

Gluten free grains	Current IgA	Current IgG	Previous IgA	Previous IgG
Oats	5	9		
Amaranth	7	9		
Brown Rice	5	9		
Buckwheat	5	8		
Millet	5	6		

Gluten free alternative starches	Current IgA	Current IgG	Previous IgA	Previous IgG
Cassava	5	8		
Tapioca	8	8		
Tiger nut	6	8		
Taro Root	6	11		
Arrowroot	6	9		

Vegan	Current IgA	Current IgG	Previous IgA	Previous IgG
Cous Cous	4	6		
Tempeh	5	9		
Tofu	5	7		
Vegan Cheese	5	8		

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity

Food Sensitivity Complete

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Seeds	Current IgA	Current IgG	Previous IgA	Previous IgG
Mustard	5	6		
Sesame	5	11		
Coriander seed	5	9		
Flax seed	5	8		
Poppy seed	5	8		
Rapeseed	4	5		
Sunflower seed	5	7		
Chia	5	8		
Hemp	6	9		

Dairy	Current IgA	Current IgG	Previous IgA	Previous IgG
Beta-Casein	4	4		
Casomorphin	5	8		
Cow's Milk	4	7		
Goat's Milk	5	6		
Whey Protein	3	6		
Buffalo milk	4	11		
Buttermilk	4	12		
Cheddar cheese	4	8		
Kefir	3	9		
Sheep's milk	5	11		
Yoghurt	2	8		

Meat	Current IgA	Current IgG	Previous IgA	Previous IgG
Beef	4	7		

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Patient Name: ISAAC LOBATO FRANCA
Date of Birth: 11-06-2018 Accession ID: 2507176570
Service Date: 2025-07-24 00:00 (MST)

Food Sensitivity

Food Sensitivity Complete

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Meat	Current IgA	Current IgG	Previous IgA	Previous IgG
Chicken	4	9		
Lamb	3	6		
Pork	4	7		
Turkey	4	6		
Egg White	7	10		
Egg Yolk	5	8		
Veal	3	9		
Goose meat	5	8		
Duck meat	4	8		
Rabbit	4	7		
Grapevine snail	5	7		

Fish	Current IgA	Current IgG	Previous IgA	Previous IgG
Catfish	4	6		
Codfish	5	20		
Halibut	5	10		
Lake Trout	5	9		
Mackerel	6	7		
Perch	5	13		
Salmon	3	7		
Tuna	4	7		
Flounder	4	7		
Sea bass	4	8		
Anchovy	5	9		

Food Sensitivity

Food Sensitivity Complete

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Fish	Current IgA	Current IgG	Previous IgA	Previous IgG
Sardine	5	8		
Eel	4	8		
Alaska pollock	5	7		
Sole	5	7		
Carp	3	7		

Shellfish	Current IgA	Current IgG	Previous IgA	Previous IgG
Crab	5	6		
Lobster	4	10		
Shrimp	4	8		
Crayfish	5	6		

Mollusks	Current IgA	Current IgG	Previous IgA	Previous IgG
Clam	4	8		
Oyster	5	10		
Scallops	4	8		
Blue mussel	5	7		
Squid	5	8		
Octopus	4	6		
Pacific squid	6	6		

Vegetables	Current IgA	Current IgG	Previous IgA	Previous IgG
Broccoli	5	8		
Cabbage	5	9		
Carrot	5	8		
Cauliflower	5	10		

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity

Food Sensitivity Complete

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Vegetables	Current IgA	Current IgG	Previous IgA	Previous IgG
Celery	5	8		
Cucumber	5	10		
Garlic	5	8		
Green Bean	5	9		
Green Peas	6	7		
Lettuce	5	9		
Lima Bean	5	12		
Mushrooms	6	9		
Onion	5	7		
Seaweed(Kelp)	4	8		
Spinach	7	7		
Squash	5	7		
Sweet Potato	5	6		
Ginger	4	6		
Asparagus	4	9		
Bamboo shoots	4	6		
Beet root	5	10		
Endive	7	8		
Leek	5	9		
Arugula	5	9		
Savoy cabbage	6	7		
Turnip	6	8		
Vine leaf	6	7		

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity

Food Sensitivity Complete

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Vegetables	Current IgA	Current IgG	Previous IgA	Previous IgG
White radish	8	9		
Artichoke	5	7		
Chard	5	7		
Kale	6	8		
Shiitake mushroom	5	7		
Zucchini	5	9		
Purple Potato	6	8		
Green onion/Scallions	4	8		
Shallots	5	8		
Acorn Squash	5	7		
Butternut Squash	6	7		
Spaghetti Squash	5	8		
Parsnip	5	8		
Portabella Mushroom	5	8		

Nightshades	Current IgA	Current IgG	Previous IgA	Previous IgG
Green Pepper	5	9		
White Potato	6	10		
Eggplant	5	10		

Legumes	Current IgA	Current IgG	Previous IgA	Previous IgG
Kidney Bean	4	6		
Navy Bean	5	9		
Peanut	3	8		
Soybean	5	6		

Food Sensitivity

Food Sensitivity Complete

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Legumes	Current IgA	Current IgG	Previous IgA	Previous IgG
Broad bean	14	8		
Chickpea	4	8		
Mung beans	4	8		
Black Beans	4	10		
Pinto Beans	5	9		
Black-eye Peas	5	8		
Lentils	6	9		

Fruits	Current IgA	Current IgG	Previous IgA	Previous IgG
Olive	4	6		
Apple	5	10		
Apricot	5	10		
Avocado	5	8		
Banana	5	7		
Blackberry	4	8		
Blueberry	4	10		
Cantaloupe	4	10		
Cherry	4	9		
Coconut	12	21		
Cranberry	4	6		
Grape	6	10		
Grapefruit	7	10		
Lemon	5	7		
Orange	5	6		

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity

Food Sensitivity Complete

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Fruits	Current IgA	Current IgG	Previous IgA	Previous IgG
Peach	7	9		
Pear	4	8		
Pineapple	6	6		
Raspberry	5	7		
Strawberry	6	7		
Tomato	6	6		
Watermelon	5	7		
Fig	4	5		
Guava	6	7		
Honeydew melon	5	9		
Kiwi fruit	6	9		
Litchi	4	7		
Mandarin	5	10		
Mango	5	8		
Plum	12	7		
Capers	5	9		
Papaya	4	7		

Spices	Current IgA	Current IgG	Previous IgA	Previous IgG
Black pepper	6	8		
Cinnamon	5	7		
Nutmeg	5	8		
Anise	11	7		
Bay leaf	5	8		

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity

Food Sensitivity Complete

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Spices	Current IgA	Current IgG	Previous IgA	Previous IgG
Caraway	6	10		
Cayenne pepper	5	9		
Common thyme	5	10		
Curry powder	5	7		
Hot paprika powder	5	9		
Oregano	5	6		
Woo-hsiang powder	6	8		
Turmeric	5	7		
Cumin	4	10		
Jalapeno pepper	5	9		
Habanero pepper	5	8		

Nuts(Tree)	Current IgA	Current IgG	Previous IgA	Previous IgG
Almond	5	9		
Black Walnut	8	11		
Cashews	6	22		
English Walnut	10	8		
Pecan	4	9		
Hazelnut	5	9		
Pine nut	6	8		
Pistachio nut	5	10		
Sweet chestnut	6	8		
Macadamia Nut	5	8		
Brazilnut	7	9		

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity

Food Sensitivity Complete

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Miscellaneous	Current IgA	Current IgG	Previous IgA	Previous IgG
Cocoa	4	6		
Coffee	5	9		
Hops	4	9		
Rosemary	5	8		
Vanilla Bean	5	6		
Yeast	4	9		
Black tea	4	7		
Cane sugar	4	8		
Dill	3	7		
Lemon grass	9	8		
Molasses	5	8		
Oolong tea	5	7		
Parsley	5	9		
Green Tea	5	9		
Agave	6	8		
Cilantro	6	9		
Espresso	4	8		

Food Additives

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Food Dyes and Pigments	Current IgA	Current IgG	Previous IgA	Previous IgG
Acid Blue #3 (Patent Blue V)	5.6	6.0		
Acid Red #14 (Carmoisine)	5.2	6.6		
Annatto	4.8	7.6		
Beta-Carotene	4.9	7.1		

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity

Food Additives

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Food Dyes and Pigments	Current IgA	Current IgG	Previous IgA	Previous IgG
Blue #1 (Brilliant Blue)	4.3	7.2		
Blue #2 (Indigo Carmine)	4.1	7.8		
Brilliant Black	4.3	8.2		
Cochineal Extract	4.5	7.4		
Green #3 (Fast Green)	4.7	6.0		
Red #2 (Amaranth Red)	5.0	5.6		
Red #3 (Erythrosine)	4.8	6.6		
Red #4 (Carmine)	3.5	6.5		
Red #40 (Allura Red)	4.9	5.6		
Yellow #5 (Tartrazine)	5.0	6.2		
Yellow #6 (Sunset Yellow)	4.1	7.6		

Gums and Thickening Agents	Current IgA	Current IgG	Previous IgA	Previous IgG
Arabic Gum	3.3	6.6		
Beta-Glucan	5.0	7.4		
Carrageenan	7.0	7.8		
Cottonseed	4.6	9.0		
Guar Gum	4.7	7.7		
Gum Tragacanth	5.3	7.2		
Locust Bean Gum	4.9	8.0		
Mastic Gum	6.1	7.2		
Xanthan Gum	4.9	7.3		

Fibrous Additives	Current IgA	Current IgG	Previous IgA	Previous IgG
Ispaghula/Psyllium	6.2	7.6		

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Food Sensitivity

Food Additives

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Emulsifiers and Surfactants	Current IgA	Current IgG	Previous IgA	Previous IgG
Lecithin (Egg yolk)	4.3	10.8		
Lecithin (Soy)	3.5	10.1		
Polysorbate 80	5.2	7.3		

Flavor Enhancers	Current IgA	Current IgG	Previous IgA	Previous IgG
Ammonium Chloride	3.4	8.0		
Monosodium Glutamate (MSG)	4.1	12.8		
Sodium Citrate	4.3	7.3		

Sweeteners	Current IgA	Current IgG	Previous IgA	Previous IgG
Acesulfame K	4.2	7.3		
Aspartame	5.3	5.2		
Erythritol	4.7	7.9		
Mannitol	3.5	5.8		
Monk fruit	4.0	7.5		
Saccharin	5.1	8.6		
Sorbitol	3.9	7.0		
Stevia	6.2	6.7		
Sucralose (Splenda)	4.9	8.9		
Xylitol	4.1	7.5		

Preservatives and Antioxidants	Current IgA	Current IgG	Previous IgA	Previous IgG
Benzoic Acid	4.6	7.7		
Butylated Hydroxyanisole (BHA)	5.4	7.5		
Butylated Hydroxytoluene (BHT)	5.0	7.9		
Citric Acid	2.5	7.6		

Food Sensitivity

Food Additives

Reference Range: In Control: ≤10 Moderate: 10.1-20 Risk: >20

Preservatives and Antioxidants	Current IgA	Current IgG	Previous IgA	Previous IgG
Formaldehyde	4.0	6.9		
Sodium Benzoate	3.8	7.4		
Sodium Nitrate	4.2	7.7		
Sodium Sulfite	4.6	7.1		
Sorbic Acid	4.3	7.4		

Pesticides	Current IgA	Current IgG	Previous IgA	Previous IgG
Deltamethrin	6.3	9.1		
Glyphosate	7.0	5.2		

Elements	Current IgA	Current IgG	Previous IgA	Previous IgG
Fluoride	4.4	9.0		
Nickel Sulfate	3.8	7.7		
Titanium dioxide	3.9	7.8		

Other	Current IgA	Current IgG	Previous IgA	Previous IgG
Bisphenol A (BPA)	6.5	7.6		
Latex	4.0	8.5		

© Vibrant America Clinical Laboratory Laboratory Director: Dr. Claude O. Burdick, M.D. CLIA: 05D2078809
1-866-364-0963 | Support@vibrant-america.com | www.vibrant-america.com

Risk and Limitations

This test has been developed and its performance characteristics determined by Vibrant America LLC., a CLIA certified lab. These assays have not been cleared or approved by the U.S. Food and Drug Administration. Vibrant Wellness provides additional contextual information on these tests and provides the report in a more descriptive fashion.

Quantification of specific IgG, IgA, IgG4 and C3D antibodies is not an FDA- recognized diagnostic indicator of allergy.

Food Sensitivity testing is performed at Vibrant America, a CLIA certified laboratory, and utilizes ISO-13485 developed technology. Vibrant America has effective procedures in place to protect against technical and operational problems. However, such problems may still occur. Examples include failure to obtain the result for a specific test due to circumstances beyond Vibrant's control. Vibrant may re-test a sample to obtain these results but upon re-testing the results may still not be obtained. As with all medical laboratory testing, there is a small chance that the laboratory could report incorrect results. A tested individual may wish to pursue further testing to verify any results.

The information in this report is intended for educational purposes only. While every attempt has been made to provide current and accurate information, neither the author nor the publisher can be held accountable for any errors or omissions. Tested individuals may find their experience is not consistent with Vibrant's selected peer reviewed scientific research findings of relative improvement for study groups. The science in this area is still developing and many personal health factors affect diet and health. Since subjects in the scientific studies referenced in this report may have had personal health and other factors different from those of tested individuals, results from these studies may not be representative of the results experienced by tested individuals. Further, some recommendations may or may not be attainable, depending on the tested individual's physical ability or other personal health factors. A limitation of this testing is that many of these scientific studies may have been performed in selected populations only. The interpretations and recommendations are done in the context of these studies, but the results may or may not be relevant to tested individuals of different or mixed ethnicities.

Vibrant Wellness makes no claims as to the diagnostic or therapeutic use of its tests or other informational materials. Vibrant Wellness reports and other information do not constitute medical advice and are not a substitute for professional medical advice. Please consult your healthcare practitioner for questions regarding test results, or before beginning any course of medication, supplementation, or dietary changes.