
BACKEND-MAIN
academia
.vscode
src
main
java\com\facens\academia
dto
request
AlunoRequest.java
PlanoRequest.java
response
AlunoResponse.java
PlanoResponse.java
entity
Aluno.java
Plano.java
exception
RecursoNaoEncontradoException.java
RegraNegocioException.java
repository
AlunoRepository.java
PlanoRepository.java
service
AlunoService.java
PlanoService.java
AcademiaApplication.java
resources


File Edit Selection View Go Run Terminal Help
BACKEND-main
EXPLORER
BACKEND-MAIN
academia
.vscode
src
main
java \ com \ facens \ academia
dto
request
AlunoRequest.java
PlanoRequest.java
response
AlunoResponse.java
PlanoResponse.java
entity
Aluno.java
Plano.java
exception
RecursoNaoEncontradoException.java
RegraNegocioException.java
repository
AlunoRepository.java
PlanoRepository.java
service
AlunoService.java
PlanoService.java
AcademiaApplication.java
resources
static
OUTLINE
TIMELINE
LOGICAL STRUCTURE
JAVA PROJECTS
MAVEN
AlunoService.java
PlanoService.java
application.properties
pom.xml 2
RegraNegocioException.java
academia > src > main > java > com > facens > academia > dto > request > AlunoRequest.java > AlunoRequest
package com.facens.academia.dto.request;
public class AlunoRequest {
private String nome;
private String email;
private Long planoId;
public String getNome() {
return nome;
}
public void setNome(String nome) {
this.nome = nome;
}
public String getEmail() {
return email;
}
public void setEmail(String email) {
this.email = email;
}
public Long getPlanoId() {
return planoId;
}
public void setPlanoId(Long planoId) {
this.planoId = planoId;
}
}


File Edit Selection View Go Run Terminal Help
BACKEND-main
EXPLORER
BACKEND-MAIN
academia
.vscode
src
main
java \ com \ facens \ academia
dto
request
AlunoRequest.java
PlanoRequest.java
response
AlunoResponse.java
PlanoResponse.java
entity
Aluno.java
Plano.java
exception
RecursoNaoEncontradoException.java
RegraNegocioException.java
repository
AlunoRepository.java
PlanoRepository.java
service
AlunoService.java
PlanoService.java
AcademiaApplication.java
resources
static
OUTLINE
TIMELINE
LOGICAL STRUCTURE
JAVA PROJECTS
MAVEN
AlunoService.java
PlanoService.java
application.properties
pom.xml 2
RegraNegocioException.java
academia > src > main > java > com > facens > academia > dto > request > PlanoRequest.java > PlanoRequest
package com.facens.academia.dto.request;
public class PlanoRequest {
private String nome;
private Double valor;
public String getNome() {
return nome;
}
public void setNome(String nome) {
this.nome = nome;
}
public Double getValor() {
return valor;
}
public void setValor(Double valor) {
this.valor = valor;
}
}


File Edit Selection View Go Run Terminal Help
BACKEND-main
EXPLORER
BACKEND-MAIN
academia
.vscode
src
main
java \ com \ facens \ academia
dto
request
AlunoRequest.java
PlanoRequest.java
response
AlunoResponse.java
PlanoResponse.java
entity
Aluno.java
Plano.java
exception
RecursoNaoEncontradoException.java
RegraNegocioException.java
repository
AlunoRepository.java
PlanoRepository.java
service
AlunoService.java
PlanoService.java
AcademiaApplication.java
resources
static
OUTLINE
TIMELINE
LOGICAL STRUCTURE
JAVA PROJECTS
MAVEN
AlunoService.java
PlanoService.java
application.properties
pom.xml 2
RegraNegocioException.java
academia > src > main > java > com > facens > academia > dto > response > AlunoResponse.java > AlunoResponse
package com.facens.academia.dto.response;
public class AlunoResponse {
private Long id;
private String nome;
private String email;
private String plano;
public Long getId() {
return id;
}
public void setId(Long id) {
this.id = id;
}
public String getNome() {
return nome;
}
public void setNome(String nome) {
this.nome = nome;
}
public String getEmail() {
return email;
}
public void setEmail(String email) {
this.email = email;
}
public String getPlano() {
return plano;
}
Ln 41, Col 2
Spaces: 4
UTF-8
CRLF
Java
Signed out


File Edit Selection View Go Run Terminal Help
BACKEND-main
EXPLORER
BACKEND-MAIN
academia
.mvn \ wrapper
.vscode
src
main
java \ com \ facens \ academia
dto
request
AlunoRequest.java
PlanoRequest.java
response
AlunoResponse.java
PlanoResponse.java
entity
Aluno.java
Plano.java
exception
RecursoNaoEncontradoException.java
RegraNegocioException.java
repository
AlunoRepository.java
PlanoRepository.java
service
AlunoService.java
PlanoService.java
AcademiaApplication.java
resources
static
OUTLINE
TIMELINE
LOGICAL STRUCTURE
JAVA PROJECTS
MAVEN
Plano.java
Release Notes: 1.118.1
AlunoRequest.java
PlanoRequest.java
AlunoResponse.java
PlanoResponse.java
academia > src > main > java > com > facens > academia > dto > response > PlanoResponse.java > PlanoResponse
package com.facens.academia.dto.response;
public class PlanoResponse {
private Long id;
private String nome;
private Double valor;
public Long getId() {
return id;
}
public void setId(Long id) {
this.id = id;
}
public String getNome() {
return nome;
}
public void setNome(String nome) {
this.nome = nome;
}
public Double getValor() {
return valor;
}
public void setValor(Double valor) {
this.valor = valor;
}
}
Ln 32, Col 2
Spaces: 4
UTF-8
CRLF
Java
Signed out


File Edit Selection View Go Run Terminal Help
BACKEND-main
EXPLORER
BACKEND-MAIN
academia
.vscode
src
main
java \ com \ facens \ academia
dto
request
AlunoRequest.java
PlanoRequest.java
response
AlunoResponse.java
PlanoResponse.java
entity
Aluno.java
Plano.java
exception
RecursoNaoEncontradoException.java
RegraNegocioException.java
repository
AlunoRepository.java
PlanoRepository.java
service
AlunoService.java
PlanoService.java
AcademiaApplication.java
resources
OUTLINE
TIMELINE
LOGICAL STRUCTURE
JAVA PROJECTS
MAVEN
Aluno.java
Plano.java
Release Notes: 1.118.1
AlunoRequest.java
PlanoRequest.java
AlunoResponse.java
PlanoResponse
academia > src > main > java > com > facens > academia > entity > Aluno.java > Aluno
package com.facens.academia.entity;
import jakarta.persistence.*;
@Entity
@Table(name = "aluno")
public class Aluno {
@Id
@GeneratedValue(strategy = GenerationType.IDENTITY)
private Long id;
private String nome;
private String email;
@ManyToOne
@JoinColumn(name = "plano_id")
private Plano plano;
public Long getId() {
return id;
}
public void setId(Long id) {
this.id = id;
}
public String getNome() {
return nome;
}
public void setNome(String nome) {
this.nome = nome;
}
public String getEmail() {
return email;
Ln 51, Col 2
Spaces: 4
UTF-8
CRLF
Java
Signed out


File Edit Selection View Go Run Terminal Help
BACKEND-main
EXPLORER
BACKEND-MAIN
academia
.vscode
src
main
java \ com \ facens \ academia
dto
request
AlunoRequest.java
PlanoRequest.java
response
AlunoResponse.java
PlanoResponse.java
entity
Aluno.java
Plano.java
exception
RecursoNaoEncontradoException.java
RegraNegocioException.java
repository
AlunoRepository.java
PlanoRepository.java
service
AlunoService.java
PlanoService.java
AcademiaApplication.java
resources
OUTLINE
TIMELINE
LOGICAL STRUCTURE
JAVA PROJECTS
MAVEN
Aluno.java
Plano.java
Release Notes: 1.118.1
AlunoRequest.java
PlanoRequest.java
AlunoResponse.java
PlanoResponse
academia > src > main > java > com > facens > academia > entity > Plano.java > Plano
package com.facens.academia.entity;
import jakarta.persistence.*;
import java.util.List;
@Entity
@Table(name = "plano")
public class Plano {
@Id
@GeneratedValue(strategy = GenerationType.IDENTITY)
private Long id;
private String nome;
private Double valor;
@OneToMany(mappedBy = "plano")
private List<Aluno> alunos;
public Long getId() {
return id;
}
public void setId(Long id) {
this.id = id;
}
public String getNome() {
return nome;
}
public void setNome(String nome) {
this.nome = nome;
}
public Double getValor() {
return valor;
Ln 51, Col 2
Spaces: 4
UTF-8
CRLF
Java
Signed out

```java
package com.facens.academia.exception;

public class RecursoNaoEncontradoException extends RuntimeException {

    public RecursoNaoEncontradoException(String mensagem) {
        super(mensagem);
    }
}
```

```java
package com.facens.academia.exception;

public class RegraNegocioException extends RuntimeException {

    public RegraNegocioException(String mensagem) {
        super(mensagem);
    }
}
```

```java
package com.facens.academia.repository;

import com.facens.academia.entity.Aluno;
import org.springframework.data.jpa.repository.JpaRepository;

import java.util.Optional;

public interface AlunoRepository extends JpaRepository<Aluno, Long> {

    Optional<Aluno> findByEmail(String email);
}
```

```java
package com.facens.academia.repository;

import com.facens.academia.entity.Plano;
import org.springframework.data.jpa.repository.JpaRepository;

public interface PlanoRepository extends JpaRepository<Plano, Long> {
}
```

```java
import java.util.List;

@Service
public class AlunoService {

    private final AlunoRepository alunoRepository;
    private final PlanoRepository planoRepository;

    public AlunoService(AlunoRepository alunoRepository, PlanoRepository planoRepository) {
        this.alunoRepository = alunoRepository;
        this.planoRepository = planoRepository;
    }

    public Aluno cadastrar(AlunoRequest request) {

        // 🔥 validar email duplicado
        alunoRepository.findByEmail(request.getEmail())
                .ifPresent(a -> {
                    throw new RegraNegocioException(mensagem: "Email já cadastrado");
                });

        // 🔥 validar plano existente
        Plano plano = planoRepository.findById(request.getPlanoId())
                .orElseThrow(() -> new RecursoNaoEncontradoException(mensagem: "Plano não encontrado"));

        Aluno aluno = new Aluno();
        aluno.setNome(request.getNome());
        aluno.setEmail(request.getEmail());
        aluno.setPlano(plano);

        return alunoRepository.save(aluno);
    }

    public List<Aluno> listar() {
        return alunoRepository.findAll();
    }
```

```java
package com.facens.academia.service;

import com.facens.academia.dto.request.PlanoRequest;
import com.facens.academia.entity.Plano;
import com.facens.academia.repository.PlanoRepository;
import org.springframework.stereotype.Service;

import java.util.List;

@Service
public class PlanoService {

    private final PlanoRepository repository;

    public PlanoService(PlanoRepository repository) {
        this.repository = repository;
    }

    public Plano cadastrar(PlanoRequest request) {
        Plano plano = new Plano();
        plano.setNome(request.getNome());
        plano.setValor(request.getValor());

        return repository.save(plano);
    }

    public List<Plano> listar() {
        return repository.findAll();
    }
}
```

```
2026-04-30T14:12:51.823-03:00  INFO 14532 --- [           main] c.facens.academia.AcademiaApplication    : No active profile set, falling back to 1 default profile: "defau
lt"
2026-04-30T14:12:52.335-03:00  INFO 14532 --- [           main] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in DEFAULT mode.
2026-04-30T14:12:52.383-03:00  INFO 14532 --- [           main] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 40 ms. Found 2 JPA r
epository interfaces.
2026-04-30T14:12:52.775-03:00  INFO 14532 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer  : Tomcat initialized with port 8080 (http)
2026-04-30T14:12:52.790-03:00  INFO 14532 --- [           main] o.apache.catalina.core.StandardService   : Starting service [Tomcat]
2026-04-30T14:12:52.790-03:00  INFO 14532 --- [           main] o.apache.catalina.core.StandardEngine    : Starting Servlet engine: [Apache Tomcat/10.1.53]
2026-04-30T14:12:52.838-03:00  INFO 14532 --- [           main] o.a.c.c.C.[Tomcat].[localhost].[/]       : Initializing Spring embedded WebApplicationContext
2026-04-30T14:12:52.840-03:00  INFO 14532 --- [           main] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization completed in 960 ms
2026-04-30T14:12:53.110-03:00  INFO 14532 --- [           main] o.hibernate.jpa.internal.util.LogHelper  : HHH000204: Processing PersistenceUnitInfo [name: default]
2026-04-30T14:12:53.322-03:00  INFO 14532 --- [           main] org.hibernate.Version                    : HHH000412: Hibernate ORM core version 6.6.45.Final
2026-04-30T14:12:53.393-03:00  INFO 14532 --- [           main] o.h.c.internal.RegionFactoryInitiator    : HHH000026: Second-level cache disabled
2026-04-30T14:12:53.658-03:00  INFO 14532 --- [           main] o.s.o.j.p.SpringPersistenceUnitInfo      : No LoadTimeWeaver setup: ignoring JPA class transformer
2026-04-30T14:12:53.688-03:00  INFO 14532 --- [           main] com.zaxxer.hikari.HikariDataSource       : HikariPool-1 - Starting...
2026-04-30T14:12:53.868-03:00  INFO 14532 --- [           main] com.zaxxer.hikari.pool.HikariPool        : HikariPool-1 - Added connection conn0: url=jdbc:h2:mem:testdb us
er=SA
2026-04-30T14:12:53.869-03:00  INFO 14532 --- [           main] com.zaxxer.hikari.HikariDataSource       : HikariPool-1 - Start completed.
2026-04-30T14:12:53.895-03:00  WARN 14532 --- [           main] org.hibernate.orm.deprecation            : HHH90000025: H2Dialect does not need to be specified explicitly
using 'hibernate.dialect' (remove the property setting and it will be selected by default)
2026-04-30T14:12:53.917-03:00  INFO 14532 --- [           main] org.hibernate.orm.connections.pooling    : HHH10001005: Database info:
        Database JDBC URL [Connecting through datasource 'HikariDataSource (HikariPool-1)']
        Database driver: undefined/unknown
        Database version: 2.3.232
        Autocommit mode: undefined/unknown
        Isolation level: undefined/unknown
        Minimum pool size: undefined/unknown
        Maximum pool size: undefined/unknown
2026-04-30T14:12:54.633-03:00  INFO 14532 --- [           main] o.h.e.t.j.p.i.JtaPlatformInitiator       : HHH000489: No JTA platform available (set 'hibernate.transaction
.jta.platform' to enable JTA platform integration)
Hibernate: create table aluno (id bigint generated by default as identity, email varchar(255), nome varchar(255), plano_id bigint, primary key (id))
Hibernate: create table plano (id bigint generated by default as identity, nome varchar(255), valor float(53), primary key (id))
Hibernate: alter table if exists aluno add constraint FKdsko1bgsqxks111btxyi93323 foreign key (plano_id) references plano
2026-04-30T14:12:54.694-03:00  INFO 14532 --- [           main] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'defau
lt'
2026-04-30T14:12:54.944-03:00  WARN 14532 --- [           main] JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, databa
se queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning
2026-04-30T14:12:55.230-03:00  INFO 14532 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer  : Tomcat started on port 8080 (http) with context path '/'
2026-04-30T14:12:55.237-03:00  INFO 14532 --- [           main] c.facens.academia.AcademiaApplication    : Started AcademiaApplication in 3.766 seconds (process running fo
r 4.003)
```