

UNIVERSITI TEKNOLOGI MARA

ICT502

DATABASE ENGINEERING

PROJECT REPORT

COOKIES ORDER SYSTEM

GROUP 1 CDCS2302A		
NO.	STUDENT ID	NAME
1	2024208934	EYVA GREATY GEOFFREY
2	2024290064	ISABELA NURSOFEA BINTI NOOR AZMAN
3	2024917561	MUHAMAD AFIF BIN MAHAMAD ANUAR
4	2024661914	NICOLE MARSHA BINTI LUCIUS

TABLE OF CONTENT

1.0 INTRODUCTION..... 2
1.1 COMPANY BACKGROUND..... 2
2.0 CASE STUDY..... 3
2.1 PROBLEM STATEMENT..... 3
2.2 OBJECTIVE..... 3
3.0 SYSTEM DESIGN..... 4
3.1 FLOWCHART OF SYSTEM..... 4
3.2 10 SQL QUERIES..... 5-9
4.0 SYSTEM DEVELOPMENT SAMPLE SCREEN..... 10
4.1 READ..... 10
4.2 INSERT..... 10
4.3 UPDATE..... 11
4.4 DELETE..... 11
4.5 BRIDGE..... 12
4.6 RECURSIVE..... 12
4.7 INHERITANCE..... 13
4.8 EXTRA..... 13
5.0 CONCLUSION..... 14
6.0 APPENDIX..... 15
6.1 APPENDIX A: ERD..... 15
6.2 APPENDIX B: DATA DICTIONARY..... 16-19
6.3 APPENDIX C: DDL..... 20-22
6.4 APPENDIX D: DML..... 23-26

1.0 INTRODUCTION

1.1 COMPANY BACKGROUND

Cookie Delight is a small community shop that has focused on producing homemade cookies from quality resources and classic recipes. Since its inception, the business has gained a loyal customer base through its always-tasty offerings and cheerful and welcoming customer service.

Since orders have always been increasing, Cookie Delight now processes a growing volume of orders from walk-in clients and online websites. The business has begun to face challenges in processing order volumes, stock monitoring, and sales processing using manual methods. Such traditional practices have created inefficiencies in operations, such as order processing mistakes, stock deficits, and lag in service.

In order to address these issues and prepare for future growth, Cookie Delight is investing in the development of a Cookie Order System (COS). The COS will automate order processing, allow real-time inventory tracking, and overall improve sales management. With technological leverage, Cookie Delight can make its operations more streamlined, gain a better understanding of customer purchasing patterns, and become more able to serve more markets while maintaining the quality and care that are at the heart of its brand.

The most important goal of Cookie Delight in the future is to develop sustainably by embracing digital technologies that drive efficiency, facilitate data-driven decision-making, and ensure customer satisfaction in stores and digital stores.

2.0 CASE STUDY

2.1 PROBLEM STATEMENT

The current cookie order system is managed manually by vendors using various methods such as handwritten notes, messaging apps such as Whatsapp and Telegram, Microsoft Excel, or Google Sheets. Each vendor has their own way of recording customer orders, tracking deliveries, and handling payments. This inconsistency causes several issues such as:

1. Order and Sales Management Issues
   Customer orders, inventory, and sales are currently recorded by hand or using basic tools like notebooks, spreadsheets, or messaging apps. This often leads to mistakes such as incorrect order details, forgotten orders, or duplicate entries. Because the process is not centralized, it's also hard to track how many orders have been made or how much income has been earned. These errors can cause delays in preparing orders, lead to customer complaints, and affect the overall flow of the business

2. Lack of Real-Time Inventory Tracking
   Stock levels are not updated right away when orders are placed or items are sold. This means that vendors might still accept orders for items that are actually out of stock, which can upset customers. On the other hand, some items may run out without anyone noticing in time to restock. Without a live inventory system, it's hard to know what's available, when to reorder, or how much to prepare for future demand.

3. Lack of Customer Insights
   The business lacks the ability to effectively track or analyze customer buying patterns, which limits its capacity to plan targeted promotions or improve overall customer satisfaction.


4. Inefficient Operations
   The reliance on manual processes significantly slows down business operations, making it difficult for the business to scale or grow efficiently

2.2 OBJECTIVE

- To develop a database to store and manage customer orders and product information
- To implement automation for order processing to reduce human error
- To develop a system to track cookie inventory accurately
- To implement functionality to generate sales and customer behavior reports easily
- To investigate scalable database solutions that support business growth

3.0 SYSTEM DESIGN

3.1 FLOWCHART OF SYSTEM



3.2 10 SQL QUERIES

1. List all customers who have placed an order

```
SELECT DISTINCT c.CUSTOMER_ID, c.CUSTOMER_NAME, c.EMAIL, c.PHONE_NUMBER
FROM CUSTOMER c
JOIN CUSTOMER_ORDER o ON c.CUSTOMER_ID = o.CUSTOMER_ID;
```

Script Output | Query Re... | SQL | All Rows Fetched: 8 in 0.05 seconds

	CUSTOMER_ID	CUSTOMER_NAME	EMAIL	PHONE_NUMBER
1	1	Aisyah Rahman	aisyah.r@gmail.com	0183627859
2	2	Adam Lim	adamlim@gmail.com	0137865395
3	3	Yasmin Nadia	yyasminn@gmail.com	0154829738
4	4	Daniel Tan	daniel.tan@gmail.com	0149275396
5	5	Clara Kim	kim.cl@gmail.com	0173926540
6	6	Zulfadil	zulfad@gmail.com	0128349010
7	7	Cherry Lim	cherr@gmail.com	0163281044
8	8	Nur Dania	nr.dnia@gmail.com	0176528902

2. Find the total number of cookies sold

```
SELECT SUM(QUANTITY) AS TOTAL_COOKIES_SOLD
FROM ORDER_COOKIE;
```

Script Output | Query Re... | SQL | All Rows Fetched: 1 in 0.031 seconds

	TOTAL_COOKIES_SOLD
1	55

3. Show all the cookies from the least to most popular based on quantity order

```
SELECT ck.COOKIE_ID, ck.COOKIE_NAME,
       NVL(SUM(oc.QUANTITY), 0) AS TOTAL_SOLD
FROM COOKIE ck
LEFT JOIN ORDER_COOKIE oc ON ck.COOKIE_ID = oc.COOKIE_ID
GROUP BY ck.COOKIE_ID, ck.COOKIE_NAME
ORDER BY TOTAL_SOLD ASC;
```

Script Output | Query Re... | SQL | All Rows Fetched: 8 in 0.294 seconds

	COOKIE_ID	COOKIE_NAME	TOTAL_SOLD
1	4	White Chocolate Macadamia	4
2	5	Matcha Green Tea	4
3	8	Salted Caramel	5
4	3	Oatmeal Raisin	6
5	6	Red Velvet	8
6	1	Choco Chip	8
7	7	Cookies and Cream	10
8	2	Double Chocolate Chip	10

4. Show orders where the total price is more than RM50

```
SELECT ORDER_ID, CUSTOMER_ID, ORDER_DATE, TOTAL_AMOUNT, ORDER_STATUS
FROM CUSTOMER_ORDER
WHERE TOTAL_AMOUNT > 50;
```

Script Output | Query Re... | SQL | All Rows Fetched: 4 in 0.032 seconds

	ORDER_ID	CUSTOMER_ID	ORDER_DATE	TOTAL_AMOUNT	ORDER_STATUS
1	4	4	03/07/2025	60	Completed
2	5	5	04/07/2025	80	Delivered
3	7	7	06/07/2025	55	Shipped
4	8	8	06/07/2025	100	Delivered

5. Find the highest single payment ever made

```
SELECT MAX((SELECT TOTAL_AMOUNT
FROM CUSTOMER_ORDER
WHERE ORDER_ID = PAYMENT.ORDER_ID)) AS HIGHEST_PAYMENT
FROM PAYMENT;
```

Script Output | Query Re... | SQL | All Rows Fetched: 1 in 0.014 seconds

	HIGHEST_PAYMENT
1	100

6. List all customers who have never placed an order.

```
SELECT c.Customer_ID, c.Customer_Name, c.Email, c.Phone_Number
FROM CUSTOMER c
WHERE c.Customer_ID NOT IN (
SELECT DISTINCT Customer_ID
FROM CUSTOMER_ORDER);
```

Script Output | Query Result | Query Result 1 | Query Result 2 | SQL | All Rows Fetched: 5 in 0.007 seconds

	CUSTOMER_ID	CUSTOMER_NAME	EMAIL	PHONE_NUMBER
1	6	Zulfadil	zulfad@gmail.com	0128349010
2	7	Cherry Lim	cherr@gmail.com	0163281044
3	8	Nur Dania	nr.dnia@gmail.com	0176528902
4	4	Daniel Tan	daniel.tan@gmail.com	0149275396
5	5	Clara Kim	kim.cl@gmail.com	0173926540

7. Show the top 3 most sold cookies.

```
SELECT c.Cookie_ID, c.Cookie_Name, SUM(oc.Quantity) AS Total_Sold
FROM ORDER_COOKIE oc
JOIN COOKIE c ON oc.Cookie_ID = c.Cookie_ID
GROUP BY c.Cookie_ID, c.Cookie_Name
ORDER BY Total_Sold DESC
FETCH FIRST 3 ROWS ONLY;
```

Script Output | Query Result | Query Result 1 | Query Result 2

SQL | All Rows Fetched: 3 in 0.003 seconds

	COOKIE_ID	COOKIE_NAME	TOTAL_SOLD
1	2	Double Chocolate Chip	22
2	6	Red Velvet	20
3	3	Oatmeal Raisin	15

8. Find average order amount by customer.

```
SELECT co.Customer_ID, c.Customer_Name, AVG(co.Total_Amount) AS Avg_Order_Amount
FROM CUSTOMER_ORDER co
JOIN CUSTOMER c ON co.Customer_ID = c.Customer_ID
GROUP BY co.Customer_ID, c.Customer_Name;
```

Script Output | Query Result | Query Result 1 | Query Result 2

SQL | All Rows Fetched: 3 in 0.002 seconds

	CUSTOMER_ID	CUSTOMER_NAME	AVG_ORDER_AMOUNT
1	1	Aisyah Rahman	67.5
2	2	Adam Lim	45
3	3	Yasmin Nadia	110

9. List all orders with their delivery method and status.

```
SELECT o.Order_ID, o.Order_Date, d.Delivery_Method, d.Delivery_Status
FROM CUSTOMER_ORDER o
JOIN DELIVERY d ON o.Delivery_ID = d.Delivery_ID;
```

Script Output | Query Result | Query Result 1 | Query Result 2

SQL | All Rows Fetched: 4 in 0.003 seconds

	ORDER_ID	ORDER_DATE	DELIVERY_METHOD	DELIVERY_STATUS
1	1	05-JUL-25	Standard Courier	Delivered
2	2	04-JUL-25	Express Courier	Shipped
3	3	03-JUL-25	Self Pickup	Completed
4	4	02-JUL-25	Express Courier	Shipped

10. Count total orders made using each payment method.

```
SELECT p.Payment_Method, COUNT(p.Payment_ID) AS Total_Orders
FROM PAYMENT p
GROUP BY p.Payment_Method
ORDER BY Total_Orders DESC;
```

Script Output | Query Result | Query Res

SQL | All Rows Fetched: 4 in 0.002 se

	PAYMENT_METHOD	TOTAL_ORDERS
1	Cash	1
2	E-Wallet	1
3	Credit Card	1
4	Online Banking	1

4.0 SYSTEM DEVELOPMENT SAMPLE SCREEN

4.1 READ




Figure 4.0 [1]: READ operation is to fetch or display data from our database. This allows users which are CUSTOMER and ADMIN to view data such as cookies available, orders and else. For example, CUSTOMER can view the name of cookies, cookie description, price per unit for each of the cookies and their stock availability in the index page.

4.2 INSERT




Figure 4.0 [2]: INSERT allows users to add new data into the database. For instance, new customers can add their details such as name, email and phone number. As a result, their details will be updated on the database.

4.3 UPDATE




Figure 4.0 [3]: The UPDATE operation is used to modify existing data in the database. For example, ADMIN can edit the details of each of the cookies or add new types of cookies from their store. Therefore, the customer will be able to view the current available stocks of cookies.

4.4 DELETE




Figure 4.0 [4]: DELETE operation is used when the ADMIN wants to remove records of the data from the database. For example, ADMIN can manually delete the cookie if they discontinue the sale of the specific cookie.

4.5 BRIDGE




Figure 4.0 [5]: BRIDGE table is used to resolve many-to-many relationships by splitting it to one-to-many relationship. For instance, the ORDER_COOKIE table bridges the CUSTOMER_ORDER table and the COOKIE table. This can allow a single order to include multiple cookies and a cookie to be part of many orders.

4.6 RECURSIVE




Figure 4.0 [6]: RECURSIVE queries handle the hierarchical data where COOKIE_REVIEW table supports parent-child relationship with Parent_Review_ID. By this, the main review is displayed followed by nested replies.

4.7 INHERITANCE




Figure 4.0 [7]: INHERITANCE is used for extending tables logically where Payment_Method is the primary key for the METHOD_PAY table and the Payment_Method is the foreign key in the PAYMENT table.

4.8 EXTRA




Figure 4.0 [8]: This enhanced feature where the system will be redirected back to the welcome page after logout. The logout message will be hidden after a few seconds by using auto-hide with JavaScript. This will avoid confusion for the users as it is confirming that the session has ended properly.


5.0 CONCLUSION

In conclusion, the Cookie Order System project has been successfully designed and implemented using SQL. This project has achieved its main objectives, which include developing a database to store and manage customer orders and product information, implementing automation for order processing to minimize human error, and creating a system to track cookie inventory accurately. Additionally, we have integrated functionality to generate sales and customer behavior reports efficiently, and explored scalable database solutions to support potential business growth.

Through the use of structured query language (SQL), we were able to construct a well-organized database system and perform various queries that provided meaningful insights into customer preferences, product popularity, and payment trends. Overall, this project has strengthened our understanding of database design, data management, and the practical application of SQL in supporting business operations

6.0 APPENDIX

6.1 APPENDIX A: ERD



6.2 APPENDIX B: DATA DICTIONARY

Table Name	CUSTOMER			
No	Attribute	Datatype	Description	Key Type
1	Customer_ID	NUMBER	Unique id for each customer	PK
2	Name	VARCHAR2(100)	Name of the customer	
3	Email	VARCHAR2(100)	Customer's email address	
4	Phone_Number	VARCHAR2(15)	Customer's contact number	

Table Name	COOKIE			
No	Attribute	Datatype	Description	Key Type
1	Cookie_ID	NUMBER	Unique id for each cookie	PK
2	Cookie_Name	VARCHAR2 (150)	Name of the cookie	
3	Description	VARCHAR2 (255)	Short description of the cookie	
4	Price_per_unit	NUMBER (6,2)	Price of one unit of cookie	
5	Available_stock	NUMBER	Quantity available of stock	
6	Cookie_image	BLOB	Image of the cookie	
7	Admin_ID	NUMBER	Refers to the admin table	FK

Table Name	CUSTOMER_ORDER			
No	Attribute	Datatype	Description	Key Type
1	Order_ID	NUMBER	Unique id for each order	PK
2	Customer_ID	NUMBER	Refers to customer who placed order	FK
3	Delivery_ID	NUMBER	Refers to related delivery record	FK
4	Order_Date	DATE	Date when the order was placed	
5	Total_Amount	NUMBER (8,2)	Total price of the order	
6	Order_Status	VARCHAR 2(50)	Status of the order	

Table Name	ORDER_COOKIE			
No	Attribute	Datatype	Description	Key Type
1	Order_Cookie_ID	NUMBER	Unique id for each cookie order	PK
2	Order_ID	NUMBER	Refers to the related order	FK
3	Cookie_ID	NUMBER	Refers to the ordered cookie	FK
4	Quantity	NUMBER	Number of cookies ordered	
5	Subtotal	NUMBER (8,2)	Subtotal price for the cookie ordered	
6	Delivery_Address	VARCHAR2 (255)	Address where the cookies will be sent	

Table Name	DELIVERY			
No	Attribute	Datatype	Description	Key Type
1	Delivery_ID	NUMBER	Unique id for each delivery	PK
2	Delivery_Date	DATE	Date of delivery	
3	Delivery_Method	VARCHAR2 (50)	Method used	
4	Delivery_Status	VARCHAR2 (50)	Status (pending, delivered)	
5	Admin_ID	NUMBER	Refers to the admin table	FK

Table Name	PAYMENT			
No	Attribute	Datatype	Description	Key Type
1	Payment_ID	NUMBER	Unique id for each payment	PK
2	Order_ID	NUMBER	Refers to related order	FK
3	Payment_Method	VARCHAR2 (255)	Refers to payment method used	FK
4	Payment_Date	DATE	Date of the payment	
5	Payment_Status	VARCHAR2 (50)	Status of payment	

Table Name	METHOD_PAY			
No	Attribute	Datatype	Description	Key Type
1	Payment_Method	VARCHAR2 (50)	name/type of payment method	PK

Table Name	ADMIN			
No	Attribute	Datatype	Description	Key Type
1	Admin_ID	VARCHAR2 (100)	Unique id for each admin	PK
2	Admin_Email	VARCHAR2 (100)	Admin email	
3	Admin_Password	VARCHAR2 (15)	Admin password	

Table Name	COOKIE_REVIEW			
No	Attribute	Datatype	Description	Key Type
1	Review_ID	NUMBER	Unique id for each review	PK
2	Cookie_ID	NUMBER	Refers to the ordered cookie	FK
3	Customer_Name	VARCHAR2 (100)	Customer’s name	
4	Review_text	VARCHAR2 (500)	Content of review	
5	Parent_Review_ID	NUMBER	Thread/Reply reviews	FK
6	Created_At	DATE	Timestamp when review was created; default is SYSDATE	

6.3 APPENDIX C: DDL

1. ADMIN

```
CREATE TABLE ADMIN (
  ADMIN_ID NUMBER PRIMARY KEY,
  ADMIN_NAME VARCHAR2(100),
  ADMIN_EMAIL VARCHAR2(100),
  ADMIN_PASSWORD VARCHAR2(100)
);
```

2. CUSTOMER

```
CREATE TABLE CUSTOMER (
  CUSTOMER_ID NUMBER PRIMARY KEY,
  CUSTOMER_NAME VARCHAR2(100),
  EMAIL VARCHAR2(100),
  PHONE_NUMBER VARCHAR2(15)
);
```

3. COOKIE

```
CREATE TABLE COOKIE (
  COOKIE_ID NUMBER PRIMARY KEY,
  COOKIE_NAME VARCHAR2(150),
  COOKIE_DESCRIPTION VARCHAR2(255),
  PRICE_PER_UNIT NUMBER(6,2),
  AVAILABLE_STOCK NUMBER,
  COOKIE_IMAGE BLOB,
  ADMIN_ID NUMBER,
  CONSTRAINT fk_ADMIN_ID FOREIGN KEY (ADMIN_ID) REFERENCES ADMIN(ADMIN_ID)
);
```

4. DELIVERY

```
CREATE TABLE DELIVERY (
  DELIVERY_ID NUMBER PRIMARY KEY,
  DELIVERY_DATE DATE,
  DELIVERY_METHOD VARCHAR2(50),
  DELIVERY_STATUS VARCHAR2(50),
  ADMIN_ID NUMBER,
  CONSTRAINT fk_DELIVERY_ADMIN FOREIGN KEY (ADMIN_ID) REFERENCES ADMIN(ADMIN_ID)
);
```

5. CUSTOMER_ORDER

```
CREATE TABLE CUSTOMER_ORDER (
  ORDER_ID NUMBER PRIMARY KEY,
  CUSTOMER_ID NUMBER,
  DELIVERY_ID NUMBER,
  ORDER_DATE DATE,
  TOTAL_AMOUNT NUMBER(8,2),
  ORDER_STATUS VARCHAR2(50),
  FOREIGN KEY (CUSTOMER_ID) REFERENCES CUSTOMER(CUSTOMER_ID),
  FOREIGN KEY (DELIVERY_ID) REFERENCES DELIVERY(DELIVERY_ID)
);
```

6. ORDER_COOKIE

```
CREATE TABLE ORDER_COOKIE (
  ORDER_COOKIE_ID NUMBER PRIMARY KEY,
  ORDER_ID NUMBER,
  COOKIE_ID NUMBER,
  QUANTITY NUMBER,
  SUBTOTAL NUMBER(8,2),
  DELIVERY_ADDRESS VARCHAR2(255),
  FOREIGN KEY (ORDER_ID) REFERENCES CUSTOMER_ORDER(ORDER_ID),
  FOREIGN KEY (COOKIE_ID) REFERENCES COOKIE(COOKIE_ID)
);
```

7. METHOD_PAY

```
CREATE TABLE METHOD_PAY (
  PAYMENT_METHOD VARCHAR2(50) PRIMARY KEY
);
```

8. PAYMENT

```
CREATE TABLE PAYMENT (
  PAYMENT_ID NUMBER PRIMARY KEY,
  ORDER_ID NUMBER,
  PAYMENT_METHOD VARCHAR2(255),
  PAYMENT_DATE DATE,
  PAYMENT_STATUS VARCHAR2(50),
  FOREIGN KEY (ORDER_ID) REFERENCES CUSTOMER_ORDER(ORDER_ID),
  FOREIGN KEY (PAYMENT_METHOD) REFERENCES METHOD_PAY(PAYMENT_METHOD)
);
```

9. COOKIE_REVIEW

```
CREATE TABLE COOKIE_REVIEW (
  REVIEW_ID NUMBER GENERATED ALWAYS AS IDENTITY PRIMARY KEY,
  COOKIE_ID NUMBER REFERENCES COOKIE(COOKIE_ID),
  CUSTOMER_NAME VARCHAR(100),
  REVIEW_TEXT VARCHAR2(500),
  PARENT_REVIEW-ID NUMBER REFERENCES COOKIE_REVIEW(review_id),
  CREATED_AT DATE DEFAULT SYSDATE
);
```

6.4 APPENDIX D: DML

1. ADMIN

```
INSERT INTO ADMIN(ADMIN_ID, ADMIN_NAME, ADMIN_EMAIL, ADMIN_PASSWORD) VALUES (2, 'Nur Aina', 'ainaa@gmail.com', 'admin123');
INSERT INTO ADMIN(ADMIN_ID, ADMIN_NAME, ADMIN_EMAIL, ADMIN_PASSWORD) VALUES (3, 'Amirul Hakim', 'mirull@gmail.com', 'adminpass');
INSERT INTO ADMIN(ADMIN_ID, ADMIN_NAME, ADMIN_EMAIL, ADMIN_PASSWORD) VALUES (4, 'Jason Lee', 'jason.lee@gmail.com', 'pass456');
INSERT INTO ADMIN(ADMIN_ID, ADMIN_NAME, ADMIN_EMAIL, ADMIN_PASSWORD) VALUES (5, 'Mira Zulkifli', 'mira.zul@gmail.com', 'secure789');
INSERT INTO ADMIN(ADMIN_ID, ADMIN_NAME, ADMIN_EMAIL, ADMIN_PASSWORD) VALUES (6, 'Raj Kumar', 'raj12@gmail.com', 'admin2025');
INSERT INTO ADMIN(ADMIN_ID, ADMIN_NAME, ADMIN_EMAIL, ADMIN_PASSWORD) VALUES (7, 'Chloe Lim', 'chloee@gmail.com', 'adminlim7');
INSERT INTO ADMIN(ADMIN_ID, ADMIN_NAME, ADMIN_EMAIL, ADMIN_PASSWORD) VALUES (8, 'Emily Grace', 'grace.emily@gmail.com', 'grace321');
```

2. CUSTOMER

```
INSERT INTO CUSTOMER(CUSTOMER_ID, CUSTOMER_NAME, EMAIL, PHONE_NUMBER) VALUES (001, 'Aisyah Rahman', 'aisyah.r@gmail.com', '0183627859');
INSERT INTO CUSTOMER(CUSTOMER_ID, CUSTOMER_NAME, EMAIL, PHONE_NUMBER) VALUES (002, 'Adam Lim', 'adamlim@gmail.com', '0137865395');
INSERT INTO CUSTOMER(CUSTOMER_ID, CUSTOMER_NAME, EMAIL, PHONE_NUMBER) VALUES (003, 'Yasmin Nadia', 'yyasminn@gmail.com', '0154829738');
INSERT INTO CUSTOMER(CUSTOMER_ID, CUSTOMER_NAME, EMAIL, PHONE_NUMBER) VALUES (004, 'Daniel Tan', 'daniel.tan@gmail.com', '0149275396');
INSERT INTO CUSTOMER(CUSTOMER_ID, CUSTOMER_NAME, EMAIL, PHONE_NUMBER) VALUES (005, 'Clara Kim', 'kim.cl@gmail.com', '0173926540');
INSERT INTO CUSTOMER(CUSTOMER_ID, CUSTOMER_NAME, EMAIL, PHONE_NUMBER) VALUES (006, 'Zulfadil', 'zulfad@gmail.com', '0128349010');
INSERT INTO CUSTOMER(CUSTOMER_ID, CUSTOMER_NAME, EMAIL, PHONE_NUMBER) VALUES (007, 'Cherry Lim', 'cherr@gmail.com', '0163281044');
INSERT INTO CUSTOMER(CUSTOMER_ID, CUSTOMER_NAME, EMAIL, PHONE_NUMBER) VALUES (008, 'Nur Dania', 'nr.dnia@gmail.com', '0176528902');
```

```
SELECT *
FROM CUSTOMER;

DELETE FROM CUSTOMER;
COMMIT;
```

3. COOKIE

```
INSERT INTO COOKIE(COOKIE_ID, COOKIE_NAME, COOKIE_DESCRIPTION, PRICE_PER_UNIT, AVAILABLE_STOCK, COOKIE_IMAGE, ADMIN_ID) VALUES (1, 'Choco Chip', 'A classic cookie with
INSERT INTO COOKIE(COOKIE_ID, COOKIE_NAME, COOKIE_DESCRIPTION, PRICE_PER_UNIT, AVAILABLE_STOCK, COOKIE_IMAGE, ADMIN_ID) VALUES (2, 'Double Chocolate Chip', 'A rich twis
INSERT INTO COOKIE(COOKIE_ID, COOKIE_NAME, COOKIE_DESCRIPTION, PRICE_PER_UNIT, AVAILABLE_STOCK, COOKIE_IMAGE, ADMIN_ID) VALUES (3, 'Oatmeal Raisin', 'A Chewy and hearty
INSERT INTO COOKIE(COOKIE_ID, COOKIE_NAME, COOKIE_DESCRIPTION, PRICE_PER_UNIT, AVAILABLE_STOCK, COOKIE_IMAGE, ADMIN_ID) VALUES (4, 'White Chocolate Macadamia', 'A rich
INSERT INTO COOKIE(COOKIE_ID, COOKIE_NAME, COOKIE_DESCRIPTION, PRICE_PER_UNIT, AVAILABLE_STOCK, COOKIE_IMAGE, ADMIN_ID) VALUES (5, 'Matcha Green Tea', 'A soft, slightly
INSERT INTO COOKIE(COOKIE_ID, COOKIE_NAME, COOKIE_DESCRIPTION, PRICE_PER_UNIT, AVAILABLE_STOCK, COOKIE_IMAGE, ADMIN_ID) VALUES (6, 'Red Velvet', 'A vibrant red with a h
INSERT INTO COOKIE(COOKIE_ID, COOKIE_NAME, COOKIE_DESCRIPTION, PRICE_PER_UNIT, AVAILABLE_STOCK, COOKIE_IMAGE, ADMIN_ID) VALUES (7, 'Cookies and Cream', 'A creamy vanill
INSERT INTO COOKIE(COOKIE_ID, COOKIE_NAME, COOKIE_DESCRIPTION, PRICE_PER_UNIT, AVAILABLE_STOCK, COOKIE_IMAGE, ADMIN_ID) VALUES (8, 'Salted Caramel', 'A buttery cookie m
```

```sql
UPDATE cookie
SET cookie_image = 'choco_chip.jpg'
WHERE cookie_id = 1;

UPDATE cookie
SET cookie_image = 'double_choco.jpg'
WHERE cookie_id = 2;

UPDATE cookie
SET cookie_image = 'oatmeal.jpg'
WHERE cookie_id = 3;

UPDATE cookie
SET cookie_image = 'macadamia.jpg'
WHERE cookie_id = 4;

UPDATE cookie
SET cookie_image = 'matcha.jpg'
WHERE cookie_id = 5;

UPDATE cookie
SET cookie_image = 'red_velvet.jpg'
WHERE cookie_id = 6;

UPDATE cookie
SET cookie_image = 'cookie_cream.jpg'
WHERE cookie_id = 7;

UPDATE cookie
SET cookie_image = 'caramel.jpg'
WHERE cookie_id = 8;
```


4. DELIVERY

```
INSERT INTO DELIVERY (DELIVERY_ID, DELIVERY_METHOD, DELIVERY_FEE)
VALUES (1, 'Delivery to Address', 5.00);


INSERT INTO DELIVERY (DELIVERY_ID, DELIVERY_METHOD, DELIVERY_FEE)
VALUES (2, 'Store Pickup', 0.00);

DELETE FROM DELIVERY
WHERE ROWID NOT IN (
    SELECT MIN(ROWID)
    FROM DELIVERY
    GROUP BY DELIVERY_METHOD, DELIVERY_FEE
);
```

5. CUSTOMER_ORDER



6. ORDER_COOKIE



7. METHOD_PAY

```
INSERT INTO METHOD_PAY VALUES ('Cash');
INSERT INTO METHOD_PAY VALUES ('Online Banking');
INSERT INTO METHOD_PAY VALUES ('QR Payment');
INSERT INTO METHOD_PAY VALUES ('E-Wallet');
INSERT INTO METHOD_PAY VALUES ('Credit Card');
INSERT INTO METHOD_PAY VALUES ('Debit Card');
INSERT INTO METHOD_PAY VALUES ('Touch N Go');
```

8. PAYMENT

```
INSERT INTO PAYMENT VALUES (PAYMENT_SEQ.NEXTVAL, 1, 'Cash', TO_DATE('2025-07-01','YYYY-MM-DD'), 'Paid');
INSERT INTO PAYMENT VALUES (PAYMENT_SEQ.NEXTVAL, 2, 'E-Wallet', TO_DATE('2025-07-02','YYYY-MM-DD'), 'Paid');
INSERT INTO PAYMENT VALUES (PAYMENT_SEQ.NEXTVAL, 3, 'Online Banking', TO_DATE('2025-07-03','YYYY-MM-DD'), 'Paid');
INSERT INTO PAYMENT VALUES (PAYMENT_SEQ.NEXTVAL, 4, 'Credit Card', TO_DATE('2025-07-03','YYYY-MM-DD'), 'Paid');
INSERT INTO PAYMENT VALUES (PAYMENT_SEQ.NEXTVAL, 5, 'Debit Card', TO_DATE('2025-07-04','YYYY-MM-DD'), 'Paid');
INSERT INTO PAYMENT VALUES (PAYMENT_SEQ.NEXTVAL, 6, 'Cash', TO_DATE('2025-07-05','YYYY-MM-DD'), 'Pending');
INSERT INTO PAYMENT VALUES (PAYMENT_SEQ.NEXTVAL, 7, 'QR Payment', TO_DATE('2025-07-06','YYYY-MM-DD'), 'Paid');
INSERT INTO PAYMENT VALUES (PAYMENT_SEQ.NEXTVAL, 8, 'Credit Card', TO_DATE('2025-07-06','YYYY-MM-DD'), 'Paid');
```

9. COOKIE_REVIEW

```
INSERT INTO COOKIE_REVIEW(COOKIE_ID, REVIEW_TEXT, PARENT_REVIEW_ID, CREATED_AT, CUSTOMER_NAME) VALUES (2, 'My favorite!', NULL, '06/07/2025', 'Clara Christ');
INSERT INTO COOKIE_REVIEW(COOKIE_ID, REVIEW_TEXT, PARENT_REVIEW_ID, CREATED_AT, CUSTOMER_NAME) VALUES (3, 'I love this cookie the most', NULL, '06/07/2025', 'Nur Dania')
```