Interactive / complex / 4

IC 1	query	Interactive / complex / 4
IC 2	title	New topics
IC 3 IC 4 IC 5 IC 6 IC 7 IC 8 IC 9	pattern	Person knows person: Person knows friend: Person id = \$personId hasCreator postCount = count hasTag reationDate < \$startDate StartDate < \$startDate < \$startDate < \$startDate
IC 10 IC 11 IC 12 IC 13	desc.	Given a start Person (personId), find Tags that are attached to Posts that were created by that Person's friends. Only include Tags that were attached to friends' Posts created within a given time interval, and that were never attached to friends' Posts created before this interval.
IC 14	params	1 personId ID 2 startDate Date 3 durationDays 32-bit Integer Duration of requested period, in days. The interval [startDate, startDate + durationDays) is closed-open
	result	1 tag.name Long String R 2 postCount 32-bit Integer A Number of Posts made within the given time interval that have tag
	sort	1 postCount ↓ 2 tag.name ↑
	limit	10
	CPs	2.3, 8.2, 8.5
	relevance	This query looks for paths of length two, starting from a given Person, moving to Posts and then to Tags. It tests the ability of the query optimizer to properly select the usage of hash joins or index based joins, depending on the cardinality of the intermediate results. These cardinalities are clearly affected by the input Person, the number of friends, the variety of Tags, the time interval and the number of Posts.