


In-class data viz #1:

Single large number:



Pictogram:




Homework data viz #1:

Single large number:

1 in **13** U.S. adults
experienced Social Anxiety Disorder
in the past **12** months


Pictogram:






In-class data viz #2:

Donut graph:



Bar Chart:


Nonparental **adult relatives** are important to Hispanic/Latino students. 57% reported talking with them about college aspirations.




Homework data viz #2:

Donut Chart:

Severity of Panic Disorder Among U.S. Adults




Bar chart:



In-class data viz #3:

Slope graph:


After the move to the new site, sales increased in nearly every department except **Cheese**.



Homework data viz #3:

Slope graph:


From 2005 to 2021, major depressive episode prevalence declined across most racial groups, except among individuals of **two or more races**.



In-class data viz #4:


Secret Buffer data:

Students in the **program** outperformed their **peers** and students in higher grades saw a bigger impact.




Homework data viz #4:

Secret Buffer data:




In-class data viz #5:

Small multiples:




Homework data viz #5:

Small multiples:




In-class data viz #6:

Overlapping bars:




Homework data viz #6:

Overlapping bars:




In-class data viz #7:

Stacked bars:




Homework data viz #7:

Stacked bars:




In-class data viz #8:

Bump Charts:



Homework data viz #8:

Bump Charts:




In-class data viz #9:

Pie Charts:


Good:

Global smartphone market share is dominated by **Android** (about 67.46%), followed by **iOS** (around 32.27%), with **other operating systems** making up less than 1.54%



Bad:


Americans spend their daily time mainly on **sleep (8h)**, and **work/school (7h)**



Homework data viz #9:

Pie Charts:


Eating disorders are most commonly classified as **OSFED (47%)**, followed by **binge eating disorder (22%)**



In-class data viz #10:

100% Stacked bar Chart:


Global Energy Supply Growth (2024)



Homework data viz #10:


100% Stacked bar Chart:

Distribution of Personality Disorder Subtypes Among Inpatients



NPR in class data visualization presentation:

Distribution of Adolescent Cannabis Use Patterns before age of 17



Past-Year Cannabis Use and High-Risk Early & Frequent Use Pattern by Grade Level

