</> > f06f898b1589

Merge branch 'work/vriaa/text-editing-feature' into 'main'

f06f898b1589

Tags

None

Referenced Files

None

Subscribers

None

Description

Merge branch 'work/vriaa/text-editing-feature' into 'main'

Text editing feature

See merge request toolforge-repos/centralnotice-banner-editor!5

Details

Provenance

MHorsey-WMF Authored on Mon, Aug 18, 2:43 PM

Parents

R3650:c6cb58e2b2ae: Merge remote-tracking branch 'origin/main' into work/vriaa/text-editing-feature
R3650:40d63966232d: Merge branch 'work/vriaa/fix/color-picker' into 'main'

Branches

main, work/vriaa/add-link-reactivity, work/vriaa/close-button-editing-feature, work/vriaa/feat/editor-responsiveness, work/vriaa/fix-use-select-icon-button-option-reactivity, work/vriaa/fix/banner-link-reactivity, work/vriaa/fix/basicdropdown-reactivity, work/vriaa/fix/border-property-reactivity, work/vriaa/fix/close-button-positioning, work/vriaa/fix/color-picker-reactivity, More Branches...

Tags

None

References

HEAD -> main

ChangeId

None

Merged Changes

c6cb58e2b2ae Merge remote-tracking branch 'origin/main' into work/vriaa/text-editing-feature

Author

Oyelola_Victoria

Browse Repository

740cf5df9f00 fix: Use unique IDs in color components to prevent updating wrong properties

Author

Oyelola_Victoria

Browse Repository

3c69daa83e3c fix: apply CSS text-shadow property

Author

Oyelola_Victoria

Browse Repository

86e2a06eb8a5 refactor: update default font

Author

Oyelola_Victoria

Browse Repository

6aa7116e5833 feat: Render input fields for customising text on select

Author

Oyelola_Victoria

Browse Repository

c7469e597510 feat: Render text as link when URL is provided

Author

Oyelola_Victoria

Browse Repository

2ecd6d19cfaa refactor: rename MakeTextALink to AddLink with accessibility and UX improvements

Author

Oyelola_Victoria

Browse Repository

e8fd1bf9bb05 refactor: LetterSpacing

Author

Oyelola_Victoria

Browse Repository

e1ad022c9c36 **fix: TextAlign values**

Author

Oyelola_Victoria

Browse Repository

281e7b41bb15 **refactor: TextTransform**

Author

Oyelola_Victoria

Browse Repository

05bb4e5044fb **fix: use dynamic ids in UpdateText component**

Author

Oyelola_Victoria

Browse Repository

6b5ee69d9867 **refactor: Rename TextStyle to TextDecoration and update style options**

Author

Oyelola_Victoria

Browse Repository

627c3bb8639b **feat: Add icon buttons for selecting font style**

Author

Oyelola_Victoria

Browse Repository

Changes (26)

Path

src/

components/

editor/

canvas/

EditorCanvas.vue

```
formInputs/
  sidebar/inputsSidebar/
    InputsSidebar.vue
    SidebarGroupInner.vue
    » SideBarGroup.vue
    TextInputsSidebar.vue
  typography/
    AddLink.vue
    FontStyle.vue
    » ListProperty.vue
    LetterSpacing.vue
    MakeTextALink.vue
    TextAlign.vue
    TextDecoration.vue
    » TextStyle.vue
    TextStyle.vue
    TextTransform.vue
    UpdateText.vue
icons/
  ItalicStyle.vue
  » ItalicizeText.vue
  ItalicizeText.vue
  LineThroughText.vue
  » StrikethroughText.vue
  ObliqueStyle.vue
  OverlineText.vue
  StrikethroughText.vue
composables/
  useBannerStyles.ts
styles/editor/
  sidebar.less
templates/
  templateStarter.ts
  template_v2.ts
types/
  editor.ts
  templates.ts
utils/
  utils.ts
```

R3650:f06f898b1589

src/components/editor/canvas/EditorCanvas.vue

Show First 20 Lines • Show All 50 Lines • ▼ Show 20 Lines

```
                    selectedTemplateStyles.images?.[index]
                  )"
                  :aria-label="image.accessibleText" />
              </div>
            </template>
          </template>

          <!-- Multiple Texts -->
          <p
          <template
            v-for="( text, index ) in selectedTemplateProperties?.texts"
            :key="text.id"
            :class="{ selected: selectedElementId === text.id }"
            :style="getTextStyles(
              selectedTemplateStyles.texts,
              selectedTemplateStyles.texts[index]
            )"
            @click.stop.prevent="selectElement( 'text', text.id, index )">
            {{ text.text }}
          </p>
            :key="text.id">
            <component
              :is="text.url ? 'a' : 'p'"
              :href="text.url || null"
              :class="{ selected: selectedElementId === text.id }"
              :style="getTextStyles(
                selectedTemplateStyles.texts,
                selectedTemplateStyles.texts[index]
              )"
              @click.stop.prevent="selectElement( 'text', text.id, index )">
              {{ text.text }}
            </component>
          </template>

          <!-- Single Close Button -->
          <button
            :class="{ selected: selectedElementType === 'closeButton' }"
            :style="getCloseButtonBoxStyles(
              selectedTemplateStyles.closeButton.button
            )"
            @click.stop.prevent="selectElement(
```

▲ Show 20 Lines • Show All 114 Lines • Show Last 20 Lines

src/components/editor/formInputs/sidebar/inputsSidebar/InputsSidebar.vue

```
<template>
```

```
  <aside
    class="sidebar"
    :class="selectedElementId ? 'inputs-sidebar' : 'empty-inputs-sidebar'">
    <ImageInputsSidebar v-if="selectedElementStyles && selectedElementType === 'image'" />
    <TextInputsSidebar v-else-if="selectedElementStyles && selectedElementType === 'text'" />
    <BannerInputsSidebar
      v-else-if="selectedElementStyles && selectedElementType === 'banner'" />

    <section v-else class="sidebar empty-inputs-sidebar">
      <h2 class="empty-inputs-sidebar__heading">
        Nothing selected yet.
      </h2>
      <p class="empty-inputs-sidebar__subtext">
        Choose an element to begin editing.
      </p>
      <ArrowClick />
    </section>
  </aside>
</template>

<script setup lang="ts">
import { storeToRefs } from 'pinia';
import ImageInputsSidebar from './ImageInputsSidebar.vue';
import BannerInputsSidebar from './BannerInputsSidebar.vue';
import useTemplateStore from '@/store/templates';
import ArrowClick from '@/components/icons/ArrowClick.vue';
import TextInputsSidebar from './TextInputsSidebar.vue';

const templatesStore = useTemplateStore();
const {
  selectedElementStyles,
  selectedElementType,
  selectedElementId
} = storeToRefs( templatesStore );

```

Show All 34 Lines

src/components/editor/formInputs/sidebar/inputsSidebar/SidebarGroupInner.vue

This file was added.

```
<template>
  <div
    class="inputs-sidebar__group__inner">
    <slot />
  </div>
</template>

<style lang="less" scoped>
@import '@/styles/editor/sidebar.less';
</style>
```

src/components/editor/formInputs/sidebar/inputsSidebar/TextInputsSidebar.vue

This file was added.

```
<template>
  <SidebarGroup v-if="selectedElementId">
    <AlignmentProperty
      :id="selectedElementId"
      v-model="( selectedElementStyles as BannerTextStyles ).position" />

    <PositionProperty
      :id="selectedElementId"
      v-model="( selectedElementStyles as BannerTextStyles ).position" />
  </SidebarGroup>

  <SidebarGroup v-if="selectedElementId">
    <SizeProperties
      :id="selectedElementId"
      v-model="( selectedElementStyles as BannerTextStyles ).size"
    />

    <PaddingProperty
      :id="selectedElementId"
      v-model="( selectedElementStyles as BannerTextStyles ).padding" />

    <MarginProperty
      :id="selectedElementId"
      v-model="( selectedElementStyles as BannerTextStyles ).margin" />
  </SidebarGroup>

  <SidebarGroup v-if="selectedElementId">
    <UpdateText
      :id="selectedElementId"
      v-model="( selectedElementProperties as BannerTextProperties ).text" />

    <FontFamily v-model="( selectedElementStyles as BannerTextStyles ).fontFamily" />

    <SidebarGroupInner>
      <FontSize
        :id="selectedElementId"
        v-model="( selectedElementStyles as BannerTextStyles ).fontSize" />

      <FontWeight
        :id="selectedElementId"
        v-model="( selectedElementStyles as BannerTextStyles ).fontWeight" />
    </SidebarGroupInner>

    <SidebarGroupInner>
      <LineHeight
        :id="selectedElementId"
        v-model="( selectedElementStyles as BannerTextStyles ).lineHeight" />

      <LetterSpacing
        :id="selectedElementId"
```

```
        v-model="( selectedElementStyles as BannerTextStyles ).letterSpacing" />
    </SidebarGroupInner>

    <ColorPicker
      :id="`${selectedElementId}-text-color`"
      v-model="( selectedElementStyles as BannerTextStyles ).color"
      :can-use-label="true"
      property-name="Color" />

    <TextAlign
      :id="selectedElementId"
      v-model="( selectedElementStyles as BannerTextStyles ).textAlign"
    />

    <TextDecoration
      :id="selectedElementId"
      v-model="( selectedElementStyles as BannerTextStyles ).textDecoration" />

    <FontStyle
      :id="selectedElementId"
      v-model="( selectedElementStyles as BannerTextStyles ).fontStyle" />

    <AddLink
      :id="selectedElementId"
      v-model="( selectedElementProperties as BannerTextProperties ).url" />

    <TextTransform
      :id="selectedElementId"
      v-model="( selectedElementStyles as BannerTextStyles ).textTransform" />

    <ShadowProperty
      :id="selectedElementId"
      v-model:shadow="textShadowModel"
      type="text" />
  </SidebarGroup>

  <SidebarGroup v-if="selectedElementId">
    <OpacityProperty
      :id="selectedElementId"
      v-model="textOpacity" />

    <TogglableColorInput
      :id="`${selectedElementId}-bg-color`"
      v-model="( selectedElementStyles as BannerTextStyles ).backgroundColor"
      property-name="Background color" />

    <BorderProperty
      :id="selectedElementId"
      v-model:border-color="( selectedElementStyles as BannerTextStyles ).borderColor"
      v-model:border-widths="( selectedElementStyles as BannerTextStyles ).borderWidths"
      v-model:border-style="( selectedElementStyles as BannerTextStyles ).borderStyle" />

    <BorderRadius
      :id="selectedElementId"
      v-model="( selectedElementStyles as BannerTextStyles ).borderRadius as number" />

```

```
    <ShadowProperty
      :id="selectedElementId"
      v-model:shadow="boxShadowModel"
      type="box" />
  </SidebarGroup>
</template>

<script setup lang="ts">
import { computed } from 'vue';
import useTemplateStore from '@/store/templates';
import type { BannerTextProperties, BannerTextStyles } from '@/types/templates';
import { storeToRefs } from 'pinia';
import SidebarGroup from ./SidebarGroup.vue';
import SidebarGroupInner from ./SidebarGroupInner.vue';
import MarginProperty from ../../margin/MarginProperty.vue';
import AlignmentProperty from '@/components/editor/formInputs/alignment/AlignmentProperty.vue';
import PositionProperty from '@/components/editor/formInputs/position/PositionProperty.vue';
import SizeProperties from '@/components/editor/formInputs/size/SizeProperties.vue';
import PaddingProperty from '@/components/editor/formInputs/padding/PaddingProperty.vue';
import OpacityProperty from ../../OpacityProperty.vue';
import TogglableColorInput from ../../TogglableColorInput.vue';
import BorderProperty from ../../border/BorderProperty.vue';
import BorderRadius from ../../BorderRadius.vue';
import ShadowProperty from ../../shadow/ShadowProperty.vue';
import UpdateText from ../../typography/UpdateText.vue';
import FontSize from ../../typography/FontSize.vue';
import FontFamily from ../../typography/FontFamily.vue';
import FontWeight from ../../typography/FontWeight.vue';
import LineHeight from ../../typography/LineHeight.vue';
import LetterSpacing from ../../typography/LetterSpacing.vue';
import ColorPicker from ../../shared/ColorPicker.vue';
import TextAlign from ../../typography/TextAlign.vue';
import TextDecoration from ../../typography/TextDecoration.vue';
import FontStyle from ../../typography/FontStyle.vue';
import TextTransform from ../../typography/TextTransform.vue';
import type { Shadow } from '@/types/editor';
import AddLink from ../../typography/AddLink.vue';

const templatesStore = useTemplateStore();
const {
  selectedElementStyles,
  selectedElementProperties,
  selectedElementId
} = storeToRefs( templatesStore );

const boxShadowModel = computed( {
  get: () => ( selectedElementStyles.value as BannerTextStyles )?.boxShadow || [],
  set: ( value: Shadow[] ) => {
    ( selectedElementStyles.value as BannerTextStyles ).boxShadow = value;
  }
} );

const textShadowModel = computed( {
```

```
  get: () => ( selectedElementStyles.value as BannerTextStyles )?.textShadow || [],
  set: ( value: Shadow[] ) => {
    ( selectedElementStyles.value as BannerTextStyles ).textShadow = value;
  }
} );

const textOpacity = computed( {
  get: () => {
    const styles = selectedElementStyles.value as BannerTextStyles;
    return styles?.opacity ?? 100;
  },
  set: ( newValue: number ) => {
    ( selectedElementStyles.value as BannerTextStyles ).opacity = newValue;
  }
} );

</script>

<style lang="less" scoped>
@import '@/styles/editor/sidebar.less';
</style>
```

src/components/editor/formInputs/typography/AddLink.vue

This file was added.

```
<template>
  <div class="make-text-link">
    <PropertyHeading>Add link to text</PropertyHeading>

    <CdxButton
      :id="`${id}-modal-toggle-btn`"
      v-tooltip="'Make text a link'"
      class="modal-toggle-btn"
      aria-haspopup="dialog"
      :aria-expanded="showModal"
      :aria-controls="`${id}-modal-overlay`"
      :class="{ 'modal-toggle-btn--expanded': showModal }"
      aria-label="Make text a link"
      @click="toggleLinkModal">
      <AddLink
        class="modal-toggle-btn__icon"
        aria-hidden="true" />
    </CdxButton>

    <div
      v-if="showModal"
      :id="`${id}-modal-overlay`"
      ref="modalRef"
      role="dialog"
      aria-modal="true"
      :aria-labelledby="`${id}-modal-label`"
      class="modal-overlay">
      <CdxField
```

```
        :status="status"
        :messages="messages"
        @click.stop>
        <div class="modal-overlay__input-wrapper">
          <CdxTextInput v-model="url" />
          <CdxButton
            action="progressive"
            weight="primary"
            :disabled="isModalBtnDisabled"
            @click="updateLink">
            {{ buttonText }}
          </CdxButton>
        </div>
        <template #label>
          <span :id="`${id}-modal-label`">Link</span>
        </template>
      </CdxField>
    </div>
  </div>
</template>

<script setup lang="ts">
import { ref, computed, watch, onMounted, onUnmounted, nextTick } from 'vue';
import { CdxTextInput, CdxButton, CdxField } from '@wikimedia/codex';
import { isALink } from '@/utils/utils';
import AddLink from '@/components/icons/AddLink.vue';
import PropertyHeading from '../shared/PropertyHeading.vue';

const showModal = ref( false );
const props = defineProps<{id: string, modelValue: string | undefined}>();
const url = ref<string | undefined>( props.modelValue || '' );
const buttonText = ref<string>( 'Apply' );
const modalRef = ref<HTMLElement | null>( null );

function toggleLinkModal(): void {
  showModal.value = !showModal.value;
  if ( showModal.value ) {
    url.value = props.modelValue;
  }
}

const status = computed<'default' | 'error'>( () => {
  if ( !url.value ) {
    return 'default';
  }

  if ( url.value === '' ) {
    return 'default';
  } else if ( !isALink( url.value ) ) {
    return 'error';
  }
  return 'default';
} );

const isModalBtnDisabled = computed( () => {
  const urlUnchanged = url.value === props.modelValue || url.value === '' &&
```

```
props.modelValue === undefined;
  return status.value === 'error' || urlUnchanged;
} );

const messages = {
  error: 'Please enter a valid website URL. (e.g. https://google.com)'
};

const emit = defineEmits<{
  'update:modelValue': [url: string | undefined];
}>();

function updateLink(): void {
  if ( url.value === '' ) {
    emit( 'update:modelValue', undefined );
  }
  if ( status.value !== 'error' && url.value !== '' ) {
    emit( 'update:modelValue', url.value );
  }
  showModal.value = false;
}

const handleClickOutside = ( event: MouseEvent ) => {
  if ( !showModal.value ) {
    return;
  }

  const target = event.target as HTMLElement;
  const toggleButton = document.getElementById( `${ props.id }-modal-toggle-btn` ) as HTMLElement;

  const isButtonClick = toggleButton.contains( target );
  const isModalClick = modalRef.value && modalRef.value.contains( target );

  if ( !isButtonClick && !isModalClick ) {
    showModal.value = false;
  }
};

const handleCloseOnEsc = ( event: KeyboardEvent ) => {
  if ( event.key === 'Escape' ) {
    showModal.value = false;
  }
};

onMounted( () => {
  window.addEventListener( 'keydown', handleCloseOnEsc );
  document.addEventListener( 'click', handleClickOutside );
} );

onUnmounted( () => {
  document.removeEventListener( 'click', handleClickOutside );
  window.removeEventListener( 'keydown', handleCloseOnEsc );
} );

watch( url, ( newUrl, oldUrl ) => {
```

```
  buttonText.value = newUrl === '' && newUrl !== oldUrl ? 'Remove' : 'Apply';
} );

watch( showModal, async ( isOpen ) => {
  if ( !isOpen ) {
    return;
  }
  await nextTick();
  const el = modalRef.value?.querySelector(
    '.cdx-text-input__input'
  ) as HTMLInputElement | undefined;
  el?.focus();
} );
</script>

<style lang="less" scoped>
@import (reference) '@wikimedia/codex-design-tokens/theme-wikimedia-ui.less';
@import '@/styles/editor/property.less';

.make-text-link {
  position: relative;
  .display-flex();
  justify-content: space-between;
  align-items: center;
}

.modal-toggle-btn {
  background-color: transparent;
  border-color: #c8ccd1;
  max-width: @size-200;
  max-height: @size-200;

  &--expanded {
    background-color: @background-color-interactive-subtle--active;
  }

  &__icon {
    flex-shrink: 0;
  }
}

.modal-overlay {
  position: absolute;
  right: 0;
  top: (100% + 4px);
  .display-flex();
  flex-direction: column;
  align-items: center;
  background-color: @background-color-base-fixed;
  border: 1px solid @border-color-base;
  border-radius: @border-radius-base;
  padding: @spacing-50 @spacing-75;
  width: 280px;
  box-shadow: @box-shadow-medium;
  gap: @large-gap;
  z-index: @z-index-overlay;
```

```
  font-family: @font-family-system-sans;
}

.cdx-field {
  width: @size-full;
}

.modal-overlay__input-wrapper {
  .display-flex();
}

::v-deep( .cdx-text-input ) {
  width: @size-full;
  min-width: unset;
  border-radius: @border-radius-base 0 0 @border-radius-base;
}

.cdx-button {
  flex: none;
  width: fit-content;
  border-radius: 0 @border-radius-base @border-radius-base 0;
  .field-text-small();
}

::v-deep( .cdx-label__label__text ) {
  .property-name();
  font-weight: @font-weight-bold;
}

::v-deep( .cdx-text-input__input ) {
  background-color: transparent;
  border: 1px solid #c8ccd1;
  .field-text-small();
  font-size: @font-size-small;
}

::v-deep( .cdx-message__content ) {
  .field-text-small();
}

</style>
```

src/components/editor/formInputs/typography/FontStyle.vue

This file was added.

```
<template>
  <IconButtonOptions
    :id="`${id}-font-style`"
    heading="Font style"
    :options="fontStyleOptions"
    @update:model-value="handleOptionClick" />
</template>

```

```
<script setup lang="ts">
import { computed, markRaw, watch } from 'vue';
import IconButtonOptions from './IconButtonOptions/IconButtonOptions.vue';
import type { IconButtonOptionType } from '@/types/editor';
import ItalicStyle from '@/components/icons/ItalicStyle.vue';
import ObliqueStyle from '@/components/icons/ObliqueStyle.vue';
import useSelectIconButtonOption from '@/composables/useSelectIconButtonOption';

const props = defineProps<{id:string, modelValue: string}>();
const { selectedStyle, handleOptionClick } = useSelectIconButtonOption( props.modelValue );

const emit = defineEmits<{'update:modelValue': [value: string]}>();
watch( selectedStyle, ( newValue ) => {
  emit( 'update:modelValue', newValue );
} );

const fontStyleOptions = computed( (): IconButtonOptionType[] => [
  {
    id: 'italic',
    option: 'Italic',
    icon: markRaw( ItalicStyle ),
    selected: selectedStyle.value === 'italic'
  },
  {
    id: 'oblique',
    option: 'Oblique',
    icon: markRaw( ObliqueStyle ),
    selected: selectedStyle.value === 'oblique'
  }
] );

</script>
```

src/components/editor/formInputs/typography/LetterSpacing.vue

```
<template>
  <NumberInput
    :id="`${id}-letter-spacing`"
    v-model:number="letterSpacingModel.value"
    v-model:unit="letterSpacingModel.unit"
    label="Letter spacing"
    :can-have-negative-value="true"
    :can-display-unit="true"
    :has-multiple-units="true"
    :units="fontUnits" />
    :units="units" />
</template>

<script setup lang="ts">
import NumberInput from '../shared/NumberInput.vue';
import type { FontNumericData } from '@/types/editor';
import { fontUnits } from '@/constants/editor';

const units = [
```

```
  { label: 'px', value: 'px' },
  { label: 'rem', value: 'rem' },
  { label: 'em', value: 'em' }
];

defineProps<{id: string}>();

const letterSpacingModel = defineModel<FontNumericData>( {
  required: true,
  default: () => ( {
    value: 0,
    unit: 'px'
  } ) } );

</script>
```

src/components/editor/formInputs/typography/MakeTextALink.vue

This file was deleted.

This file was completely deleted. Show File Contents

src/components/editor/formInputs/typography/TextAlign.vue

```
<template>
  <IconButtonOptions
    :id="`${id}-text-align`"
    heading="Text align"
    :options="textAlignmentOptions"
    @update:model-value="handleOptionClick" />
</template>

<script setup lang="ts">
import { computed, markRaw, watch } from 'vue';
import TextAlignCenter from '@/components/icons/TextAlignCenter.vue';
import TextAlignLeft from '@/components/icons/TextAlignLeft.vue';
import TextAlignRight from '@/components/icons/TextAlignRight.vue';
import JustifyText from '@/components/icons/JustifyText.vue';
import IconButtonOptions from './IconButtonOptions/IconButtonOptions.vue';
import type { IconButtonOptionType } from '@/types/editor';
import type { IconButtonOptionType, TextAlignment } from '@/types/editor';
import useSelectIconButtonOption from '@/composables/useSelectIconButtonOption';

const props = defineProps<{id:string, modelValue: string}>();
const { selectedStyle, handleOptionClick } = useSelectIconButtonOption( props.modelValue );
const props = defineProps<{id:string, modelValue: TextAlignment}>();
const { selectedStyle, handleOptionClick } = useSelectIconButtonOption( props.modelValue || 'left' );

const emit = defineEmits<{'update:modelValue': [value: string]}>();
watch( selectedStyle, ( newValue ) => {
  emit( 'update:modelValue', newValue );
```

```
25 25 } );
26 26
27 27 const textAlignmentOptions = computed( (): IconButtonOptionType[] => [
28      { id: 'align-text-left',
    28  { id: 'left',
29 29     option: 'Align left',
30 30     icon: markRaw( TextAlignLeft ),
31      selected: selectedStyle.value === 'align-text-left'
    31     selected: selectedStyle.value === 'left'
32 32   },
33 33   {
34      id: 'align-text-center',
    34     id: 'center',
35 35     option: 'Align center',
36 36     icon: markRaw( TextAlignCenter ),
37      selected: selectedStyle.value === 'align-text-center'
    37     selected: selectedStyle.value === 'center'
38 38   },
39      { id: 'align-text-right',
    39  { id: 'right',
40 40     option: 'Align right',
41 41     icon: markRaw( TextAlignRight ),
42      selected: selectedStyle.value === 'align-text-right'
    42     selected: selectedStyle.value === 'right'
43 43   },
44 44   {
45      id: 'justify-text',
    45     id: 'justify',
46 46     option: 'Justify',
47 47     icon: markRaw( JustifyText ),
48      selected: selectedStyle.value === 'justify-text'
    48     selected: selectedStyle.value === 'justify'
49 49   }
50 50 ] );
51 51 </script>
```

src/components/editor/formInputs/typography/TextDecoration.vue

This file was added.

```
1  <template>
2    <IconButtonOptions
3      :id="`${id}-text-decoration`"
4      heading="Text decoration"
5      :options="textDecorationOptions"
6      @update:model-value="handleOptionClick" />
7  </template>
8
9  <script setup lang="ts">
10 import { computed, markRaw, watch } from 'vue';
11 import IconButtonOptions from './IconButtonOptions/IconButtonOptions.vue';
12 import type { IconButtonOptionType } from '@/types/editor';
13 import OverlineText from '@/components/icons/OverlineText.vue';
14 import LineThroughText from '@/components/icons/LineThroughText.vue';
```

```
15 import UnderlineText from '@/components/icons/UnderlineText.vue';
16 import useSelectIconButtonOption from '@/composables/useSelectIconButtonOption';
17
18 const props = defineProps<{id:string, modelValue: string}>();
19 const { selectedStyle, handleOptionClick } = useSelectIconButtonOption( props.modelValue
   );
20
21 const emit = defineEmits<{'update:modelValue': [value: string]}>();
22 watch( selectedStyle, ( newValue ) => {
23   emit( 'update:modelValue', newValue );
24 } );
25
26 const textDecorationOptions = computed( (): IconButtonOptionType[] => [
27   {
28     id: 'underline',
29     option: 'Underline',
30     icon: markRaw( UnderlineText ),
31     selected: selectedStyle.value === 'underline'
32   },
33   {
34     id: 'overline',
35     option: 'Overline',
36     icon: markRaw( OverlineText ),
37     selected: selectedStyle.value === 'overline'
38   },
39   {
40     id: 'line-through',
41     option: 'Line through',
42     icon: markRaw( LineThroughText ),
43     selected: selectedStyle.value === 'line-through'
44   }
45 ] );
46
47 </script>
```

src/components/editor/formInputs/typography/TextStyle.vue

This file was deleted.

This file was completely deleted. Show File Contents

src/components/editor/formInputs/typography/TextTransform.vue

Show All 35 Lines

```
36 36 import { watch } from 'vue';
37 37 import { CdxButton, CdxMenu } from '@wikimedia/codex';
38 38 import PropertyHeading from '../shared/PropertyHeading.vue';
39 39 import ChevronIcon from '@/components/icons/ChevronIcon.vue';
40 40 import TextTransformIcon from '@/components/icons/TextTransformIcon.vue';
41 41 import useMenu from '@/composables/useMenu';
42 42 import type { MenuItems } from '@/types/editor';
43 43
```

```
44      const props =
45        defineProps<{
46          modelValue: string,
47        }>();
    44  const props = withDefaults( defineProps<{
    45      modelValue?: string,
    46    }>(), {
    47    modelValue: 'none'
    48  } );
48  49
49  50  const textTransformOptions: MenuItems = [
50  51    { value: 'capitalize',
51  52      label: 'Capitalize'
52  53    },
53  54    { value: 'lowercase',
54  55      label: 'Lowercase'
55  56    },
56  57    { value: 'uppercase',
57  58      label: 'Uppercase'
    59    },
    60    { value: 'none',
    61      label: 'None'
58  62    }
59  63  ];
60  64
61  65  const {
62  66    menu,
63  67    button,
64  68    selectedValue,
65  69    expanded,
```

▲ Show 20 Lines • Show All 50 Lines • Show Last 20 Lines

src/components/editor/formInputs/typography/UpdateText.vue

```
1   1   <template>
2       <PropertyLabel id="update-text">
    2   <PropertyLabel :id="`${id}-update-text`">
3   3     Update Text
4   4   </PropertyLabel>
5   5   <CdxTextArea
6       id="update-text"
    6   :id="`${id}-update-text`"
7   7   v-model="textModel"
8   8   class="textarea" />
9   9   </template>
10  10
11  11  <script setup lang="ts">
12  12  import { CdxTextArea } from '@wikimedia/codex';
13  13  import PropertyLabel from '../shared/PropertyLabel.vue';
14  14
    15  defineProps<{id: string}>();
15  16  const textModel = defineModel< string >( { required: true } );
16  17  </script>
17  18
```

```
<style lang="less" scoped>
@import (reference) '@/styles/editor/property.less';

::v-deep( .cdx-text-area__textarea ) {
  .field-text-small();
  background-color: transparent;
  resize: none;
  border: 1px solid #c8ccd1;
}
</style>
```

src/components/icons/ItalicStyle.vue

This file was added.

```
<template>
  <svg
    width="20"
    height="20"
    viewBox="0 0 20 20"
    fill="none"
    xmlns="http://www.w3.org/2000/svg">
    <path
      d="M8.75 3.48438H15C15.2362 3.48437 15.4629 3.57809
       15.6299 3.74512C15.7969 3.91214 15.8906 4.13879
       15.8906 4.375C15.8906 4.61121 15.7969 4.83786 15.6299
        5.00488C15.4629 5.17191 15.2362 5.26562 15
        5.26562H12.5166L9.36035 14.7344H11.25C11.4862
        14.7344 11.7129 14.8281 11.8799 14.9951C12.0469
         15.1621 12.1406 15.3888 12.1406 15.625C12.1406
         15.8612 12.0469 16.0879 11.8799 16.2549C11.7129
         16.4219 11.4862 16.5156 11.25 16.5156H5C4.76379
         16.5156 4.53714 16.4219 4.37012 16.2549C4.20309
         16.0879 4.10938 15.8612 4.10938 15.625C4.10938
         15.3888 4.20309 15.1621 4.37012 14.9951C4.53714
         14.8281 4.76379 14.7344 5 14.7344H7.4834L10.6396
         5.26562H8.75C8.51379 5.26562 8.28714 5.17191 8.12012
         5.00488C7.95309 4.83786 7.85938 4.61121 7.85938
          4.375C7.85938 4.13879 7.95309 3.91214 8.12012
          3.74512C8.28714 3.57809 8.51379 3.48438 8.75 3.48438Z"
      fill="#72777D"
      stroke="#72777D"
      stroke-width="0.09375" />
  </svg>
</template>
```

src/components/icons/ItalicizeText.vue

This file was deleted.

This file was completely deleted. Show File Contents

src/components/icons/LineThroughText.vue

This file was added.

```
<template>
  <svg
    width="20"
    height="20"
    viewBox="0 0 20 20"
    fill="none"
    xmlns="http://www.w3.org/2000/svg">
    <path
      d="M3.125 9.10938H16.875C17.1112 9.10938 17.3379 9.20309
      17.5049 9.37012C17.6719 9.53714 17.7656 9.76379 17.7656
      10C17.7656 10.2362 17.6719 10.4629 17.5049 10.6299C17.3379
       10.7969 17.1112 10.8906 16.875 10.8906H14.418L14.4854
       10.9678C15.0035 11.565 15.2812 12.3336 15.2656
       13.124V13.125C15.2656 14.2362 14.6652 15.3066
       13.6113 16.0596C12.6383 16.7563 11.3541 17.1406
       10 17.1406C8.64595 17.1406 7.36172 16.7563 6.38867
        16.0596C5.3348 15.3066 4.73438 14.2362 4.73438
        13.125C4.73438 12.8888 4.82809 12.6621 4.99512
        12.4951C5.16214 12.3281 5.38879 12.2344 5.625
        12.2344C5.86121 12.2344 6.08786 12.3281 6.25488
        12.4951C6.42191 12.6621 6.51562 12.8888 6.51562
         13.125C6.51562 13.7401 6.92374 14.2998 7.55762
          14.7031C8.19241 15.107 9.06059 15.3594 10
          15.3594C10.9394 15.3594 11.8076 15.107
          12.4424 14.7031C13.0763 14.2998 13.4844 13.7401
           13.4844 13.125C13.4844 12.6119 13.2956 12.2042
            12.8486 11.8496C12.4052 11.498 11.7076 11.1982
             10.6895 10.8926L10.6758 10.9375L10.6895 10.8906H3.125C2.88879
              10.8906 2.66214 10.7969 2.49512 10.6299C2.32809 10.4629
              2.23438 10.2362 2.23438 10C2.23438 9.76379 2.32809 9.53714
              2.49512 9.37012C2.66214 9.20309 2.88879 9.10938 3.125 9.10938ZM10
               2.85938C11.9105 2.85938 13.516 3.63002 14.3672 4.92871L14.5273
               5.19629C14.6268 5.40123 14.6439 5.63626 14.5752 5.85352C14.5062
               6.07146 14.3565 6.25493 14.1562 6.36523C13.9559 6.47552 13.7202
               6.5046 13.499 6.44629C13.278 6.38793 13.0876 6.24642 12.9678
                6.05176C12.4786 5.16329 11.365 4.64062 10 4.64062C9.082 4.64062
                 8.27357 4.87657 7.69336 5.27344C7.11279 5.67061 6.75879 6.23102
                 6.75879 6.875C6.75879 7.11116 6.66501 7.33787 6.49805
                  7.50488C6.33107 7.67186 6.1043 7.76557 5.86816 7.76562C5.632
                   7.76562 5.4053 7.67185 5.23828 7.50488C5.07126 7.33786
                   4.97754 7.11121 4.97754 6.875C4.97754 4.59364 7.12504
                   2.85938 10 2.85938Z"
      fill="#72777D"
      stroke="#72777D"
      stroke-width="0.09375" />
  </svg>
</template>
```

src/components/icons/ObliqueStyle.vue

This file was added.

```
<template>
  <svg
    width="20"
    height="20"
    viewBox="0 0 20 20"
    fill="none"
    xmlns="http://www.w3.org/2000/svg">
    <path
      d="M15.9038 12.617C15.6381 13.6087 15.2304 14.4864 14.6807 15.2502C14.1344
     16.001 13.4869 16.6143 12.7383 17.0901C11.9896 17.5659 11.1694 17.8707 10.2778 18.0045
     C9.3861 18.1382 8.47017 18.0792 7.53001 17.8272C6.57696 17.5719 5.74777 17.1633 5.04245
      16.6017C4.35001 16.0434 3.79855 15.3711 3.38809 14.5848C2.97763 13.7984 2.72357 12.9435
       2.6259 12.0201C2.53169 11.0838 2.61744 10.1198 2.88316 9.12814C3.15234 8.12358 3.56006
       7.24586 4.10635 6.495C4.65609 5.73126 5.30355 5.11794 6.04875 4.65504C6.7974 4.17926
        7.61113 3.87275 8.48992 3.73553C9.38159 3.60175 10.304 3.66255 11.257 3.91791C12.1972
         4.16983 13.0199 4.57664 13.7252 5.13833C14.4306 5.70002 14.9885 6.37404 15.3989
         7.16041C15.8128 7.93389 16.0669 8.78878 16.1611 9.72506C16.2588 10.6485 16.173 11.6125
         15.9038 12.617ZM14.2425 12.1719C14.5254 11.1158 14.5631 10.1251 14.3555 9.19985C14.1608
          8.27804 13.7649 7.48869 13.1679 6.83179C12.571 6.1749 11.7959 5.71876 10.8429
          5.4634C9.88984 5.20803 8.98415 5.21381 8.12582 5.48076C7.28036 5.75115 6.54286 6.23682
          5.91332 6.93777C5.28379 7.63872 4.82753 8.51723 4.54456 9.57331C4.26503 10.6165 4.2209
          11.6055 4.41217 12.5401C4.60689 13.4619 5.00275 14.2513 5.59974 14.9082C6.20961 15.5685
          6.99107 16.0264 7.94412 16.2818C8.89716 16.5371 9.79642 16.5296 10.6419 16.2592C11.4873
          15.9888 12.2248 15.5032 12.8544 14.8022C13.5002 14.0918 13.9629 13.2151 14.2425 12.1719Z"
      fill="#72777D" />
  </svg>
</template>
```

src/components/icons/OverlineText.vue

This file was added.

```
<template>
  <svg
    width="20"
    height="20"
    viewBox="0 0 20 20"
    fill="none"
    xmlns="http://www.w3.org/2000/svg">
```

```
    <path
      d="M5 1.60938H15C15.2362 1.60938 15.4629 1.70309 15.6299 1.87012C15.7969
      2.03714 15.8906 2.26379 15.8906 2.5C15.8906 2.73621 15.7969 2.96286 15.6299
      3.12988C15.4629 3.29691 15.2362 3.39062 15 3.39062H5C4.76379 3.39062 4.53714
      3.29691 4.37012 3.12988C4.20309 2.96286 4.10938 2.73621 4.10938 2.5C4.10938
      2.26379 4.20309 2.03714 4.37012 1.87012C4.53714 1.70309 4.76379 1.60938 5 1.60938Z"
      fill="#72777D"
      stroke="#72777D"
      stroke-width="0.09375" />
    <path
      d="M14.375 5.48438C14.6112 5.48438 14.8379 5.57809 15.0049 5.74512C15.1719
      5.91214 15.2656 6.13879 15.2656 6.375V12L15.2588 12.2607C15.193 13.5618 14.6472
      14.7961 13.7217 15.7217C12.7345 16.7089 11.3961 17.2642 10 17.2656L9.73926 17.2588C8.43815
      17.193 7.20387 16.6472 6.27832 15.7217C5.29114 14.7345 4.73582 13.3961 4.73438
      12V6.375C4.73438 6.13879 4.82809 5.91214 4.99512 5.74512C5.16214 5.57809 5.38879 5.48438
      5.625 5.48438C5.86121 5.48438 6.08786 5.57809 6.25488 5.74512C6.42191 5.91214 6.51562
      6.13879 6.51562 6.375V12C6.51562 12.9241 6.88269 13.8104 7.53613 14.4639C8.18958 15.1173
       9.07589 15.4844 10 15.4844C10.9241 15.4844 11.8104 15.1173 12.4639 14.4639C13.1173 13.8104
       13.4844 12.9241 13.4844 12V6.375C13.4844 6.13879 13.5781 5.91214 13.7451 5.74512C13.9121
       5.57809 14.1388 5.48438 14.375 5.48438Z"
      fill="#72777D"
      stroke="#72777D"
      stroke-width="0.09375" />
  </svg>
</template>
```

src/components/icons/StrikethroughText.vue

This file was deleted.

This file was completely deleted. Show File Contents

src/composables/useBannerStyles.ts

```
import type { BannerTextStyles, BannerImageStyles, BannerCloseButtonBoxStyles, BannerStyles, BannerCloseButtonIconStyles } from '@/types/templates';
import { getSharedStyles, dimensionToCss, getSize, getBorderStyles, getSpacing, getPosition, getOpacity, getShadows } from '@/utils/editorHelpers';
import type {
  BannerTextStyles,
  BannerImageStyles,
  BannerCloseButtonBoxStyles,
  BannerStyles,
  BannerCloseButtonIconStyles
} from '@/types/templates';
import {
  getSharedStyles,
  dimensionToCss,
```

```
  getSize,
  getBorderStyles,
  getSpacing,
  getPosition,
  getOpacity,
  getShadows
} from '@/utils/editorHelpers';

type BannerStylesComposable = {
  getTextStyles: (
    textProperty: BannerTextStyles[] | undefined,
    textStyles: BannerTextStyles | undefined
  ) => Record<string, string>;
  getImageStyles: (
    imageProperty: BannerImageStyles[] | undefined,
```

Show All 22 Lines

```
    }

    let styles: Record<string, string> = {
      fontFamily: textStyles.fontFamily,
      fontWeight: textStyles.fontWeight,
      textAlign: textStyles.textAlign || 'left',
      color: textStyles.color,
      textDecoration: textStyles.textDecoration,
      fontStyle: textStyles.fontStyle || 'normal',
      ...getSharedStyles( textStyles )
    };

    if ( textStyles.fontSize ) {
      styles = { ...styles, fontSize: dimensionToCss( textStyles.fontSize ) };
    }

    if ( textStyles.lineHeight ) {
      styles = { ...styles, lineHeight: dimensionToCss( textStyles.lineHeight ) };
    }

    if ( textStyles.textTransform ) {
      styles = { ...styles, textTransform: textStyles.textTransform };
    }

    if ( textStyles.letterSpacing ) {
      styles = { ...styles, letterSpacing: dimensionToCss( textStyles.letterSpacing ) };
    }

    styles = { ...styles, ...getShadows( textStyles.boxShadow, styles, 'box' ) };

    styles = { ...styles, ...getShadows( textStyles.textShadow, styles, 'text' ) };

    return styles;
  }

  function getImageStyles(
    imageProperty: BannerImageStyles[] | undefined,
    imageStyles: BannerImageStyles | undefined
  ): Record<string, string> {
```

```
69  87      if ( !imageProperty || !imageStyles ) {
```

▲ Show 20 Lines • Show All 136 Lines • Show Last 20 Lines

src/styles/editor/sidebar.less

```
1   1   @import (reference) '@wikimedia/codex-design-tokens/theme-wikimedia-ui.less';
    2   @import (reference) './property.less';
2   3
3   4   .sidebar {
4   5     flex: none;
5   6     position: fixed;
6   7     top: 65px;
7   8     width: 320px;
8   9     height: calc( @size-viewport-height-full - 65px );
9   10    overflow-y: scroll;
```

Show All 11 Lines

```
21  22    border-left: 1px solid #c8ccd1;
22  23
23  24    &__group {
24  25      display: flex;
25  26      flex-direction: column;
26  27      gap: 16px;
27  28      padding-bottom: 24px;
28  29      border-bottom: 1px solid #c8ccd150;
    30
    31      &__inner {
    32        display: flex;
    33        gap: @large-gap;
    34      }
29  35    }
30  36  }
```

src/templates/templateStarter.ts

Show First 20 Lines • Show All 98 Lines • ▼ Show 20 Lines

```
99  99          value: 16,
100 100         unit: 'px'
101 101       }
102 102     },
103 103     ...createSpacingDefaults(),
104 104     ...createBorderDefaults(),
105 105     fontFamily: 'inherit',
106 106     fontSize: { value: 16, unit: 'px' },
    107     fontStyle: 'normal',
107 108     fontWeight: '400',
108 109     color: '#000000',
109 110     textAlign: 'center',
110 111     opacity: 100,
111 112     lineHeight: { value: 1, unit: 'rem' },
112 113     letterSpacing: { value: 0.01, unit: 'em' },
113 114     textTransform: 'uppercase',
114 115     textDecoration: 'none',
```

▲ Show 20 Lines • Show All 61 Lines • ▼ Show 20 Lines

```
176 177     link: '//meta.wikimedia.org/wiki/Meta:Example',
177 178     textDirection: 'ltr'
178 179   };
179 180 }
180 181
181 182 export function createBannerTextProperties( id: string ): BannerTextProperties {
182 183   return {
183 184     id,
184         text: 'To be edited'
    185     text: 'To be edited',
    186     url: undefined
185 187   };
186 188 }
187 189
188 190 export function createBannerImageProperties( id: string ): BannerImageProperties {
189 191   return {
190 192     id,
191 193     type: 'url',
192 194     source: '//upload.wikimedia.org/wikipedia/commons/8/81/Wikimedia-logo.svg',
```

▲ Show 20 Lines • Show All 78 Lines • Show Last 20 Lines

src/templates/template_v2.ts

Show First 20 Lines • Show All 93 Lines • ▼ Show 20 Lines

```
 94  94     },
 95  95     padding: undefined
 96  96   };
 97  97 }
 98  98
 99  99 function createTemplateV2TextStyles( id: string ): BannerTextStyles {
100 100   return {
101 101     ...createBannerTextStyles( id ),
102         fontFamily: 'Arial, sans-serif',
    102     fontFamily: 'sans-serif',
103 103     fontWeight: '700',
104 104     textAlign: 'center',
105 105     position: {
106 106       mode: 'alignment',
107 107       alignment: {
108 108         horizontal: 'center',
109 109         vertical: 'middle'
110 110       }
```

Show All 14 Lines

```
125 125       }
126 126     },
127 127     lineHeight: {
128 128       value: 1.2,
129 129       unit: ''
130 130     },
131 131     color: '#202122',
132 132     textDecoration: 'none',
```

```
133        textTransform: 'none'
     133   textTransform: 'uppercase'
134 134  };
135 135 }
136 136
137 137 function createTemplateV2CloseButtonStyles( id: string ): BannerCloseButtonStyles {
138 138   return {
139 139     ...createBannerCloseButtonStyles( id ),
140 140     button: {
141 141       position: {
```

▲ Show 20 Lines • Show All 116 Lines • ▼ Show 20 Lines

```
258 258     images: [ {
259 259       ...createBannerImageProperties( createId() ),
260 260       type: 'url',
261 261       source: '//upload.wikimedia.org/wikipedia/commons/8/81/Wikimedia-logo.svg',
262 262       accessibleText: 'Wikimedia Foundation logo.'
263 263     } ],
264 264     texts: [ {
265 265       ...createBannerTextProperties( createId() ),
266         text: 'ONE LINE OF TEXT. IDEALLY BETWEEN 50-70 CHARACTERS'
    266       text: 'One line of text. Ideally between 50-70 characters'
267 267     } ]
268 268   }
269 269 };
270 270
271 271 export default templateV2;
```

src/types/editor.ts

Show All 34 Lines

```
35  35 export type PositionMode = 'alignment' | 'position';
36  36
37  37 export type PositionOrientation = 'horizontal' | 'vertical';
38  38
39  39 export type HorizontalAlignment = 'left' | 'center' | 'right';
40  40
41  41 export type VerticalAlignment = | 'top' | 'middle' | 'bottom';
42  42
    43 export type TextAlignment = 'left' | 'right' | 'center' | 'justify';
    44
43  45 export type Alignment = {
44  46   horizontal: HorizontalAlignment | undefined;
45  47   vertical: VerticalAlignment | undefined;
46  48 }
47  49
48  50 export type NumericalPosition = Dimension;
49  51
50  52 export type NumericalPositions = {
```

▲ Show 20 Lines • Show All 58 Lines • Show Last 20 Lines

src/types/templates.ts

```
1  1  import type { ComputedRef, Ref } from 'vue';
2     import type { Dimension, Sides, FontNumericData, PositionProperties, ImageFit, ImagePosit
      ion, Shadow, BackgroundImageSize, BackgroundImageRepeat } from './editor';
   2  import type { Dimension, Sides, FontNumericData, PositionProperties, ImageFit, ImagePosit
      ion, Shadow, TextAlignment, BackgroundImageSize, BackgroundImageRepeat } from './editor';
3  3
4  4  export type Viewport = 'mobile' | 'tablet' | 'desktop';
5  5  export type FontWeight = '100' | '200' | '300' | '400' | '500' | '600' | '700' | '800' |
      '900'
6  6  export type TextDecoration = 'none' | 'underline' | 'line-through' | 'overline';
7  7  export type TextTransform = 'none' | 'uppercase' | 'lowercase' | 'capitalize';
   8  export type FontStyle = 'normal' | 'italic' | 'oblique';
8  9
9  10 export interface SizeProperties {
10 11   useMinAndMaxValues: boolean;
11 12   height?: Dimension;
12 13   minHeight?: Dimension;
13 14   maxHeight?: Dimension;
14 15   width?: Dimension;
15 16   minWidth?: Dimension;
```

▲ Show 20 Lines • Show All 41 Lines • ▼ Show 20 Lines

```
57 58 export interface BannerTextStyles extends
58 59 SpacingProperties,
59 60 BorderProperties,
60 61 BoxShadowProperties {
61 62   id: string;
62 63   position: PositionProperties;
63 64   fontFamily: string;
64 65   fontSize: FontNumericData;
   66   fontStyle: FontStyle;
65 67   fontWeight: FontWeight;
66 68   lineHeight: FontNumericData;
67      letterSpacing?: FontNumericData
   69   letterSpacing: FontNumericData;
68 70   color: string;
69      textAlign?: string;
   71   textAlign: TextAlignment;
70 72   textTransform?: TextTransform;
71 73   opacity?: number;
72 74   backgroundColor?: string;
73 75   textShadow?: Shadow[];
74 76   textDecoration: TextDecoration;
75 77   size: SizeProperties;
76 78 }
77 79
78 80 export type BannerTextProperties = {
79 81   id: string;
80 82   text: string;
   83   url?: string;
81 84 }
82 85
83 86 export type BannerCloseButtonIconStyles = {
84 87   size: SizeProperties;
85 88   color?: string;
86 89   strokeWidth?: number;
```

```
87  90  }
88  91
```

▲ Show 20 Lines • Show All 91 Lines • Show Last 20 Lines

src/utils/utils.ts

```
1   1   export function capitalizeFirstLetter( str: string ): string {
2   2     const stringToCapitalize = str.trim();
3   3
4   4     if ( !stringToCapitalize ) {
5   5       return '';
6   6     }
7   7     return stringToCapitalize.charAt( 0 ).toUpperCase() + stringToCapitalize.slice( 1 );
8   8   }
9   9
10      export const isALink = ( url: string ) => /^\S+\.\S+$/.test( url );
    10  export const isALink = ( url: string ): boolean => /^\S+\.\S+$/.test( url );
```