

YohPal Live — Release 1.0 Implementation Plan

A working plan for turning the seven Release 1.0 documents in `apps/mobile_flutter/docs/` into merged code, cross-checked line-by-line against the current state of the repository.

Repo `apps/mobile_flutter` (branch `flutter_app`) **Source docs** 7 files, `apps/mobile_flutter/docs/` **Prepared** 2026-07-10
Basis Production Readiness Review (9 Critical / 13 High / 14 Medium)

01 What these seven documents are

All seven are email-delivered engineering artifacts responding to the Production Readiness Review. One is the rationale document; five are proposed code patches; one is a sign-off gate. They are not independent — they were written as a single sequence (A → B → C → D → E) and several of them edit the same files.

FILE	TYPE	WHAT IT CONTAINS
Executive Verdict	Rationale (no code)	Reads the Production Readiness Review, issues a No-GA verdict, and defines the Sprint A–G / Release 1.0A–1.0E structure that the other six files implement.
required Release 1.0 codebase starter pack	Code (draft)	An early, slightly broader draft of 1.0A — same env config, error mapper, password reset, sign-out tile, route-integrity concept, and <code>main.dart</code> crash-guard skeleton (with <code>// TODO</code> Crashlytics calls, not wired).
1.0A — Critical Account, Navigation & Observability Patch	Code (final)	The finished version of the starter pack: env config, friendly auth errors, password reset service, sign-out tile, route-integrity test, and a <code>main.dart</code> with Crashlytics actually wired in.
1.0B — Money, Security & Wallet Reconciliation Patch	Code	Two Cloud Functions (validated gift purchase, rewarded-ad verification), a Firestore rules tightening, a <code>WalletStatusScreen</code> , a web-handoff helper, and a gift-sending client service.
1.0C — Feed, Live Discovery & UX Recovery Patch	Code	Route wiring for Search/Live Discovery, paginated feed repository, a feed error/retry state, a gesture layer (double-tap-like, long-press, semantics), a mute button, and a LiveKit connection observer + reconnect banner.
1.0D — Codebase Cleanup, Tests & Release Gate Patch	Code + CI	A cleanup script that deletes the duplicate video pipelines and dead services, a consolidated analytics service, a route-reachability CI gate, five new test files, and a GitHub Actions workflow.
1.0E — Final GA Readiness Validation Report	Governance (no code)	A sign-off template: evidence checklist for 1.0A–1.0D, device validation table, and a Go / Conditional-Go / No-Go decision block for the Release Review Board. Explicitly not completable until 1.0A–1.0D are merged and verified.

Dependency chain, as written: Executive Verdict defines the plan → starter pack and 1.0A are the same workstream (starter pack is superseded by 1.0A, not a separate task) → 1.0B and 1.0C are independent of each other but both build on 1.0A's env/routing conventions → 1.0D integrates and tests all of A/B/C together, so it must run last among the dev work → 1.0E is a paperwork gate that consumes evidence from all four, owned by QA/Release, not by an implementing engineer.

02 Where the patches don't match the live codebase

The patches were written against an idealized file layout. The real repo has its own conventions and, in a few places, already-existing code that the patches don't account for. These are the things that will break or duplicate work if the patches are applied as-is — read this before assigning any of the work below.

1. Package name. Every proposed test imports `package:yohpal_live/...`. The real package name (`pubspec.yaml`) is `yohpal_live_v2`. Every import in every patch needs this correction or nothing compiles.

2. Wallet collection mismatch — the most important one to catch. 1.0B's `validatedGiftPurchase` Cloud Function reads/writes a `wallets/{uid}.balance` document. The real app's wallet lives in `walletBalances` / `walletTransactions` / `walletLedger` (`lib/features/wallet/repositories/wallet_repository.dart` , and already locked down correctly in `firestore/rules/firestore.rules`). Deploying the function as written creates a second, disconnected balance system — gifts would debit a wallet the app never displays. This must be repointed to the real collections before it ships, not after.

3. Gift crediting is already server-triggered, and 1.0B changes the architecture. The live app's `LiveGiftRepository.sendGift()` already writes the gift doc directly from the client, with a code comment confirming a backend trigger currently credits creator earnings from that write. 1.0B replaces this with a callable-function pattern (`GiftService.sendGift` → `validatedGiftPurchase`) and locks the client out of writing gifts directly. That's the right direction, but it means: (a) the live gift panel UI must be migrated to call the new service instead of `LiveGiftRepository` , and (b) whatever existing trigger currently credits earnings from raw gift writes must be found and retired, or creators get double-credited. Treat this as a migration, not a drop-in.

4. The proposed `/live-discovery` route is a duplicate. `AppRoutes.live = '/live'` already exists and is already registered in `lib/app/router.dart` against `LiveDiscoveryScreen` — the audit finding was that nothing pushes it, not that it's missing. Add a button that calls `Navigator.pushNamed(context, AppRoutes.live)` ; don't register a second route for the same screen.

5. The Analytics-route crash needs a one-line fix, not a new route. The bug is a wrong hardcoded string in `profile_hub_screen.dart:100` (`'/creator-analytics'`) that doesn't match the already-registered `'/creator-profile/analytics'` . Fix the call site; nothing needs to be added to the router.

6. Two route-constant files will exist unless reconciled. `lib/core/routes/app_routes.dart` already exists with its own constants (`upload`, `goLive`, `live`, `search`, `wallet`, ...). Extend that file rather than creating a parallel `AppRoutes` / `RouteRegistry` / `RouteIntegrity` class. More importantly: build the "route reachability" test by reflecting `lib/app/router.dart`'s real routes map, not a second hand-maintained string list — a hand-maintained list is exactly the kind of drift that caused the original bug, and this report's whole premise is closing that loophole for good.

7. Cloud Functions and rules live at different paths than the patch commands assume. The patch says `cd functions`; the real backend is `backend/firebase_functions` (TypeScript). The Firestore rules file is `firestore/rules/firestore.rules` at the repo root, not inside `apps/mobile_flutter`. Update deploy commands and merge the rule changes into the existing rules file by hand — don't overwrite it, since the existing wallet rules are already correctly locked down and shouldn't be touched.

8. Crashlytics/Analytics need native wiring, not just a pubspec line. `firebase_crashlytics` requires enabling Crashlytics in the Firebase console and the Gradle/Podfile plugin steps FlutterFire's tooling generates — budget this as an infra task with its own verification step (force a test crash, confirm it appears in console), not a side effect of `flutter pub get`.

9. There's a second, un-addressed gift surface. `gift_creator_screen.dart` (Rose/Coffee/Trophy/Diamond/Rocket tiers) is a separate "tip a creator" flow that hands off to the web with no in-app balance check and — per the original audit — silently drops the selected tier from the handoff URL. None of these seven documents touch it. 1.0B closes the live-stream gifting fraud vector only. Flag this as a known residual gap for a future patch, not something 1.0B secretly also fixes.

10. The cleanup script is destructive. 1.0D's `rm -rf lib/core/video lib/core/video_feed` should land as a reviewed PR with a fresh zero-import grep immediately before merge, not run-and-forget — dead-code status can change between when it was confirmed and when it's actually deleted.

03 File-by-file implementation plan

Each proposed document mapped to real deliverables, real files, and what has to be true before it can start.

Executive Verdict

rationale — no build task

Action: Read once, by everyone starting work on this release. It's the source of the Sprint A–G naming used throughout the rest of this plan and the freeze-new-features decision. No code, no PR.

Effort: 15 minutes reading. **Owner:** whole team.

Starter pack

superseded by 1.0A — fold in, don't implement separately

Action: Use only as reference while implementing 1.0A below (it has the same classes, minus the finished Crashlytics wiring and minus the wallet/ads/subscriptions env vars that 1.0A drops). Do not schedule this as its own ticket — doing so duplicates 1.0A's work.

DELIVERABLE	REAL FILES TOUCHED
Environment config (functions URL, LiveKit URL, wallet/ads/subscriptions URLs)	New <code>lib/core/config/yohpal_env.dart</code> ; replace hardcoded strings in <code>lib/app/app.dart</code> and <code>lib/core/web_handoff/yohpal_web_handoff.dart</code>
Friendly auth error messages	New error mapper alongside <code>lib/features/auth/repositories/auth_repository.dart</code> ; call from <code>login_screen.dart</code> / <code>signup_screen.dart</code>
Password reset — service and a screen/link (the patch only ships the service; a "Forgot password" entry point on <code>login_screen.dart</code> still has to be built, or this repeats the exact "built, never wired" pattern the whole review is about)	New reset service; new/extended <code>lib/features/auth/screens/login_screen.dart</code> with a reset link and dialog or screen
Sign-out entry point	New sign-out tile wired into <code>lib/features/profile/screens/profile_hub_screen.dart</code> , calling the existing but currently-unused <code>AuthController.logout()</code> ; also clear feed/wallet/notification-token state on logout
Fix the Analytics crash	One-line fix in <code>lib/features/profile/screens/profile_hub_screen.dart:100</code>
Crash reporting + global error boundary	<code>lib/main.dart</code> (add <code>runZonedGuarded</code> , <code>FlutterError.onError</code> , <code>PlatformDispatcher.instance.onError</code>); <code>pubspec.yaml</code> (+ <code>firebase_crashlytics</code> , + <code>firebase_analytics</code>); native Crashlytics enablement
Route-reachability test (real version, see risk #6)	New test deriving from <code>lib/app/router.dart</code> 's actual routes map

Depends on: nothing — this should land first since `main.dart` , `app.dart` , and `pubspec.yaml` are shared files everyone else will also touch. **Effort:** Medium, ~2–3 days.

DELIVERABLE	REAL FILES TOUCHED
Server-validated gift purchase (repoint to real wallet collections — see risk #2)	New Cloud Function in <code>backend/firebase_functions</code> ; migrate <code>lib/features/live_streaming/repositories/live_gift_repository.dart</code> and the live gift panel to call it instead of writing Firestore directly; retire the existing earnings-crediting trigger once confirmed redundant
Server-verified rewarded ads	New Cloud Function in <code>backend/firebase_functions</code> ; wire into <code>lib/features/ads/controllers/rewarded_ads_controller.dart</code> in place of the current client-only timer
Firestore rules hardening (gifts, videoStats, referralEvents, liveSessions)	Merge into <code>firestore/rules/firestore.rules</code> — do not overwrite; owner field is confirmed <code>creatorId</code> , matching the proposed rule
Wallet reconciliation screen + return path	New <code>WalletStatusScreen</code> (real location: <code>lib/features/wallet_web/screens/wallet_status_screen.dart</code> , currently a placeholder); register its route; the proposed <code>Uri.base</code> query-param read only works if the app itself is the page the browser lands on — this needs an app link / universal link (iOS) or app link (Android) or custom URL scheme configured so the external wallet browser flow can actually hand control back to the app. That platform config is real, separate work not included in the patch.
Gift-sending client service	New service calling the Cloud Function; reconcile with the existing gift tiers already defined in the live gift panel

Depends on: 1.0A's env-config pattern (reuse `YohPalEnv` rather than inventing a second one). Cloud Functions/Firestore-rules portions have zero file overlap with Track A and can start immediately; the small Flutter-side pieces (route registration, pubspec) should wait for 1.0A to merge. **Effort:** Medium–Large, ~3–4 days, split across Flutter and backend/TypeScript work.

DELIVERABLE	REAL FILES TOUCHED
Wire Search + Live Discovery into navigation (reuse existing routes — see risk #4)	<code>lib/features/discover/screens/discover_hub_screen.dart</code> (currently just wraps <code>VideoFeedScreen</code>); push <code>AppRoutes.search</code> and <code>AppRoutes.live</code>
Feed pagination (cursor-based, replacing the hard <code>.limit(100)</code>)	<code>lib/features/video_feed/repositories/video_feed_repository.dart</code> , <code>controllers/video_feed_controller.dart</code>
Feed error state with retry	<code>lib/features/video_feed/screens/video_feed_screen.dart</code>
Double-tap-to-like, long-press, semantics on video content	<code>lib/features/video_playback/widgets/zero_wait_video_player.dart</code> , <code>lib/features/engagement/widgets/video_engagement_rail_widget.dart</code>
Mute/unmute control	<code>lib/features/video_playback/controllers/zero_wait_playback_controller.dart</code> (confirm the underlying player supports volume control) + new button in the overlay
LiveKit reconnect handling + banner	<code>lib/features/live_streaming/controllers/live_stream_controller.dart</code> , <code>screens/live_viewer_screen.dart</code>

Depends on: 1.0A merged first, to avoid conflicting edits to `lib/app/router.dart` and the route-constants file. No overlap with 1.0B. **Effort:** Large, ~4–5 days — the biggest single workstream in this plan.

DELIVERABLE	REAL FILES TOUCHED
Delete duplicate video pipelines + dead services (re-verify zero imports first — risk #10)	<code>lib/core/video/*</code> , <code>lib/core/video_feed/*</code> , <code>lib/core/analytics/analytics_service.dart</code> , <code>lib/features/wallet_web/services/wallet_launcher_service.dart</code> , <code>lib/features/monetisation/services/monetisation_service.dart</code> , <code>lib/features/chat/services/chat_sdk_adapter.dart</code> , <code>lib/features/chat/widgets/message_bubble.dart</code>
Consolidated analytics service	Replace the dead service with a real one wired to Firebase Analytics; point key events (signup, purchase, gift, video-watch) at it
Route-reachability CI gate	New GitHub Actions workflow under <code>.github/workflows/</code> (none exist yet — this is net new, needs repo admin access to enable)
Expanded tests (auth, wallet, feed, live) — fix package name in every import (risk #1)	New files under <code>apps/mobile_flutter/test/</code>

Depends on: 1.0A, 1.0B, and 1.0C all merged — its tests import classes those patches create (auth error mapper, wallet status screen, feed error state, LiveKit observer), and its cleanup script must not run before their replacements exist. **This cannot be parallelized with A/B/C — it comes after all three.** **Effort:** Medium, ~2–3 days. Assign one owner with full-repo context rather than splitting further.

1.0E — Final GA Readiness Validation Report

Governance gate — not a dev task

Action: Once 1.0D is merged and CI is green, QA/Release lead fills the evidence table, runs device validation on Android and iPhone, and records a Go / Conditional-Go / No-Go decision with sign-off from Flutter, Backend, Firebase, QA, Security, Product, and Executive Sponsor. No code changes. **Owner:** QA/Release lead, not the implementing engineers.

04 Can this be split across two people?

Yes — but not by the order the files happen to sort into on disk. That order interleaves a governance report (1.0E, which depends on everything else), a starter draft that's superseded by 1.0A, and one half of a two-part patch (starter pack + 1.0A) into different people's queues. Splitting by **workstream** instead avoids duplicated work and file collisions.

OWNER	TRACK	SEQUENCE
PERSON A	App Experience (Flutter-focused)	Read Executive Verdict + starter pack for context → implement 1.0A alone and merge it first (it touches the shared <code>main.dart</code> / <code>app.dart</code> / <code>pubspec.yaml</code> / routing files everyone else needs) → then implement 1.0C .
PERSON B	Platform & Money (Flutter + Cloud Functions/Firestore)	Read Executive Verdict + starter pack for context → start the Cloud Functions and Firestore-rules halves of 1.0B immediately (zero file overlap with Person A) → hold the small Flutter-side pieces of 1.0B (route registration, env reuse) until 1.0A merges.
EITHER (ONE OWNER)	Integration	1.0D starts only once 1.0A + 1.0B + 1.0C are all merged. Assign to whichever of A/B has broader context by that point — do not split it further, since its job is specifically to reconcile everything the other three touched.
QA / RELEASE LEAD	Governance	1.0E after 1.0D is merged and CI is green. Not assigned to Person A or B.

Why not the literal "files 1–3 / files 4–7" split: in the order the folder lists them (1.0E, 1.0C, 1.0A, starter pack, 1.0B, Executive Verdict, 1.0D), a 1–3/4–7 split hands Person A the GA validation report before any of the code it depends on exists, and splits the starter pack from the finished 1.0A it's a draft of across two different people — each would independently rebuild the same env-config and auth-error classes. The table above is the same two-person headcount, sequenced by actual file dependency instead.

05 Suggested week-by-week sequencing

WEEK	PERSON A	PERSON B
1	1.0A: env config, auth errors, password reset (service + screen), sign-out, Analytics fix, Crashlytics, route test. Merge by end of week.	1.0B backend half: Cloud Functions (repointed to real wallet collections), Firestore rules merge. Runs in parallel — no shared files with A this week.
2	1.0C: pagination, error/retry, gestures, mute, accessibility.	1.0B Flutter half: WalletStatusScreen + deep-link return path, gift service migration, retire old earnings trigger. Starts once 1.0A is merged.
3	1.0C continued: LiveKit reconnect handling + banner; Search/Live Discovery entry points.	Support 1.0B QA (gift flow end-to-end, rewarded-ad verification); begin 1.0D cleanup script prep (re-run the dead-import grep).
4	Joint: 1.0D (one owner executes; the other reviews) — cleanup, consolidated analytics, CI gate, expanded tests. Merge and go green on CI.	
5	QA/Release lead runs 1.0E: evidence collection, device validation, Release Review Board decision.	

06 Definition of done, condensed from 1.0E

- All 9 Critical findings from the Production Readiness Review have a closure artifact (screenshot, deploy log, or test output) attached to the PR that closed them.
- `flutter analyze` and `flutter test` are clean on every PR; the route-reachability test is part of that suite, not a manual step.

- `backend/firebase_functions` builds, tests, and deploys the two new callables without touching unrelated functions.
- Firestore rules changes are reviewed by someone other than the author, given the fraud/security stakes.
- CI (`.github/workflows`) is green on the branch before 1.0D is considered merged.
- 1.0E is signed off by Flutter, Backend, Firebase, QA, Security, Product, and Executive Sponsor before any GA decision is made.

YohPal Live — Release 1.0 Implementation Plan · derived from the seven documents in `apps/mobile_flutter/docs/`, cross-checked against the `flutter_app` branch on 2026-07-10. File:line references reflect repository state at time of writing.