



Daniel Macharia <danielmacharia43@gmail.com>

YOHPAL LIVE CREATOR STUDIO RELEASE 1.1A-RC1 Physical Device Validation Report

Daniel Macharia <danielmacharia43@gmail.com>
To: <daniel@ics.ac.ke>

Tue, 14 Jul at 11:32

YOHPAL LIVE CREATOR STUDIO RELEASE 1.1A-RC1

Physical Device Validation Report

Candidate: yohpal-live-creator-studio-v1.1a-rc1

Validation scope: Camera → multi-clip timeline → draft recovery → local render → upload → publication gate

Platforms: Physical Android and physical iPhone

Advanced features: Must remain disabled

Opening Certification Decision

NO-GO — physical-device evidence pending

This does not mean the implementation has failed. It means no Android, iPhone, rendering, upload, Crashlytics, or server-gate evidence has yet been submitted against one immutable RC1 commit.

No advanced Creator Studio phase may be activated until the complete evidence pack is independently reviewed.

1. Immutable Candidate Verification

QA must record:

Feature branch:
feature/creator-studio-1.1a-rc1

Release branch:
release/creator-studio-1.1a-rc1

Full commit SHA:

Annotated tag:
yohpal-live-creator-studio-v1.1a-rc1

Android build number:

iOS build number:

Working tree:
CLEAN

Run:

```
set -euo pipefail
```

```
EXPECTED_TAG="yohpal-live-creator-studio-v1.1a-rc1"
```

```
git branch --show-current
git rev-parse HEAD
git status --short
git tag --points-at HEAD
git show --no-patch --decorate HEAD
```

```
COMMIT="$(git rev-parse HEAD)"
```

```
test "${#COMMIT}" -eq 40
test -z "$(git status --porcelain)"
git tag --points-at HEAD | grep -qx "${EXPECTED_TAG}"
```

```
echo "PASS: immutable RC1 candidate verified"
```

Evidence is invalid where:

- Android and iOS builds use different commits.
- Screenshots come from another build.
- The tag does not point to the reported commit.
- The working tree contains uncommitted changes.
- Any advanced feature was enabled after the build was produced.

2. Mandatory Test Devices

Android

Record:

Device model:
Manufacturer:
Android version:
RAM:
Storage available:
Camera configuration:
Build number:
Commit SHA:
Tester:
Test date:

Use at least one common mid-range production device. A lower-memory Android device is strongly recommended for render and recovery testing.

iPhone

Record:

Device model:
iOS version:
Storage available:
Camera configuration:
Build number:
Commit SHA:
Tester:
Test date:

The device must be a physical iPhone running a supported production iOS version.

3. Validation Gate Register

Gate	Required outcome	Status
Immutable branch, commit and tag	Verified	Pending
Android camera	PASS	Pending
Android multi-clip	PASS	Pending
iPhone camera	PASS	Pending
iPhone multi-clip	PASS	Pending
Gallery import	PASS	Pending
Trim	PASS	Pending

Split	PASS	Pending
Delete	PASS	Pending
Reorder	PASS	Pending
Undo and redo	PASS	Pending
Draft autosave	PASS	Pending
Force-close recovery	PASS	Pending
Local rendering	PASS	Pending
Audio/video synchronization	PASS	Pending
Upload progress	PASS	Pending
Upload cancellation	PASS	Pending
Upload retry	PASS	Pending
Publication blocking	PASS	Pending
Advanced features disabled	PASS	Pending
Crashlytics	PASS	Pending
Flutter analysis	PASS	Pending
Flutter tests	PASS	Pending
Backend build	PASS	Pending
Backend tests	PASS	Pending
Defect register	No open P0/Critical	Pending

4. Android Camera Validation

Test CS-AND-CAM-001 — Permission approval

Steps

1. Install the clean RC1 Android build.
2. Sign in with a QA creator account.
3. Open Creator Studio.
4. Create a new project.
5. Open YohPal Camera.
6. Approve camera and microphone permissions.

PASS criteria

- Android permission prompts appear.
 - Camera preview opens.
 - Microphone permission is requested.
 - No frozen or black preview.
 - No crash.
 - Camera orientation matches device orientation.
 - Preview respects the visible screen safe area.
-

Test CS-AND-CAM-002 — Permission denial and recovery

Steps

1. Deny camera permission.
2. Confirm the app displays a meaningful explanation.
3. Open Android Settings.
4. Grant permission.
5. Return to YohPal.

PASS criteria

- No crash.
 - No endless loading.
 - Creator receives a clear recovery action.
 - Camera initializes after returning from Settings.
-

Test CS-AND-CAM-003 — Camera switching

Steps

1. Open rear camera.
2. Switch to front camera.
3. Switch back to rear camera.
4. Begin recording after each switch.

PASS criteria

- Camera switches successfully.
 - No duplicate controller error.
 - No persistent black frame.
 - Correct orientation is retained.
 - Previous camera resource is released.
-

Test CS-AND-CAM-004 — First recording

Steps

1. Record a 10-second clip.
2. Stop recording.
3. Confirm it appears in the project timeline.
4. Preview the result.

PASS criteria

- Clip file exists.
- Duration is correct within reasonable tolerance.
- Audio is present.

- Video is not corrupt.
 - Timeline displays one clip.
 - File belongs to the active creator project.
-

5. iPhone Camera Validation

Execute the corresponding tests:

CS-IOS-CAM-001 Permission approval
CS-IOS-CAM-002 Permission denial and Settings recovery
CS-IOS-CAM-003 Front/rear camera switching
CS-IOS-CAM-004 First recording

Additional iOS checks:

- `NSCameraUsageDescription` is accurate.
 - `NSMicrophoneUsageDescription` is accurate.
 - Permission denial does not lead to a blank view.
 - Camera resources release when leaving the screen.
 - Returning from background does not corrupt the session.
 - Portrait output remains correctly oriented.
 - No iOS watchdog termination occurs.
-

6. Multi-Clip Recording Validation

Test CS-MULTI-001

Run on Android and iPhone.

Steps

1. Record Clip 1 for 5 seconds.
2. Stop.
3. Record Clip 2 for 8 seconds.
4. Stop.
5. Record Clip 3 for 4 seconds.
6. Stop.
7. Continue to the editor.

PASS criteria

- Three distinct clips appear.
 - Correct chronological order is preserved.
 - Durations are accurate.
 - No previous clip is overwritten.
 - Audio is available for every clip.
 - All source files remain accessible.
 - Project duration approximately equals the sum of the clips.
-

Test CS-MULTI-002 — Pause and resume

Steps

1. Start recording.
2. Pause.
3. Wait five seconds.
4. Resume.
5. Stop.

PASS criteria

- Paused interval is not represented as unintended footage.
 - Recording resumes cleanly.
 - Audio remains synchronized.
 - App does not create an unexpected duplicate clip.
-

Test CS-MULTI-003 — Delete last clip

Steps

1. Record three clips.
2. Delete the last clip.
3. Continue to editor.

PASS criteria

- Only two clips remain.
 - Deleted clip does not reappear after autosave or restart.
 - Other clips remain intact.
-

7. Gallery Import Validation

Test CS-GALLERY-001 — Valid video

Steps

1. Select a supported gallery video.
2. Wait for metadata validation.
3. Add it to the current project.

PASS criteria

- File exists.
 - Duration is detected.
 - Size validation succeeds.
 - Video appears in the timeline.
 - Imported audio is present.
 - No duplicate import occurs.
-

Test CS-GALLERY-002 — Oversized video

Expected:

- Import is rejected.
 - User receives a meaningful file-size message.
 - Project remains usable.
-

Test CS-GALLERY-003 — Corrupt or invalid media

Expected:

- File is rejected safely.
 - No corrupt clip enters the project.
 - Error is recorded as a nonfatal Crashlytics event where applicable.
-

8. Timeline Editing Validation

Trim — CS-EDIT-TRIM-001

1. Select a 10-second clip.
2. Trim the start to 2 seconds.
3. Trim the end to 8 seconds.
4. Save.

Expected effective section:

02.000 → 08.000

PASS requires:

- Timeline duration changes.
 - Preview starts and ends at the selected points.
 - Autosave preserves the boundaries.
 - Rendered output reflects the trim.
-

Split — CS-EDIT-SPLIT-001

1. Select a 10-second clip.
2. Split at 4 seconds.

PASS requires:

Clip A: 0–4 seconds
Clip B: 4–10 seconds

- No missing frames beyond normal encoding tolerance.
 - No duplicated large section.
 - Both clips reference valid media.
 - Render joins correctly.
-

Delete — CS-EDIT-DELETE-001

1. Delete a middle clip.
2. Render the timeline.

PASS requires:

- Deleted media is excluded.
 - Remaining clips preserve correct order.
 - Project does not reference the deleted clip.
-

Reorder — CS-EDIT-ORDER-001

Initial:

Clip A → Clip B → Clip C

Reorder:

Clip C → Clip A → Clip B

PASS requires:

- UI order changes.
 - Saved draft preserves the order.
 - Rendered video uses the new order.
 - Original source files are not modified.
-

9. Undo and Redo Validation

CS-HISTORY-001 — Undo trim

1. Trim a clip.
2. Tap Undo.

Expected: original trim boundaries restored.

CS-HISTORY-002 — Redo trim

1. Undo the trim.
2. Tap Redo.

Expected: trim reapplied.

CS-HISTORY-003 — Undo delete

1. Delete a clip.
2. Undo.

Expected: deleted clip restored at its original position.

CS-HISTORY-004 — Redo delete

Expected: clip deleted again.

CS-HISTORY-005 — New edit clears redo history

1. Perform edit A.
2. Undo.
3. Perform edit B.
4. Attempt Redo.

Expected: stale edit A cannot be reapplied.

10. Draft Autosave and Force-Close Recovery

Test CS-DRAFT-001 — Autosave

Steps

1. Create a three-clip project.
2. Trim Clip 1.
3. Split Clip 2.
4. Reorder clips.
5. Wait for autosave.
6. Leave the editor.
7. Reopen the project.

PASS criteria

- All clips return.
 - Trim boundaries return.
 - Split state returns.
 - Clip order returns.
 - Project title and status return.
 - No duplicate project is created.
-

Test CS-DRAFT-002 — Force-close recovery

Steps

1. Edit a project.
2. Wait at least one second after the final change.
3. Force-close the app from the operating system.
4. Reopen YohPal.
5. Open Creator Studio drafts.

PASS criteria

- Draft is listed.
 - Latest saved edit is recovered.
 - Source clips are available.
 - App does not crash if a source file has become unavailable.
 - User receives a recovery message for missing media.
-

Test CS-DRAFT-003 — Device restart

1. Save a project.
2. Restart the phone.
3. Reopen the project.

PASS requires successful recovery.

11. Local Rendering Validation

Test CS-RENDER-001 — Three-clip render

Input:

Clip A: 5 seconds
Clip B: 8 seconds
Clip C: 4 seconds

Apply:

- Trim Clip B.
- Split Clip A.
- Reorder clips.
- Delete one split segment.

PASS criteria

- Rendering reaches 100%.
 - Output file exists.
 - Output is playable.
 - Resolution is correct.
 - Orientation is portrait.
 - Duration matches timeline.
 - No permanent black frames.
 - No missing clip.
 - No accidental duplicate clip.
 - Render progress is visible.
 - User can cancel safely.
-

Test CS-RENDER-002 — Audio/video synchronization

Use a visible hand clap or numbered spoken count.

Measure synchronization at:

- First 5 seconds
- Middle
- Final 5 seconds

PASS requires no material audio drift.

Record:

Initial AV offset:
Midpoint AV offset:
Final AV offset:
Result:

Test CS-RENDER-003 — Insufficient storage

Expected:

- Render fails safely.
 - Error is meaningful.
 - Existing project is preserved.
 - Partial output is cleaned up or marked invalid.
 - Crashlytics receives a nonfatal error.
-

Test CS-RENDER-004 — Render cancellation

Expected:

- Rendering stops.
 - Project returns to editing state.
 - Original clips remain.
 - No corrupt output is treated as completed.
-

12. Upload Validation

Test CS-UPLOAD-001 — Progress

PASS criteria

- Progress reflects actual transferred bytes.
- Progress does not jump incorrectly to 100%.
- Remote Storage path matches creator and project.
- Metadata includes owner, project and upload IDs.
- Completed upload returns a valid remote URL.

Test CS-UPLOAD-002 — Cancel

Steps

1. Begin a sufficiently large upload.
2. Cancel between 20% and 50%.

PASS criteria

- Transfer stops.
 - Status becomes cancelled.
 - User can return to the rendered project.
 - No video is published.
 - Incomplete upload cannot satisfy the publication gate.
-

Test CS-UPLOAD-003 — Retry

Steps

1. Begin upload.
2. Disable network.
3. Wait for failure.
4. Restore network.
5. Tap Retry.

PASS criteria

- Status becomes failed before retry.
 - Retry starts a new valid task.
 - Final upload succeeds.
 - Only one completed publication asset is registered.
 - No duplicate public video is produced.
-

Test CS-UPLOAD-004 — Pause and resume

PASS requires:

- Pause stops transfer growth.
 - Resume continues the active task.
 - Final file checksum or size matches local rendered output.
-

13. Server-Side Publication Blocking

Mobile UI blocking is not sufficient.

Test CS-GATE-001 — Unrendered project

Expected server result:

```
failed-precondition
Local rendering is incomplete.
```

Test CS-GATE-002 — Upload incomplete

Expected: denied.

Test CS-GATE-003 — Processing incomplete

Expected: denied.

Test CS-GATE-004 — Moderation pending

Expected: denied.

Test CS-GATE-005 — Copyright pending

Expected: denied.

Test CS-GATE-006 — Missing title or caption

Expected: denied.

Test CS-GATE-007 — All mandatory gates pass

Expected:

- One video document created.
- ownerId and userId equal authenticated user.
- Server timestamp used.
- status = published.
- Valid playable URLs stored.
- Upload session updated atomically.

Required proof

- Function request with sensitive values masked.
- Function response.
- Firestore publication-attempt audit entry.
- Video document after approved publication.
- Evidence ordinary clients cannot write directly to /videos.

14. Advanced Features Must Remain Disabled

The following must be inaccessible in RC1:

Automatic synchronized captions
Music editing
Voice-over
Jobs objects
Hustle objects
Market objects
Course objects
AI edit execution

Required tests

Test	Expected
Direct navigation to caption route	Denied or unavailable
Direct navigation to music route	Denied or unavailable
Direct navigation to object picker	Denied or unavailable
AI edit action invocation	Rejected
Remote config attempts enabling feature	Rejected by RC1 policy
Build-time feature flag inspection	All false

Required runtime assertion

```
void assertCreatorStudioRc1FeatureEnvelope() {
  CreatorStudioFlags.validateRc1();
}
```

```
assert(!CreatorStudioFlags.captionsEnabled);
assert(!CreatorStudioFlags.musicEnabled);
assert(!CreatorStudioFlags.voiceOverEnabled);
assert(!CreatorStudioFlags.ecosystemObjectsEnabled);
assert(!CreatorStudioFlags.aiEditExecutionEnabled);
}
```

Call it during application startup where Creator Studio is enabled.

15. Crashlytics Validation

Required evidence:

1. Android controlled nonfatal camera error.
2. Android controlled nonfatal render error.
3. Android controlled QA fatal event.
4. iPhone controlled nonfatal camera error.
5. iPhone controlled nonfatal render error.
6. iPhone controlled QA fatal event.
7. Real upload failure recorded as nonfatal.

Attach:

```
release_tag
commit_hash
build_number
platform
device_model
creator_project_id
creator_operation
creator_clip_count
render_progress
upload_progress
```

Do not attach:

- Authentication tokens
 - User media content
 - Personal captions
 - Wallet information
 - Full private file paths where avoidable
-

16. Flutter and Backend Validation

Run:

```
set -euo pipefail

EVIDENCE="release-evidence/creator-studio-1.1a-rc1"

mkdir -p \
  "${EVIDENCE}/02-flutter" \
  "${EVIDENCE}/03-backend"

pushd apps/mobile_flutter >/dev/null

flutter clean

flutter pub get \
  2>&1 | tee "../../${EVIDENCE}/02-flutter/pub-get.txt"

dart format \
  --output=none \
  --set-exit-if-changed \
  lib test \
  2>&1 | tee "../../${EVIDENCE}/02-flutter/format.txt"

flutter analyze \
  2>&1 | tee "../../${EVIDENCE}/02-flutter/analyze.txt"

flutter test \
  2>&1 | tee "../../${EVIDENCE}/02-flutter/test.txt"

popd >/dev/null

pushd backend/firebase_functions >/dev/null

npm ci \
  2>&1 | tee "../../${EVIDENCE}/03-backend/npm-ci.txt"
```

```
npm run lint \
  2>&1 | tee "../../${EVIDENCE}/03-backend/lint.txt"

npm run build \
  2>&1 | tee "../../${EVIDENCE}/03-backend/build.txt"

npm test \
  2>&1 | tee "../../${EVIDENCE}/03-backend/test.txt"

popd >/dev/null
```

Required:

```
flutter analyze: PASS
flutter test: PASS
Functions lint: PASS
Functions build: PASS
Functions tests: PASS
```

Skipped or flaky tests must be disclosed.

17. Required Evidence Directory

```
release-evidence/
├── creator-studio-1.1a-rc1/
│   ├── manifest.json
│   ├── 01-repository/
│   ├── 02-flutter/
│   ├── 03-backend/
│   ├── 04-android-camera/
│   ├── 05-ios-camera/
│   ├── 06-multi-clip/
│   ├── 07-gallery-import/
│   ├── 08-timeline/
│   ├── 09-undo-redo/
│   ├── 10-draft-recovery/
│   ├── 11-rendering/
│   ├── 12-upload/
│   ├── 13-publication-gate/
│   ├── 14-feature-flags/
│   ├── 15-crashlytics/
│   ├── 16-defects/
│   └── 17-governance/
```

18. Evidence Manifest

release-evidence/creator-studio-1.1a-rc1/manifest.json

```
{
  "release": "YOHPAL LIVE CREATOR STUDIO 1.1A-RC1",
  "candidate": {
    "featureBranch": "feature/creator-studio-1.1a-rc1",
    "releaseBranch": "release/creator-studio-1.1a-rc1",
    "commitHash": "REPLACE_WITH_FULL_40_CHARACTER_SHA",
    "tag": "yohpal-live-creator-studio-v1.1a-rc1",
    "androidBuild": "REPLACE",
    "iosBuild": "REPLACE"
  },
  "advancedFeatures": {
    "captions": false,
    "music": false,
    "voiceOver": false,
    "ecosystemObjects": false,
    "aiEditExecution": false
  },
  "gates": [
    {
      "id": "REPOSITORY",
      "mandatory": true,
      "status": "PENDING",
      "evidence": ["01-repository/"]
    },
    {
      "id": "FLUTTER",
      "mandatory": true,
      "status": "PENDING",
    }
  ]
}
```

```

    "evidence": [ "02-flutter/" ]
  },
  {
    "id": "BACKEND",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "03-backend/" ]
  },
  {
    "id": "ANDROID_CAMERA",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "04-android-camera/" ]
  },
  {
    "id": "IOS_CAMERA",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "05-ios-camera/" ]
  },
  {
    "id": "MULTI_CLIP",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "06-multi-clip/" ]
  },
  {
    "id": "GALLERY_IMPORT",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "07-gallery-import/" ]
  },
  {
    "id": "TIMELINE",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "08-timeline/" ]
  },
  {
    "id": "UNDO_REDO",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "09-undo-redo/" ]
  },
  {
    "id": "DRAFT_RECOVERY",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "10-draft-recovery/" ]
  },
  {
    "id": "RENDERING",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "11-rendering/" ]
  },
  {
    "id": "UPLOAD",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "12-upload/" ]
  },
  {
    "id": "PUBLICATION_GATE",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "13-publication-gate/" ]
  },
  {
    "id": "ADVANCED_FEATURES_DISABLED",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "14-feature-flags/" ]
  },
  {
    "id": "CRASHLYTICS",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "15-crashlytics/" ]
  },
  {
    "id": "DEFECTS",
    "mandatory": true,
    "status": "PENDING",
    "evidence": [ "16-defects/defects.csv" ]
  }
}
]

```

}

19. Defect Register

16-defects/defects.csv

Defect ID,Test Case,Platform,Device,Summary,Severity,Priority,Build,Commit,Status,Owner,Evidence,Fix
Commit,Retest Result,Notes
CS-RC1-DEF-001,,,,,Critical,P0,,,OPEN,,,,,NOT RETESTED,

Severity rules

Severity	Definition
Critical	Crash, data loss, corrupt rendering, security bypass, unauthorized publication
High	Core camera/editor/upload journey broken with no acceptable workaround
Medium	Recoverable failure or significant UX degradation
Low	Cosmetic or minor usability issue

No open P0 or Critical defect is allowed for either GO or CONDITIONAL GO.

20. Evidence Validation Script

scripts/validate_creator_studio_rc1_evidence.sh

```
#!/usr/bin/env bash
set -euo pipefail

ROOT="${1:-release-evidence/creator-studio-1.1a-rc1}"
MANIFEST="${ROOT}/manifest.json"

required=(
  "01-repository"
  "02-flutter"
  "03-backend"
  "04-android-camera"
  "05-ios-camera"
  "06-multi-clip"
  "07-gallery-import"
  "08-timeline"
  "09-undo-redo"
  "10-draft-recovery"
  "11-rendering"
  "12-upload"
  "13-publication-gate"
  "14-feature-flags"
  "15-crashlytics"
  "16-defects"
  "17-governance"
)

[[ -f "${MANIFEST}" ]] || {
  echo "FAIL: manifest missing"
  exit 1
}

for directory in "${required[@]"; do
  path="${ROOT}/${directory}"

  [[ -d "${path}" ]] || {
    echo "FAIL: missing ${directory}"
    exit 2
  }
}
```

```

[[ -n "$(find "${path}" -type f -print -quit)" ]] || {
    echo "FAIL: ${directory} contains no evidence"
    exit 3
}
done

if grep -q '"status": "PENDING"' "${MANIFEST}"; then
    echo "FAIL: mandatory gates remain pending"
    exit 4
fi

if grep -q '"status": "FAIL"' "${MANIFEST}"; then
    echo "FAIL: one or more mandatory gates failed"
    exit 5
fi

COMMIT="$(
    sed -n \
        's/.*"commitHash": *"\([^"]*\)".*/\1/p' \
        "${MANIFEST}" |
    head -n 1
)"

[[ "${COMMIT}" =~ ^[0-9a-f]{40}$ ]] || {
    echo "FAIL: invalid commit SHA"
    exit 6
}

grep -q '"captions": false' "${MANIFEST}"
grep -q '"music": false' "${MANIFEST}"
grep -q '"voiceOver": false' "${MANIFEST}"
grep -q '"ecosystemObjects": false' "${MANIFEST}"
grep -q '"aiEditExecution": false' "${MANIFEST}"

DEFECTS="${ROOT}/16-defects/defects.csv"

if grep -E \
    ',Critical,P0,.*, (OPEN|TRIAGED|IN PROGRESS|READY FOR RETEST),' \
    "${DEFECTS}"; then
    echo "FAIL: unresolved Critical/P0 defect"
    exit 7
fi

echo "PASS: Creator Studio RC1 evidence pack is structurally complete"

```

21. Release Review Board Decision Rules

GO

Issue only when:

- Android and iPhone camera flows pass.
- Multi-clip recording passes on both platforms.
- Gallery import passes.
- Trim, split, delete and reorder pass.
- Undo and redo pass.
- Draft force-close recovery passes.
- Rendered video is playable and synchronized.
- Upload progress, cancel and retry pass.
- Server-side publication blocking passes.
- Advanced features remain disabled.
- Crashlytics is verified.
- Flutter and backend checks pass.
- No P0 or Critical defect remains.

CONDITIONAL GO

Allowed only where:

- Every P0 journey passes.
- No data-loss, crash, corrupt-render, authorization, or publication-gate defect remains.
- Remaining defect is non-critical.
- Pilot remains allow-listed.
- A named owner and deadline are documented.
- The affected optional behavior can be disabled remotely.

NO-GO

Mandatory where:

- Either physical platform lacks evidence.
- Camera initialization or recording fails.
- Clips are lost.
- Draft recovery fails.
- Rendered output is corrupt, silent, or materially out of sync.
- Upload cannot be cancelled or retried.
- Unprocessed or unmoderated content can be published.
- Any advanced feature is accessible.
- Crashlytics is unavailable.
- Evidence does not match the immutable candidate.

Current Binding Position

Area	Result
Immutable candidate	Not submitted
Android evidence	Not submitted
iPhone evidence	Not submitted
Timeline evidence	Not submitted
Draft recovery	Not submitted
Rendering	Not submitted
Upload recovery	Not submitted
Publication gate	Not submitted
Advanced-feature lock	Not submitted
Crashlytics	Not submitted
Overall decision	NO-GO pending evidence

No advanced Creator Studio functionality is authorized for activation.

Next Smart Move

Execute the RC1 physical-device sessions in this order:

1. Android camera and three-clip recording.
2. iPhone camera and three-clip recording.
3. Gallery import.
4. Trim, split, delete, reorder, undo and redo.
5. Force-close draft recovery.
6. Three-clip local render with audio/video synchronization checks.
7. Upload progress, network failure, cancellation and retry.

8. Server-side publication-blocking attempts.
9. Direct-access tests proving every advanced feature remains disabled.
10. Crashlytics verification.

Submit the complete immutable evidence package and defect register. The Release Review Board must then issue exactly one binding outcome: GO, CONDITIONAL GO or NO-GO. Do not start Release 1.1B or enable captions, music, voice-over, ecosystem objects or AI edit execution until this decision is recorded.