Master Plan - Isak Hammer

Solving Cahn-Hilliard Equation using CutCIP

Version: March 8, 2023

	Phase 1	**Phase 2**	**Phase 3**	**Phase 4**	**Report**
Estimated time	2-3 Weeks	4-5 Weeks	2 Weeks	3 Weeks	
Problem	CutDG for $-\Delta u = f$	CutCIP for $\Delta^2 u = f$	CutCIP for $\partial_t u + \Delta^2 u = g$	CutCIP for $\partial_t u + \Delta^2 u + f(u) = g$	Progress in report
Goals	• Analysis ☑ Coercivity ☑ Boundedness ☑ A priori estimates ☑ Condition number ☑ Constructing face based g_h • Implementation ☑ Poisson CutDG ☑ L^2 convergence ☑ H^1 convergence ☑ $a_h, *$ convergence ☑ Implement $\mathcal{P}^2$ elements	• Analysis ☑ Initial problem setup ☑ Coercivity ☑ Boundedness ☐ A priori estimates ☐ Constructing g_h ☐ Condition number † • Implementation ☐ First plot ☐ L^2 convergence ☐ H^1 convergence	• Analysis ☐ BDF analysis • Implementation ☐ First plot ☐ L^2L^2 convergence ☐ L^2H^1 convergence	• Implementation ☐ Fixed point method ☐ L^2L^2 convergence ☐ L^2H^1 convergence	☐ Introduction ☐ Mathematical background ☐ CutDG $-\Delta u = f$ 1) **Strongly considering removing this section** 2) **Very similar to CutCIP.** ☐ CutCIP for $\Delta^2 u = f$ ☐ Weak form in H^4 ☐ Construction of CutCIP ☐ Well-posedness ☐ A priori estimates ☐ Numerical experiments ☐ CutCIP for $\partial_t u + \Delta^2 u = g$ ☐ Time discretization ☐ Numerical experiments ☐ CutCIP for $\partial_t u + \Delta^2 u + f(u) = g$ ☐ Fixed point methods ☐ Numerical experiments ☐ Conclusion
Comments	Mostly based on (Gürkan and Massing, 2019)	† Maybe			• Marked done **only** if it is 95% done. • Page counter: 21
Digression		Aggregated FEM (Badia, Verdugo, and Martín, 2018) for $\mathcal{P}^k$, $k = 1, 2, 3$		Solve $\partial_t u + \kappa(u)\Delta^2 u = g$	



Other

1) Maybe exam in mid of April?
2) Easter 5.-10. April