





Installation of Virtual appliance

1. Download and install Virtual box
2. Import Virtual appliance



2. Select downloaded appliance





What is on Virtual appliance?

Virtual appliance has:

- Ubuntu server **16.04.2 LTS**
- **Postgresql 9.5**

- **pgAdmin**
- **Jdk 1.8**
- **JEE application server glassfish4**
- **Eclipse Mars2 for modeling developers with installed Sirius 3.1.6 and Epsilon 1.4**
- **Eclipse Neon for java developers**
- **Source core Tura 4.2.0**
- **Maven 3.5**

Credentials

- **Ubuntu server**
User: tura
Password:qwerty
- **Postgresql**
User: postgres
Password:postgres

Software locations

- **Jdk 1.8**
`/home/tura/tools/jdk1.8.0_131`
- **JEE application server glassfish4**
`/home/tura/servers/glassfish4`
- **Eclipse Mars2 for modeling developers with installed Sirius 3.1.6 and Epsilon 1.4**
`/home/tura/tools/eclipse-sirius`
- **Eclipse Neon for java developers**
`/home/tura/tools/eclipse-java`
- **Source core Tura 4.2.0**
`/home/tura/Repo/git/tura.4.2.0`
- **Maven 3.5**
`/home/tura/tools/apache-maven-3.5.0`
- **Generated code location**
`/home/tura/generation-code`

Code generation

1. Start application server

```
~/servers/glassfish4/bin/asadmin start-domain --verbose
```


2. Start eclipse.


- a. Start Xserver.

On Windows you can use MobaXterm. For Mac OS Xquartz


- b. From terminal execute

```
~/tools/eclipse-sirius/eclipse
```








Press Arrow down as you can see on the picture -> Select New Configuration




It will take a couple of minute to load metamodel



Generation of Test application







Deployment of Test application



Access to generated application

```
arseniy — tura@tura: ~ — ssh tura@192.168.0.16 — 127×39
tura@tura:~$ ifconfig
enp0s3  Link encap:Ethernet  HWaddr 08:00:27:d4:ba:4a
        inet addr:192.168.0.16  Bcast:192.168.0.255  Mask:255.255.255.0
        inet6 addr: 2607:fea8:551f:ff5d:a00:27ff:fed4:ba4a/64 Scope:Global
        inet6 addr: fe80::a00:27ff:fed4:ba4a/64 Scope:Link
        UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
        RX packets:165 errors:0 dropped:0 overruns:0 frame:0
        TX packets:94 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:1000
        RX bytes:18265 (18.2 KB)  TX bytes:12875 (12.8 KB)

lo      Link encap:Local Loopback
        inet addr:127.0.0.1  Mask:255.0.0.0
        inet6 addr: ::1/128 Scope:Host
        UP LOOPBACK RUNNING  MTU:65536  Metric:1
        RX packets:29 errors:0 dropped:0 overruns:0 frame:0
        TX packets:29 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:1
        RX bytes:18553 (18.5 KB)  TX bytes:18553 (18.5 KB)

tura@tura:~$
```

<https://<hostname>:8181/hrapplication/hrmanager/hrcontroller/HRController.xhtml?param1=qwert2>

[Tura demo](#)



User name:



Password:




User : qwerty
Password: qwerty

Forms ▾ Actions ▾




[HR Controller form](#)



Company name	Description	View company's details
Company A		
Company B		



Country 1



[Details:](#)

[Country details](#)

Country